

Admiralty Leisure Folio
SC5602 The West Country, Falmouth to Teignmouth

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5602 (12th Edition) Published on the 26th April 2018.

Temporary/Preliminary NMs

L6443(T)/16 ENGLAND — South Coast — Approaches to Dartmouth — Light-beacon.

Source: Dart Harbour and Navigation Authority

1. It has been reported that the light sectors at the Kingswear light-beacon, Iso.WRG.3s9m8M, in position 50° 20' ·808N. , 3° 34' ·087W. are currently unreliable.
2. The visible sectors are now reported as follows:

G 319° - 325° (6°)

W 325° - 335° (10°)

R 335° - 343° (8°)

3. Mariners are advised to navigate with caution as the white safe sector is now closer than charted to navigational hazards on the west side of the approach.
4. For further advice or navigational safety information please contact the harbour office on 01803 832337 or info@dartharbour.org (ETRS89 Datum)

Charts affected - SC5602

Temporary/Preliminary NMs

~~L5162(T)/17 ENGLAND — South Coast — Rame Head SE — Wreck. Restricted area.~~

~~Source: Queen's Harbour Master, Plymouth~~

- ~~1. A wreck, least depth 6.9m, is located in position 50° 18' ·408N. , 4° 12' ·396W.~~
- ~~2. An anchoring, fishing and diving prohibited area has been established, radius 500m (0.27M), centred on the wreck.~~
- ~~3. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)~~


~~Charts affected — SC5602~~

L1683/18 ENGLAND — South Coast — Rame Head SW — Obstruction.

Source: UKHO

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Delete



Obstn

50° 17' ·30N. , 4° 15' ·98W.

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

Delete  *Obstrn* 50° 17' ·30N. , 4° 15' ·98W.

L2088/18 ENGLAND — South Coast — Brixham Harbour — Depths. Drying heights.

Source: Torbay Council

Chart: SC5602·8 (Panel B, Brixham) ETRS89 DATUM

| | | |
|---------|--|------------------------------------|
| Insert | depth, <i>3₆</i> | (a) 50° 24' ·067N. , 3° 30' ·666W. |
| | depth, <i>3₄</i> | (b) 50° 24' ·010N. , 3° 30' ·723W. |
| | depth, <i>2₆</i> | (c) 50° 23' ·953N. , 3° 30' ·586W. |
| Replace | depth, <i>2₈</i> , with depth, <i>2₅</i> | 50° 23' ·915N. , 3° 30' ·634W. |
| | drying height, <i>0₄</i> , with drying height, <i>1₅</i> | 50° 24' ·295N. , 3° 30' ·750W. |
| Delete | depth, <i>4₂</i> , close SW of: | (a) above |
| | depth, <i>3₉</i> , close NW of: | (b) above |
| | depth, <i>2₉</i> , close N of: | (c) above |

L2095/18 ENGLAND — South Coast — Approaches to River Dart — Depth.

Source: Dart Harbour and Navigation Authority

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Replace depth, *1₈*, with depth, *1₄* 50° 20' ·11N. , 3° 33' ·00W.

Chart: SC5602·10 ETRS89 DATUM

Replace depth, *1₈*, with seabed type, *R*, with depth, *1₄*, with seabed type, *R* 50° 20' ·105N. , 3° 33' ·003W.

L2506/18 ENGLAND — South Coast — Teignmouth S — Marine farm. Note.

Source: River Teign Shellfish

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Insert  50° 31' ·47N. , 3° 29' ·83W.

L2672/18 ENGLAND — South Coast — Dartmouth Castle NW and NE, Old Castle Rock NW and SE, Lower Back, Middle Back, Duncannon Reach and Baltic Wharf Boatyard E — Depths. Drying heights. Drying contour. Rocks.

Source: Dart Harbour and Navigation Authority

Chart: SC5602·9 (Panel A, Dartmouth) ETRS89 DATUM

| | | |
|--------|----------------------------------|------------------------------------|
| Insert | depth, δ_5 | (a) 50° 20' ·754N. , 3° 34' ·325W. |
| | depth, δ_2 | (b) 50° 20' ·635N. , 3° 33' ·893W. |
| Delete | depth, δ_9 , close N of: | (a) above |
| | depth, δ_7 , close NW of: | (b) above |

Chart: SC5602·9 (Panel B, River Dart Higher Noss Point to Blackness Point) ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert | depth, δ_5 | (a) 50° 23' ·459N. , 3° 35' ·485W. |
| | drying height, δ_6 | 50° 23' ·332N. , 3° 35' ·504W. |
| | drying height, δ_1 , enclosed by 0m low water line | 50° 23' ·197N. , 3° 35' ·468W. |
| Delete | depth, δ_7 , close SE of: | (a) above |

Chart: SC5602·10 ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert | depth, δ_5 | 50° 20' ·194N. , 3° 33' ·419W. |
| | depth, δ_1 , with seabed type, <i>R</i> | (a) 50° 20' ·049N. , 3° 32' ·666W. |
| Delete | depth, δ_3 , with seabed type, <i>R</i> , close SE of: | (a) above |

Chart: SC5602·18 (Panel A, River Dart Blackness Point to Totnes) ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert | drying height, δ_1 , and extend 0m low water line E to enclose | (a) 50° 24' ·280N. , 3° 37' ·935W. |
| | depth, δ_1 | (b) 50° 24' ·204N. , 3° 37' ·932W. |
| | drying height, δ_4 | (c) 50° 23' ·759N. , 3° 37' ·105W. |
| | circular limit of 0m low water line, radius 10m, centred on: | 50° 23' ·678N. , 3° 37' ·102W. |
| | depth, δ_4 | (d) 50° 23' ·485N. , 3° 36' ·766W. |
| Delete | depth, δ_8 , close N of: | (a) above |
| | depth, δ_7 , close N of: | (b) above |
| | drying height, δ_1 , close NW of: | (c) above |
| | depth, δ_6 , close NW of: | (d) above |

L02/18 ENGLAND — South Coast — Labels

Source: UKHO

Chart: SC5602·8 (Panel B, Brixham) WGS84 DATUM

| | | |
|---------|---|--|
| Replace | graticule label, 31'·5, with, graticule label 30'·5 | outside N border, top right of panel |
| | graticule label, 31'·5, with, graticule label 30'·5 | outside S border, bottom left of panel |

L2971/18 ENGLAND — South Coast — Saint Austell Bay and Mevagissey Bay — Marine farms. Buoyage. Legends.

Source: Fowey Shellfish

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Insert limit of marine farm, pecked line, joining:

- (a) 50° 18' ·87N. , 4° 44' ·96W.
- (b) 50° 18' ·48N. , 4° 44' ·52W.
- (c) 50° 18' ·40N. , 4° 44' ·81W.
- (d) 50° 18' ·79N. , 4° 45' ·17W.

and

- (e) 50° 17' ·43N. , 4° 44' ·16W.
- (f) 50° 17' ·43N. , 4° 43' ·76W.
- (g) 50° 16' ·93N. , 4° 43' ·76W.
- (h) 50° 16' ·93N. , 4° 44' ·16W.



Fl. Or. 2s

- (a) above
- (c) above
- (d) above
- (e) above
- (f) above
- (g) above
- (h) above

legend, *Mussel lines*, within:

- (a)-(d) above
- (e)-(h) above

legend, (*buoys*), at buoy:

- 50° 18' ·48N. , 4° 44' ·50W.

L3219/18 ENGLAND — South Coast — Falmouth Bay SE — Buoy.

Source: Falmouth Harbour Commissioners

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Insert  *VQ(6)+LFl. 10s (4 buoys)* 50° 06' ·16N. , 4° 59' ·63W.

L3260/18 ENGLAND — South Coast — — Legend.

Source: UKHO

Chart: SC5602·13 ETRS89 DATUM

Amend legend to, *Outer Slimers (PA)*, centred on: 50° 18' ·31N. , 4° 05' ·99W.

L3311/18 ENGLAND — South Coast — — Buoyage. Beacon.

Source: Dart Harbour and Navigation Authority

Chart: SC5602·18 (Panel A, River Dart, Blackness Point to Totnes) ETRS89 DATUM


| | | |
|--------|--|------------------------------------|
| Insert |  <i>Walker</i> | 50° 24' ·372N. , 3° 38' ·047W. |
| |  <i>Handley</i> | (a) 50° 24' ·360N. , 3° 38' ·206W. |
| Delete |  , close NE of: | (a) above |
| Insert |  <i>G</i> | 50° 23' ·664N. , 3° 39' ·698W. |
| Move |  <i>Ham North</i> , from: | 50° 24' ·299N. , 3° 38' ·453W. |
| | to: | 50° 24' ·298N. , 3° 38' ·393W. |
| |  <i>Sharpham East</i> , from: | 50° 24' ·283N. , 3° 38' ·511W. |
| | to: | 50° 24' ·270N. , 3° 38' ·534W. |
| |  <i>Duncannon</i> , from: | 50° 24' ·234N. , 3° 37' ·915W. |
| | to: | 50° 24' ·194N. , 3° 37' ·951W. |
| |  , from: | 50° 23' ·931N. , 3° 38' ·474W. |
| | to: | 50° 23' ·984N. , 3° 38' ·393W. |

L3377/18 ENGLAND — South Coast — — Wreck.

Source: Queen's Harbour Master, Plymouth

Note: Former Notice L5162(T)/17 is cancelled.

Chart: SC5602·13 ETRS89 DATUM

| | | |
|--------|---|------------------------------|
| Insert |  <i>Wk</i> | 50° 18' ·41N. , 4° 12' ·40W. |
|--------|---|------------------------------|

L3391/18 ENGLAND — South Coast — — Buoy.

Source: Trinity House Notice 12/18

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

| | | |
|---------|--|------------------------------|
| Replace |  with  <i>F.I.R.5s</i> | 50° 16' ·31N. , 3° 33' ·77W. |
|---------|--|------------------------------|

L3434/18 ENGLAND — South Coast — — Buoyage.

Source: Dart Harbour Navigation Authority Notice 11/18

Chart: SC5602·10 ETRS89 DATUM

| | | |
|--------|--|--------------------------------|
| Insert |  <i>Fl.5s D11</i> | 50° 20' ·214N. , 3° 31' ·866W. |
| |  <i>Fl.5s D23</i> | 50° 19' ·584N. , 3° 31' ·872W. |
| |  <i>Fl.5s D18</i> | 50° 19' ·440N. , 3° 34' ·506W. |

L04/18 ENGLAND — South Coast — Labels

Source: UKHO

Chart: SC5602·2 (Panel A, Helford River to Fowey) WGS84 DATUM

| | | |
|---------|---|--|
| Replace | graticule label, 5°50', with, graticule label 4°50' | outside N border, top centre of panel |
| | graticule label, 5°50', with, graticule label 4°50' | outside S border, bottom centre of panel |

L3783/18 ENGLAND — South Coast — — Buoy.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

| | | |
|-------|--|--------------------------------|
| Amend | <i>The Vilt</i> light-buoy to <i>Fl.G.4s</i> | 50° 09' ·992N. , 5° 02' ·276W. |
|-------|--|--------------------------------|

Temporary/Preliminary NMs

L3771(P)/18 ENGLAND — South Coast — — Works.

Source: QHM Plymouth Notice 45/18

1. Works are taking place to construct a jetty in the vicinity of position 50° 22' ·992N. , 4° 11' ·695W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts 871 and 1902 will be updated when full details are available.(ETRS89 DATUM)

Charts affected – SC5602

L3896/18 ENGLAND — South Coast — — Buoyage.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

| | | |
|--------|--|--------------------------------|
| Insert |  <i>Q.G</i> | 50° 09' ·680N. , 5° 04' ·200W. |
| Move |  <i>Q.R</i> from: | 50° 09' ·743N. , 5° 04' ·328W. |
| | to: | 50° 09' ·750N. , 5° 04' ·310W. |

| | | |
|---------|--|--------------------------------|
| Replace |  with  <i>FI(5)R</i> | 50° 09' ·911N. , 5° 04' ·722W. |
| |  with  <i>FI(4)R</i> | 50° 09' ·865N. , 5° 04' ·561W. |
| |  with  <i>FI(3)G</i> | 50° 09' ·873N. , 5° 04' ·490W. |
| |  with  <i>FI(3)R</i> | 50° 09' ·831N. , 5° 04' ·470W. |
| |  with  <i>FI(2)R</i> | 50° 09' ·804N. , 5° 04' ·420W. |

Temporary/Preliminary NMs

~~L3893(T)/18 ENGLAND — South Coast — Measuring instrument. Buoy.~~

Source: Plymouth Marine Laboratory

~~1. — A measuring instrument, marked by a yellow spherical light buoy, *Q*, has been established in position 50° 15' ·12N. , 4° 12' ·93W. (ETRS89 DATUM)~~


~~Charts affected — SC5602~~

L4541/18 ENGLAND — South Coast — — Buoyage. Radar beacon.

Source: Trinity House

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Insert  *Q(6)+LFI.15s (2 buoys)* (a) 50° 27' ·95N. , 3° 24' ·86W.

Delete  *Q(3)10s (4 buoys)* and associated radar beacon,
Racon(T), close NE of: (a) above

L5122/18 ENGLAND — South Coast — — Buoy.

Source: Plymouth Marine Laboratory

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Insert  *FI(5)Y.20s* 50° 15' ·25N. , 4° 12' ·85W.

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

Insert  *FI(5)Y.20s* 50° 15' ·25N. , 4° 12' ·85W.

L5439/18 ENGLAND — South Coast — — Light. Fog signal.

Source: Trinity House

Chart: SC5602·1 ETRS89 DATUM

Amend light to, Fl(3)10s62m18M & F.R.55m9M Horn(1)30s 50° 13' ·4N. , 3° 38' ·6W.

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Amend light to, Fl(3)10s62m18M & F.R.9M Horn(1)30s 50° 13' ·34N. , 3° 38' ·54W.

L5550/18 ENGLAND — South Coast — — Buoy.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Insert  *F(2)G* 50° 09' ·81N. , 5° 04' ·37W.

L5559/18 ENGLAND — South Coast — — Buoyage.


Source: Helford River Navigational Aids Committee

Chart: SC5602·20 (Panel A, Helford River) ETRS89 DATUM

Insert  *Bar (seasonal) PA* 50° 05' ·88N. , 5° 07' ·92W.

Delete  *Bar PA* 50° 05' ·862N. , 5° 07' ·807W.

Insert  *Q The Voose (seasonal) PA* (a) 50° 05' ·82N. , 5° 06' ·91W.

Delete  *The Voose PA* , close SW of: (a) above

L5583/18 ENGLAND — South Coast — — Wrecks.

Source: Trinity House

Chart: SC5602·1 ETRS89 DATUM

Replace  *Wk* with  *Wk* 50° 28' ·1N. , 3° 24' ·9W.

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Replace  *Wk* with  *Wk* 50° 28' ·10N. , 3° 24' ·86W.

~~Temporary/ Preliminary NMs~~

~~**L5579(T)/18 ENGLAND — South Coast — — Buoyage.**~~

~~Source: Helford River Navigational Aids Committee~~

- ~~1. The following light buoys are temporarily unlit:~~

Buoy

The Voose

August Rk

Position

50° 05' 82N. , 5° 06' 91W.

50° 06' 14N. , 5° 04' 97W.

~~2. Mariners are advised to navigate with caution in the area. (ETRS89 DATUM)~~

Charts affected — SC5602 and SC5603

L5755/18 ENGLAND — South Coast — — Buoyage.

Source: Teignmouth Harbour Commission

Chart: SC5602·8 (Panel C, Teignmouth) ETRS89 DATUM

Insert

 *Fl.G.2s Spratt Sands Inner*

50° 32' 370N. , 3° 29' 900W.

 *Fl.R.2s Ness Rocks*

50° 32' 342N. , 3° 29' 788W.

L367/19 ENGLAND — South Coast — — NM Block.


Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Insert

the accompanying block, centred on:

50° 09' 8N. , 5° 04' 4W.



Temporary/Preliminary NMs

L1704(T)/19 ENGLAND - South Coast - Buoy.

Source: Helford River Navigational Aids Committee

1. The light-buoy, *The Voose*, in position 50° 05' 82N., 5° 06' 91W. is temporarily unlit.
2. Mariners are advised to navigate with caution in the area.

3. Former Notice L5579(T)/18 is cancelled.
(ETRS89 DATUM)

Charts affected – SC5602 and SC5603

L1742/19 ENGLAND — South Coast — — Buoy.

Source: Helford River Navigational Aids Committee

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM



Move  *Fl.G.5s August Rk. (seasonal)* from: 50° 06' ·14N. , 5° 04' ·97W.
to: 50° 06' ·12N. , 5° 05' ·01W.

Chart: SC5602·20 (Panel A, Helford River) ETRS89 DATUM

Move  *Fl.G.5s August Rk. (seasonal)* from: 50° 06' ·14N. , 5° 04' ·97W.
to: 50° 06' ·12N. , 5° 05' ·01W.

L2012/19 ENGLAND — South Coast — — Legend.

Source: Sid Rees

Chart: SC5602·13 ETRS89 DATUM

Insert legend, *Less water reported (2019)*, centred on: 50° 18' ·40N. , 4° 06' ·00W.

L2969/19 ENGLAND — South Coast — — Depths.

Source: Dart Harbour and Navigation Authority

Chart: SC5602·9 (Panel A, Dartmouth) ETRS89 DATUM

Insert depth, 5, enclosed by 5m contour (a) 50° 21' ·870N. , 3° 34' ·868W.

Delete depth, 5₃, close S of: (a) above

Chart: SC5602·9 (Panel B, River Dart, Higher Noss Point to Blackness Point) ETRS89 DATUM

Insert depth, 5, enclosed by 5m contour (a) 50° 21' ·870N. , 3° 34' ·868W.

Delete depth, 5₃, close S of: (a) above

Chart: SC5602·10 ETRS89 DATUM

Insert depth, 2, enclosed by 2m contour (b) 50° 20' ·034N. , 3° 33' ·078W.

Delete depth, 2₄, close NW of: (b) above

L3124/19 ENGLAND — South Coast — — Depths. Drying height.

Source: Truro and Penryn Harbours

Chart: SC5602·3 (Panel A, River Fal, Saint Just Pool to Truro River) ETRS89 DATUM

| | | |
|--------|--|------------------------------------|
| Insert | drying height, Q_2 , enclosed by 0m low water line | (a) 50° 12' ·397N. , 5° 02' ·123W. |
| Delete | depth, O_6 , close N of: | (a) above |
| Insert | depth, 9_9 , and extend 10m contour E to enclose | (b) 50° 12' ·090N. , 5° 02' ·526W. |
| Delete | depth, 11_7 , close N of: | (b) above |

Temporary/Preliminary NMs

~~L3094(P)/19 ENGLAND — South Coast — — Works.~~

~~Source: Dart Harbour and Navigation Authority LNTM 07/19~~

- ~~1. There are ongoing works in the area of Noss on Dart Marina to upgrade the facilities including the jetty and pontoons, bounded by the following positions:~~

~~50° 22' ·034N. , 3° 34' ·681W.~~

~~50° 22' ·036N. , 3° 34' ·579W.~~

~~50° 21' ·745N. , 3° 34' ·550W.~~

~~50° 21' ·749N. , 3° 34' ·672W.~~

- ~~2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (ETRS89 DATUM)~~

~~Chart affected — SC5602~~

L4458/19 ENGLAND — South Coast — — Wreck.

Source: ms Northern Wind

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

| | | |
|--------|---|------------------------------|
| Insert |  48_{Wk} | 50° 11' ·70N. , 4° 46' ·40W. |
|--------|---|------------------------------|

L4615/19 ENGLAND — South Coast — — Foul.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

| | | |
|--------|---|--------------------------------|
| Insert | # | 50° 08' ·220N. , 5° 03' ·420W. |
|--------|---|--------------------------------|

L5050/19 ENGLAND — South Coast — — Buoy.

Source: Falmouth Harbour Commissioners Notices 20 and 27/19

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Delete  VQ(6)+LFl. 10s (4 buoys) 50° 06' ·16N. , 4° 59' ·63W.

L5834/19 ENGLAND — South Coast — — Jetty.

Source: Torbay Development Agency

Chart: SC5602·8 (Panel B, Brixham) ETRS89 DATUM

Insert jetty, single firm line, joining: 50° 24' ·003N. , 3° 30' ·915W.
50° 24' ·027N. , 3° 30' ·884W.

L5837/19 ENGLAND — South Coast — — Wreck.

Source: smb Owen

Chart: SC5602·19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

Insert  Wk 50° 24' ·800N. , 4° 12' ·299W.

L5881/19 ENGLAND — South Coast — — Wreck.

Source: Trinity House

Chart: SC5602·1 ETRS89 DATUM



Replace  Wk with  Wk 50° 28' ·1N. , 3° 24' ·9W.

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Replace  Wk with  Wk 50° 28' ·10N. , 3° 24' ·87W.

L5938 ENGLAND — South Coast — — Dredged depth.

Source: Cattewater Harbour Commissioners

Chart: SC5602·15 (Panel A, Plymouth Sound Northeastern Part) ETRS89 DATUM

Amend dredged depth to, 2·0m (2019), centred on: 50° 21' ·977N. , 4° 06' ·623W.

**Notices to Mariners - Weekly Edition 47/2019 International Chart Series,
England - South Coast, Harbours on the South Coast of Devon.
— Chart 0026— New Edition Announcement.**

Charts SC5602-6 and SC5602-8 WGS84 DATUM

The following changes were published in the new edition of chart 0026, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government and port authority surveys. Mariners should therefore navigate with caution on sheets SC5602-6 and SC5602-8 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L6227/19 ENGLAND — South Coast — — Depths.

Source: MST (FHMU)

**Chart: SC5602-19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89
DATUM**

| | | |
|--------|--|--------------------------------|
| Insert | depth, 1, and extend 2m contour W to enclose | 50° 25' ·452N. , 4° 12' ·118W. |
| | depth, 1 _i , and extend 2m contour W to enclose | 50° 25' ·397N. , 4° 12' ·125W. |
| | depth, 1 _z , and extend 2m contour W to enclose | 50° 25' ·338N. , 4° 12' ·142W. |
| | depth, 1, and extend 2m contour W to enclose | 50° 25' ·266N. , 4° 12' ·154W. |

L6672/19 ENGLAND — South Coast — — Buoy.

Source: John Head

Chart: SC5602-2 (Panel A, Helford River to Fowey) ETRS89 DATUM



| | | |
|------|--|------------------------------|
| Move |  Fl.G.5s August Rk. (seasonal), from: | 50° 06' ·12N. , 5° 05' ·01W. |
| | to: | 50° 06' ·10N. , 5° 05' ·10W. |

Chart: SC5602-20 (Panel A, Helford River) ETRS89 DATUM

| | | |
|------|--|------------------------------|
| Move |  Fl.G.5s August Rk. (seasonal), from: | 50° 06' ·12N. , 5° 05' ·01W. |
| | to: | 50° 06' ·10N. , 5° 05' ·10W. |

L101/20 ENGLAND — South Coast — — Drying heights.

Source: UKHO

Chart: SC5602·19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

Insert drying height, Q_9 (a) 50° 25' ·717N. , 4° 12' ·055W.
Delete drying height, Q_3 , close SE of: (a) above

Chart: SC5602·19 (Panel B, Neal Point to Halton Quay) ETRS89 DATUM

Insert drying height, Q_9 (a) 50° 25' ·717N. , 4° 12' ·055W.
Delete drying height, Q_3 , close SE of: (a) above

Temporary/Preliminary NMs

L88(T)/20 ENGLAND — South Coast — — Buoyage.

Source: Plymouth Marine Laboratory

1. Subsurface target buoys have been deployed in the following positions:

50° 13' ·95N. , 4° 16' ·90W.

50° 14' ·59N. , 4° 16' ·06W.

50° 14' ·28N. , 4° 16' ·46W.

2. The subsurface targets sit 20m above the sea bed.
3. There are lit buoys, *Fl(5)20s*, within 200m of each target.

(ETRS89 DATUM)

Charts affected – SC5602

L157/20 ENGLAND — South Coast — — Lights.

Source: Tor Bay Harbour Authority

Chart: SC5602·8 (Panel B, Brixham) ETRS89 DATUM

Amend light to, 2F.R(vert) 50° 23' ·958N. , 3° 30' ·604W.
light to, 2F.G(vert) 50° 24' ·075N. , 3° 30' ·443W.

L232/20 ENGLAND — South Coast — — Depths.

Source: ms Northern Wind

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Insert depth, 10_1 50° 18' ·83N. , 4° 42' ·02W.
depth, 16 (a) 50° 18' ·44N. , 4° 42' ·74W.
Delete depth, 18_6 , close NE of: (a) above

| | | | |
|---------|--|-----|------------------------------|
| Insert | depth, <i>11_s</i> | (b) | 50° 17' ·38N. , 4° 41' ·16W. |
| Delete | depth, <i>13_i</i> , close SW of: | (b) | above |
| Replace | depth, <i>15₂</i> , with depth, <i>12₂</i> | | 50° 17' ·79N. , 4° 40' ·90W. |

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

| | | | |
|--------|---|-----|------------------------------|
| Insert | depth, <i>12₂</i> | (a) | 50° 17' ·79N. , 4° 40' ·90W. |
| Delete | depth, <i>15₂</i> , close SE of: | (a) | above |

~~Temporary/Preliminary NMs~~

~~**L189(T)/20 ENGLAND — South Coast — Measuring instrument. Buoy.**~~

~~Source: Plymouth Marine Laboratory~~

- ~~1. A measuring instrument, marked by a yellow spherical light buoy, *Q*, has been established in position 50° 15' ·10N. , 4° 13' ·09W.~~
- ~~2. Former Notice L3893(T)/18 is cancelled.~~

~~(ETRS89 DATUM)~~

~~**Charts affected — SC5602**~~

L441/20 ENGLAND — South Coast — — Drying heights. Depths.

Source: smb Shackleton

Chart: SC5602·19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

| | | | |
|--------|---|-----|--------------------------------|
| Insert | depth, <i>5₂</i> | (a) | 50° 24' ·532N. , 4° 12' ·156W. |
| Delete | depth, <i>7₃</i> , close W of: | (a) | above |
| Insert | depth, <i>6_s</i> | (b) | 50° 24' ·102N. , 4° 12' ·389W. |
| Delete | depth, <i>7₇</i> , close S of: | (b) | above |

Chart: SC5602·19 (Panel B, Neal Point to Halton Quay) ETRS89 DATUM

| | | |
|--------|--|--------------------------------|
| Insert | drying height, <i>0₂</i> , enclosed by 0m low water line | 50° 26' ·372N. , 4° 11' ·941W. |
| | drying height, <i>0₂</i> , and extend 0m low water line W to enclose | 50° 26' ·335N. , 4° 11' ·814W. |
| | drying height, <i>1₉</i> , and extend 0m low water line E to enclose | 50° 26' ·263N. , 4° 11' ·921W. |
| | drying height, <i>1_s</i> , and extend 0m low water line SW to enclose | 50° 26' ·125N. , 4° 11' ·801W. |

L708/20 ENGLAND — South Coast — — Wreck. Depth.

Source: smb Shackleton

Chart: SC5602·19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

Insert  *Wk* (a) 50° 24' ·552N. , 4° 12' ·251W.
Delete depth, 10₄, close E of: (a) above

L852/20 ENGLAND — South Coast — — Buoy.

Source: National Oceanography Centre

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 26' ·001N. , 3° 31' ·097W.
to: 50° 26' ·018N. , 3° 31' ·083W.

L1166/20 ENGLAND — South Coast — — Buoyage.

Source: Renewable Energy Group, Exeter University


Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Delete  *Fl(5)Y.20s* 50° 11' ·60N. , 4° 50' ·00W.
50° 17' ·74N. , 4° 43' ·77W.

**L1259/20 ENGLAND — South Coast — — Hulk. Small craft facilities. Legend.
Submarine power cable.**

Source: Salcombe Harbour Master

Chart: SC5602·12 (Panel A, Salcombe Harbour) ETRS89 DATUM

Delete submarine power cable,  , joining: 50° 14' ·738N. , 3° 45' ·159W.
(a) 50° 14' ·751N. , 3° 45' ·333W.
hulk and associated symbol, yacht club magenta flag, close NW of: (a) above
legend, EGREMONT Island Cruising Club, close NE of: (a) above

Notices to Mariners - Weekly Edition 10/2020 English Channel, Western Entrance.

— Chart 2655— New Edition Announcement.

Chart SC5602·1 WGS84 DATUM

The following changes were published in the new edition of chart 2655, which is the source chart for the above folio sheet:

Includes new Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheet SC5602·1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 10/2020 English Channel, Central Part.
— Chart 2656— New Edition Announcement.**

Chart SC5602·1 WGS84 DATUM

The following changes were published in the new edition of chart 2656, which is the source chart for the above folio sheet:

Includes new Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheet SC5602·1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

L1309/20 ENGLAND — South Coast — — Depths.

Source: Dart Harbour and Navigation Authority

**Chart: SC5602·9 (Panel B, River Dart Higher Noss Point to Blackness Point)
ETRS89 DATUM**

| | | |
|--------|-------------------------------------|------------------------------------|
| Insert | depth, 3 | (a) 50° 22' ·062N. , 3° 34' ·635W. |
| Delete | depth, 3 _s , close S of: | (a) above |

L1395/20 ENGLAND — South Coast — — Depths. Wrecks.

Source: British Government Survey

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

| | | |
|--------|---|----------------------------------|
| Insert | depth, 6 _s | 50° 19' ·49N. , 4° 42' ·29W. |
| | depth, 15 ₇ | (a) 50° 17' ·22N. , 4° 42' ·15W. |
| Delete | depth, 17 ₁ , close NE of: | (a) above |
| Insert | depth, 14 | 50° 16' ·99N. , 4° 40' ·92W. |
| | depth, 28 _s , enclosed by 30m contour | (b) 50° 15' ·30N. , 4° 41' ·20W. |
| Delete | depth, 33, close NE of: | (b) above |
| Insert | depth, 5 _s , and extend 10m contour E to enclose | (c) 50° 12' ·41N. , 4° 47' ·65W. |
| Delete | depth, 7, close W of: | (c) above |

Replace



Wk with



Wk

50° 14' ·22N. , 4° 42' ·24W.

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Insert depth, 14, enclosed by 15m contour

50° 16' ·99N. , 4° 40' ·92W.

L1401/20 ENGLAND — South Coast — — Drying heights. Depths.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Insert depth, 0₉

50° 09' ·941N. , 5° 04' ·701W.

Temporary/Preliminary NMs

L1410(T)/20 ENGLAND — South Coast — — Foul.

Source: UKHO

1. A foul area exists, bounded by the following positions:

50° 25' ·913N. , 3° 28' ·689W.

50° 25' ·903N. , 3° 28' ·720W.

50° 25' ·983N. , 3° 28' ·787W.

50° 25' ·994N. , 3° 28' ·755W.

2. Mariners are advised to navigate with caution in the area.

(ETRS89 DATUM)

Charts affected – SC5602

L1536/20 ENGLAND — South Coast — — Buoy.

Source: Fowey Harbour Commissioners

Chart: SC5602·7 (Panel A, Fowey Harbour) ETRS89 DATUM

Insert



F.I.R.3s

50° 20' ·077N. , 4° 38' ·010W.

Notices to Mariners - Weekly Edition 12/2020 England - South Coast, Berry Head to Portland Bill.

— Chart 3315— New Edition Announcement.

Chart SC5602-8 WGS84 DATUM

The following changes were published in the new edition of chart 3315, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: changes to light sectors. Mariners should therefore navigate with caution on sheet SC5602-8 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

L1574/20 ENGLAND — South Coast — — Buoyage.

Source: Dart Harbour Authority

Chart: SC5602-9 (Panel B, River Dart Higher Noss Point to Blackness Point) ETRS89 DATUM


Insert  50° 23' ·466N. , 3° 36' ·190W.

Chart: SC5602-18 (Panel A, River Dart Blackness Point to Totnes) ETRS89 DATUM

Insert  50° 24' ·714N. , 3° 38' ·936W.

L1886/20 ENGLAND — South Coast — — Buoyage.

Source: Falmouth Harbour Commissioners

Chart: SC5602-5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 09' ·545N. , 5° 03' ·195W.
to: 50° 09' ·545N. , 5° 03' ·104W.
 , from: 50° 09' ·620N. , 5° 03' ·212W.
to: 50° 09' ·620N. , 5° 03' ·162W.

Temporary/Preliminary NMs

L1981(P)/20 ENGLAND — South Coast — — Buoy. Works.

Source: Dart Harbour and Navigation Authority LNTM 06/20

1. *There are ongoing works in the area of Noss-on-Dart Marina to upgrade the facilities including the jetty and pontoons, bounded by the following positions:

50° 21' ·750N. , 3° 34' ·500W.

50° 22' ·100N. , 3° 34' ·500W.

50° 22' ·100N. , 3° 34' ·700W.

50° 21' ·750N. , 3° 34' ·700W.

2. *A starboard-hand lateral light-buoy, *Q.G*, has been established in position 50° 21' ·780N. , 3° 34' ·680W.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Former Notice L3094(P)/19 is cancelled.

*indicates new or revised entry.

(ETRS89 DATUM)

Chart affected – SC5602

Temporary/Preliminary NMs

L2917(T)/20 ENGLAND — South Coast — — Obstructions.

Source: Tor Bay Harbour Authority

1. Concrete blocks, to enable scientific experimentation, have been placed on the seabed in the following positions:

50° 26' ·920N. , 3° 29' ·670W.

50° 26' ·900N. , 3° 29' ·670W.

50° 26' ·900N. , 3° 29' ·630W.

50° 26' ·920N. , 3° 29' ·630W.

2. Mariners are advised to navigate with caution in the area.

(ETRS89 DATUM)

Charts affected –SC5602

Temporary/Preliminary NMs

L3310(T)/20 ENGLAND — South Coast — — Measuring instrument. Buoy.

Source: Plymouth Marine Laboratory

1. A measuring instrument, marked by a yellow spherical light-buoy, *Q*, has been established in position 50° 15' ·16N. , 4° 13' ·01W.
2. Former Notice L189(T)/20 is cancelled.(ETRS89 DATUM)

Charts affected – SC5602

L3373/20 ENGLAND — South Coast — — Wreck.

Source: mv Lode

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

Insert  50° 13' ·77N. , 4° 00' ·53W.

L3525/20 ENGLAND — South Coast — — Depths. Drying heights.

Source: British Government Survey

Chart: SC5602·8 (Panel A, Salcombe to Teignmouth) ETRS89 DATUM

Insert depth, 1₈, enclosed by 2m contour 50° 32' ·281N. , 3° 29' ·208W.

Chart: SC5602·8 (Panel B, Brixham) ETRS89 DATUM

Insert depth, 1₉ (a) 50° 24' ·190N. , 3° 31' ·120W.
Delete depth, 2₆, close N of: (a) above
Insert depth, 4₅, enclosed by 5m contour 50° 24' ·219N. , 3° 30' ·908W.
depth, 3₆ (b) 50° 24' ·133N. , 3° 30' ·682W.
Delete depth, 4₃, close NE of: (b) above

Chart: SC5602·8 (Panel C, Teignmouth) ETRS89 DATUM

Insert drying height, 0₂, and extend 0m low water line S to enclose (a) 50° 32' ·369N. , 3° 29' ·861W.
Delete depth, 0₉, close SE of: (a) above
Insert depth, 1₇, and extend 2m contour S to enclose 50° 32' ·727N. , 3° 30' ·309W.
Replace depth, 8₃, with depth, 7₄ 50° 32' ·398N. , 3° 30' ·087W.

L3633/20 ENGLAND — South Coast — — Depths. Wreck.

Source: AP Group

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Insert depth, 5, enclosed by 5m contour 50° 09' ·514N. , 5° 03' ·613W.
depth, 4₉, enclosed by 5m contour (a) 50° 09' ·336N. , 5° 02' ·494W.
Delete depth, 5₂, close NW of: (a) above
Insert  (b) 50° 09' ·265N. , 5° 03' ·350W.
Delete depth, 2, close N of: (b) above

L3756/20 ENGLAND — South Coast — — Depths.

Source: m/s Northern Wind

Chart: SC5602·1 ETRS89 DATUM

Replace depth, 34, with depth, 30, enclosed by 30m contour 50° 12' ·9N. , 4° 22' ·8W.

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Insert depth, 16, (a) 50° 18' ·47N. , 4° 37' ·79W.

Delete depth, 18, close NW of: (a) above

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Insert depth, 16, (a) 50° 18' ·47N. , 4° 37' ·79W.

Delete depth, 18, close NW of: (a) above

Replace depth, 34, with depth, 30, enclosed by 30m contour 50° 12' ·90N. , 4° 22' ·80W.

L4047/20 ENGLAND — South Coast — — Dredged depth.

Source: Cattewater Harbour Commissioners

**Chart: SC5602·15 (Panel A Plymouth Sound)
ETRS89 DATUM**

Amend dredged depth to, 6·3m (2020), centred on: 50° 21' ·698N. , 4° 06' ·982W.

Temporary/Preliminary NMs

L4373(P)/20 ENGLAND — South Coast — — Vertical clearances.

Source: UKHO

1. The following vertical clearances have been amended:

2.

| | <i>Clearance</i> | <i>Position</i> |
|----------------------|------------------|--------------------------------|
| Bridge | 0·4m | 50° 21' ·717N. , 4° 38' ·413W. |
| Overhead power cable | 17·0m | 50° 24' ·260N. , 4° 40' ·044W. |
| Overhead power cable | 4·8m | 50° 23' ·173N. , 4° 39' ·656W. |

3. These and other changes will be included in the next New Edition of Chart 31. (ETRS89 DATUM)

Chart affected – SC5602

**Notices to Mariners - Weekly Edition 38/2020 International Chart Series,
England - South Coast, Harbours on the South Coast of Cornwall.
— Chart 31— New Edition Announcement.**

Chart SC5602·7 WGS84 DATUM

The following changes were published in the new edition of chart 31, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government and Fowey Harbour Commission Surveys. Mariners should therefore navigate with caution on sheet SC5602·7 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

The Notices to Mariners (NMs) listed below apply to the previous edition of SC5602 (11th Edition) published on 17th September 2015.

The 11th Edition of this product dated 17th September 2015 has been withdrawn and superseded by a New Edition of the same title. Navigational and safety related changes have been incorporated in the New Edition. It must be fully understood that use of the information attached will enable the updating of the 12th edition to the point at which it was withdrawn 26th April 2018 It is strongly recommended that the latest available edition of the product should be used

L4611/15 ENGLAND — South Coast — Plymouth Sound — Rame Head SW — Looe Bay NE — Whitsand Bay NW — Depths.

Source: rv Wessex Explorer

Chart: SC5602·4 (panel A, Fowey to Plymouth) ETRS89 DATUM

| | | |
|---------|--|----------------------------------|
| Insert | depth, <i>4₇</i> , enclosed by 5m contour | 50° 21' ·30N. , 4° 25' ·57W. |
| | depth, <i>7</i> , and extend 10m contour SE to enclose | (a) 50° 21' ·18N. , 4° 21' ·03W. |
| Replace | depth, <i>1₄</i> , with drying height, <i>1₇</i> , enclosed by 0m low water line | 50° 21' ·72N. , 4° 24' ·42W. |
| | depth, <i>8₁</i> , with depth, <i>5₇</i> | 50° 18' ·80N. , 4° 13' ·93W. |
| Delete | depth, <i>8₈</i> , close NW of: | (a) above |

Chart: SC5602·6 (panel A, Plymouth to Salcombe) ETRS89 DATUM

| | | |
|---------|--|------------------------------|
| Replace | depth, <i>8₁</i> , with depth, <i>5₇</i> | 50° 18' ·80N. , 4° 13' ·93W. |
|---------|--|------------------------------|

Chart: SC5602·13 ETRS89 DATUM

| | | |
|--------|---|----------------------------------|
| Insert | depth, <i>5₇</i> | (a) 50° 18' ·80N. , 4° 13' ·93W. |
| | depth, <i>12₈</i> | (b) 50° 18' ·57N. , 4° 14' ·04W. |
| Delete | depth, <i>8₁</i> , close W of: | (a) above |
| | depth, <i>14</i> , close E of: | (b) above |

L4696/15 ENGLAND — South Coast — Plymouth Sound — The Bridge NW — Dunstone Point W — Yonderberry Point NE — Depth. Obstructions.

Source: UKHO

Chart: SC5602·14 ETRS89 DATUM

Insert  *Obstn* 50° 21' ·189N. , 4° 09' ·720W.
depth, *5₆* 50° 21' ·207N. , 4° 08' ·005W.

Chart: SC5602·15 (panel A, Plymouth Sound Northeastern Part) ETRS89 DATUM

Insert depth, *5₆* 50° 21' ·207N. , 4° 08' ·005W.

Chart: SC5602·16 ETRS89 DATUM

Insert  *Obstn* 50° 21' ·189N. , 4° 09' ·720W.

Chart: SC5602·17 (panel A, Hamoaze) ETRS89 DATUM

Replace  *Obstn* with  *Obstn* 50° 23' ·160N. , 4° 11' ·739W.

L4961/15 ENGLAND — South Coast — Lyme Bay — Approaches to River Exe, Hope's Nose E and West Bay W — Depths. Wrecks.

Source: British Government Survey

Chart: SC5602·1 ETRS89 DATUM

Replace  *Wk*, with  *Wk* 50° 28' ·1N. , 3° 24' ·9W.

Chart: SC5602·8 (panel A, Salcombe to Teignmouth) ETRS89 DATUM

Replace  *Wk (buoyed)*, with  *Wk (buoyed)* 50° 28' ·10N. , 3° 24' ·86W.

L5087/15 ENGLAND — South Coast — Falmouth — Penryn River — Wreck. Buoy.

Source: Falmouth Harbour Commissioners

Chart: SC5602·5 (panel A, Falmouth Harbour) ETRS89 DATUM

Delete  (a) 50° 09' ·977N. , 5° 04' ·780W.

 , close SW of: (a) above

**L5159/15 ENGLAND — South Coast — Dartmouth Harbour — Dart Marina N
— Wreck.**

Source: FOST HM

Chart: SC5602·9 (panel A, Dartmouth) ETRS89 DATUM

Insert



50° 21' ·566N. , 3° 34' ·623W.

L5726/15 ENGLAND — South Coast — Tor Bay — Buoyage. Marine farm.

Source: Scallop Ranch Ltd

Chart: SC5602·8 (panel A, Salcombe to Teignmouth) ETRS89 DATUM

Insert



(a) 50° 26' ·865N. , 3° 29' ·690W.

(b) 50° 26' ·865N. , 3° 29' ·170W.

(c) 50° 26' ·700N. , 3° 29' ·170W.

(d) 50° 26' ·700N. , 3° 29' ·690W.

limit of marine farm, pecked line, joining:

(a)-(d) above



(a)-(d) above



50° 26' ·78N. , 3° 29' ·43W.

**Notices to Mariners - Weekly Edition 47/2015 England - South Coast, Salcombe
Harbour.**

— Chart 28 — New Edition Announcement.

Chart SC5602·11 and SC5602·12 WGS84 DATUM

The following changes were published in the new edition of chart 28, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Salcombe Harbour Authority and commercial surveys. Mariners should therefore navigate with caution on sheets SC5602·11 and SC5602·12 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 49/2015 International Chart Series,
England - South Coast, Dartmouth Harbour.**

— Chart 2253 — New Edition Announcement.

Chart SC5602·9, SC5602·10 and SC5602·18 WGS84 DATUM

The following changes were published in the new edition of chart 2253, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Dart Harbour Authority surveys. Mariners should therefore navigate with caution on sheets SC5602·9, SC5602·10 and SC5602·18 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L44/16 ENGLAND — South Coast — Fowey - Wiseman's Reach NW and Mixtow Reach SW — Depths. Drying height.

Source: Shoreline Surveys Ltd

Chart: SC5602·7 (panel A, Fowey Harbour) ETRS89 DATUM

| | | |
|--------|--|------------------------------------|
| Insert | depth, 1_7 , enclosed by 2m contour | (a) 50° 21' ·000N. , 4° 38' ·183W. |
| | drying height, 0_1 , enclosed by 0m low water line | (b) 50° 20' ·737N. , 4° 38' ·060W. |
| Delete | depth, 2_2 , close N of: | (a) above |
| | depth, 0_7 , close SW of: | (b) above |

Chart: SC5602·7 (panel B, River Fowey) ETRS89 DATUM

| | | |
|--------|---|--------------------------------|
| Insert | depth, 1_7 , and extend 2m contour E to enclose | 50° 21' ·000N. , 4° 38' ·183W. |
|--------|---|--------------------------------|

L565/16 ENGLAND — South Coast — Fowey Harbour Approaches — Whitsand Bay W — Rame Head NW — Udder Rock E — Downend Shoals W — Polperro Harbour — Depths.

Source: British Government Survey

Chart: SC5602·2 (panel A, Helford River to Fowey) ETRS89 DATUM

| | | |
|---------|----------------------------------|----------------------------------|
| Insert | depth, 4_7 | (a) 50° 19' ·14N. , 4° 33' ·63W. |
| | depth, 6_2 | (b) 50° 19' ·19N. , 4° 33' ·30W. |
| Replace | depth, 4_6 , with depth, 3_8 | 50° 19' ·30N. , 4° 38' ·90W. |
| Delete | depth, 5_4 , close SW of: | (a) above |
| | depth, 9_3 , close S of: | (b) above |

Chart: SC5602·4 (panel A, Fowey to Plymouth) ETRS89 DATUM

| | | |
|---------|---|----------------------------------|
| Insert | depth, 4_7 | (a) 50° 19' ·14N. , 4° 33' ·63W. |
| | depth, 6_2 | (b) 50° 19' ·19N. , 4° 33' ·30W. |
| | depth, 4_6 , enclosed by 5m contour | (c) 50° 21' ·31N. , 4° 20' ·14W. |
| Replace | depth, 4_6 , with depth, 3_8 | 50° 19' ·30N. , 4° 38' ·90W. |
| | depth, 5_4 , with depth, 4_9 , enclosed by 5m contour | 50° 21' ·11N. , 4° 22' ·22W. |

| | | |
|--------|--|------------------------------|
| | depth, 4 ₇ , with depth, 3 ₃ | 50° 19' ·48N. , 4° 13' ·88W. |
| Delete | depth, 5 ₄ , close SW of: | (a) above |
| | depth, 9 ₃ , close S of: | (b) above |
| | depth, 5 ₉ , close NE of: | (c) above |

Chart: SC5602·4 (panel B, Polperro) ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert | depth, 1 ₂ , and extend 2m contour SW to enclose | (a) 50° 19' ·779N. , 4° 30' ·784W. |
| Delete | depth, 3 ₈ , close SE of: | (a) above |

Chart: SC5602·6 (panel A, Plymouth to Salcombe) ETRS89 DATUM

| | | |
|---------|--|------------------------------|
| Replace | depth, 4 ₇ , with depth, 3 ₃ | 50° 19' ·48N. , 4° 13' ·88W. |
|---------|--|------------------------------|

Chart: SC5602·7 (panel A, Fowey Harbour) ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert | depth, 3 ₈ , and extend 5m contour SW to enclose | (a) 50° 19' ·296N. , 4° 38' ·905W. |
| Delete | depth, 4 ₆ , close E of: | (a) above |

Chart: SC5602·13 ETRS89 DATUM

| | | |
|---------|--|------------------------------|
| Replace | depth, 4 ₇ , with depth, 3 ₃ | 50° 19' ·48N. , 4° 13' ·88W. |
|---------|--|------------------------------|

L1362/16 ENGLAND — South Coast — Falmouth Bay SE — Foul.

Source: Falmouth Harbour Commissioners

Chart: SC5602·2 (panel A, Helford River to Fowey) ETRS89 DATUM

| | | |
|--------|---|------------------------------|
| Insert | # | 50° 07' ·00N. , 5° 01' ·30W. |
|--------|---|------------------------------|

Notices to Mariners - Weekly Edition 14/2016 England - South Coast, Berry Head to Portland Bill.

— Chart 3315 — New Edition Announcement.

Chart SC5602·8 WGS84 DATUM

The following changes were published in the new edition of chart 3315, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government survey. Mariners should therefore navigate with caution on sheet SC5602·8 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

L3213/16 ENGLAND — South Coast — River Fal — Mylor Yacht Harbour W

— Mopus Reach — Depths. Drying heights.

Source: Truro and Penryn Harbour Authority

Chart: SC5602·3 (panel A, Saint Just Pool to Truro River) ETRS89 DATUM

Insert drying height, 0_4 , and extend 0m low water line N to enclose 50° 10' ·732N. , 5° 03' ·311W.

Replace depth, 0_4 , with depth, 0_3 50° 13' ·453N. , 5° 01' ·186W.

Chart: SC5602·3 (Panel B, Continuation of Truro River) ETRS89 DATUM

Insert depth, 0_7 (a) 50° 14' ·724N. , 5° 01' ·368W.

depth, 0_5 (b) 50° 14' ·622N. , 5° 01' ·371W.

Replace drying height, 0_5 , with drying height, 0_9 (c) 50° 14' ·654N. , 5° 01' ·417W.

depth, 0_8 , with depth, 0_4 50° 14' ·652N. , 5° 01' ·361W.

depth, 1_8 , with depth, 1_3 50° 14' ·688N. , 5° 01' ·359W.

Delete depth, 1_1 , close S of: (a) above

depth, 0_7 , close SE of: (b) above

depth, 1_3 , close S of: (c) above

L3512/16 ENGLAND — South Coast — Dennis Head E — Buoy.

Source: Helford Navigational Aids Committee

Chart: SC5602·20 (panel A, Helford River) ETRS89 DATUM

Replace  Car Croc PA, with  Q(3)10s Car Croc (Apr-Oct) PA 50° 05' ·266N. , 5° 05' ·433W.

L3635/16 ENGLAND — South Coast — River Tamar — Saltash NE — Wreck.

Source: Queen's Harbour Master, Plymouth

Chart: SC5602·19 (panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

Insert  50° 24' ·780N. , 4° 12' ·410W.

L3804/16 ENGLAND — South Coast — Saint Austell Bay and Veryan Bay — Buoyage.

Source: Renewable Energy Group, University of Exeter

Chart: SC5602·2 (panel A, Helford River to Fowey) ETRS89 DATUM

Insert  FI(5)Y.20s 50° 17' ·70N. , 4° 42' ·80W.

50° 11' ·60N. , 4° 50' ·00W.

**Notices to Mariners - Weekly Edition 35/2016 International Chart Series,
England - South Coast, Plymouth Sound and Approaches.
— Chart 30 — New Edition Announcement.**

Charts SC5602·14 and SC5602·18 WGS84 DATUM

The following changes were published in the new edition of chart 30, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys, the inset panel Continuation of Hamoaze has been removed. Mariners should therefore navigate with caution on sheets SC5602·14 and SC5602·18 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 35/2016 England - South Coast,
Whitsand Bay to Yealm Head including Plymouth Sound.
— Chart 1900 — New Edition Announcement.**

Chart SC5602·13 WGS84 DATUM

The following changes were published in the new edition of chart 1900, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheet SC5602·13 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 35/2016 England - South Coast, Plymouth
Sound.
— Chart 1967 — New Edition Announcement.**

Charts SC5602·15 and SC5602·16 WGS84 DATUM

The following changes were published in the new edition of chart 1967, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys and other surveys. Mariners should therefore navigate with caution on sheets SC5602·15 and SC5602·16 and be

aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L4869/16 ENGLAND — South Coast — Fowey Harbour — Depths.

Source: Fowey Harbour Commissioners

Chart: SC5602·7 (panel A, Fowey Harbour) ETRS89 DATUM

Insert depth, 4_r, and extend 5m contour E to enclose (a) 50° 20' ·143N. , 4° 37' ·940W.

Delete depth, 6_r, close E of: (a) above

L5156/16 ENGLAND — South Coast — Looe — Fog signal.

Source: Looe Harbour Commissioners

Chart: SC5602·4 (panel A, Fowey to Plymouth) ETRS89 DATUM

Delete fog signal, Siren(2)30s(occas), at light 50° 21' ·06N. , 4° 27' ·06W.

Chart: SC5602·18 (panel C, Looe) ETRS89 DATUM

Delete fog signal, Siren(2)30s(occas), at light 50° 21' ·058N. , 4° 27' ·063W.

L5592/16 ENGLAND — South Coast — Saint Austell Bay S — Buoy.

Source: Renewable Energy Group, University of Exeter

Chart: SC5602·2 (panel A, Helford River to Fowey) ETRS89 DATUM


Move  FI(5)Y.20s, from: 50° 17' ·70N. , 4° 42' ·80W.

to: 50° 17' ·74N. , 4° 43' ·77W.

L5968/16 ENGLAND — South Coast — River Fal — Buoyage.

Source: Port of Truro Notice 2/16

Chart: SC5602·3 (panel A, River Fal Saint Just Pool to Truro River) ETRS89 DATUM

Insert  FI(2)R.10s Ruan North 50° 13' ·570N. , 5° 00' ·980W.

 FI.R.5s Ruan South 50° 13' ·510N. , 5° 01' ·050W.

Temporary/Preliminary NMs

L6443(T)/16 ENGLAND — South Coast — Approaches to Dartmouth — Light-beacon.

Source: Dart Harbour and Navigation Authority

5. It has been reported that the light sectors at the Kingswear light-beacon, Iso.WRG.3s9m8M, in position 50° 20' ·808N. , 3° 34' ·087W. are currently unreliable.
6. The visible sectors are now reported as follows:

G 319° - 325° (6°)

W 325° - 335° (10°)

R 335° - 343° (8°)



7. Mariners are advised to navigate with caution as the white safe sector is now closer than charted to navigational hazards on the west side of the approach.
8. For further advice or navigational safety information please contact the harbour office on 01803 832337 or info@dartharbour.org (ETRS89 Datum)

Charts affected - SC5602

L204/17 ENGLAND — South Coast — Runnel Stone E, Lizard Point S, SE, W and NW and Mounts Bay — Depths. Wrecks.

Source: British Government Survey

Chart: SC5602·1 ETRS89 DATUM

| | | |
|---------|---|--------------------------------|
| Insert | depth, 8_z , enclosed by 10m contour | (a) 49° 56' ·9N. , 5° 13' ·2W. |
| |  $52:Wk$ | 50° 00' ·3N. , 5° 35' ·1W. |
| |  $42:Wk$ | 50° 01' ·2N. , 5° 31' ·1W. |
| Replace | depth, 20_8 , with depth, 19_z , enclosed by 20m contour | 50° 02' ·8N. , 5° 26' ·0W. |
| | depth, 10_4 , with depth, 9_z , enclosed by 10m contour | 49° 58' ·4N. , 5° 16' ·0W. |
| Delete | depth, 13_r , close N of: | (a) above |

Notices to Mariners - Weekly Edition 05/2017 International Chart Series, England - South Coast, Harbours on the South Coast of Cornwall. — Chart 0031 — New Edition Announcement.

Charts SC5602·7 WGS84 DATUM

The following changes were published in the new edition of chart 0031, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government and Fowey Harbour Commission surveys. Mariners should therefore navigate with caution on sheet SC5602·7 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 05/2017 English Channel, Western Entrance.
— Chart 2655 — New Edition Announcement.**

Charts SC5602·1 WGS84 DATUM

The following changes were published in the new edition of chart 2655, which is the source chart for the above folio sheet:

Includes changes to reporting limits and general updating throughout. Mariners should therefore navigate with caution on sheet SC5602·1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 06/2017 England - South Coast, Plans on the South Coast of Cornwall.
— Chart 147 — New Edition Announcement.**

Charts SC5602·2, SC5602·18 and SC5602·20 WGS84 DATUM

The following changes were published in the new edition of chart 147, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5602·2, SC5602·18 and SC5602·20 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

**Notices to Mariners - Weekly Edition 06/2017 England - South Coast, Dodman Point to Looe Bay.
— Chart 148 — New Edition Announcement.**

Chart SC5602·4 WGS84 DATUM

The following changes were published in the new edition of chart 148, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheet SC5602-4 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

L876/17 ENGLAND — South Coast — River Tamar — Wreck.

Source: Queen's Harbour Master, Plymouth

Chart: SC5602-19 (Panel A, River Tamar Bull Point to Neal Point) ETRS89 DATUM

Delete  50° 24' ·780N. , 4° 12' ·410W.

L1631/17 ENGLAND — South Coast — Falmouth Inner Harbour and Penryn River — Depths.

Source: Falmouth Harbour Authority

Chart: SC5602-5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Insert depth, *1_s*, and extend 2m contour NE to enclose 50° 09' ·690N. , 5° 04' ·292W.
depth, *1_z*, and extend 2m contour SW to enclose 50° 09' ·800N. , 5° 04' ·364W.

Notices to Mariners - Weekly Edition 15/2017 English Channel, Central Part. — Chart 2656 — New Edition Announcement.

Chart SC5602-1 WGS84 DATUM

The following changes were published in the new edition of chart 2656, which is the source chart for the above folio sheet:

Includes new International maritime boundaries and general updating throughout. Mariners should therefore navigate with caution on sheet SC5602-1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5602.

**L1942/17 ENGLAND — South Coast — Plymouth Sound — Ramscliff Point
NW — Buoyage. Ground tackle.**

Source: Briggs Marine Contractors

Chart: SC5602·13 ETRS89 DATUM




Move  *F*, from: 50° 20' ·71N. , 4° 07' ·89W.
to: 50° 20' ·72N. , 4° 07' ·95W.

Chart: SC5602·14 ETRS89 DATUM

Insert  *Fl. Y. 15s F* (a) 50° 20' ·715N. , 4° 07' ·955W.
ground tackle, pecked line, joining: 50° 20' ·753N. , 4° 08' ·057W.
(a) above
And
50° 20' ·753N. , 4° 07' ·853W.
(a) above
And
50° 20' ·639N. , 4° 07' ·955W.
(a) above
Delete former  *Fl. Y. 15s F*, close E of: (a) above


**Chart: SC5602·15 (Panel A, Plymouth Sound Northeastern Part) ETRS89
DATUM**


Insert ground tackle, pecked line, joining: 50° 20' ·753N. , 4° 08' ·057W.
50°20' ·718N., 4°07' ·964W
(S border)
And
50° 20' ·753N. , 4° 07' ·853W.
50°20' ·718N., 4°07' ·947W
(S border)

**L2009/17 ENGLAND — South Coast — River Yealm — Buoyage.
Recommended tracks.**

Source: River Yealm Harbour Authority

Chart: SC5602·18 (Panel B, River Yealm) ETRS89 DATUM

Insert  *Fl.R.3s Inner Bar* (a) 50° 18' ·589N. , 4° 04' ·064W.
recommended track, pecked line, joining: (b) 50° 18' ·585N. , 4° 04' ·137W.
(existing recommended track)

| | | |
|--------|--|------------------------------------|
| | | (c) 50° 18' ·588N. , 4° 04' ·056W. |
| | recommended track, firm line, joining: | (c) above |
| | | (d) 50° 18' ·603N. , 4° 04' ·031W. |
| | | (existing recommended track) |
| Delete |  PA , close N of: | (a) above |
| | former recommended track, pecked line, joining: | (b) above |
| | | (d) above |

Notices to Mariners - Weekly Edition 21/2017 England - South Coast, Eddystone Rocks to Berry Head. Eddystone Rocks.
— Chart 1613 — New Edition Announcement.

Charts SC5602·6 and SC5602·8 WGS84 DATUM

The following changes were published in the new edition of chart 1613, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5602·6 and SC5602·8 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L2491/17 ENGLAND — South Coast — Whitsand Bay S — Spoil ground.
Source: Marine Management Organisation

Note: This update is included in New Edition 1613, published 25 May 2017

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

| | | |
|--------|--|------------------------------|
| Insert | limit of spoil ground, pecked line, joining: | 50° 16' ·78N. , 4° 16' ·16W. |
| | | 50° 16' ·24N. , 4° 16' ·15W. |
| | | 50° 16' ·23N. , 4° 17' ·41W. |
| | | 50° 16' ·76N. , 4° 17' ·42W. |

~~Temporary/Preliminary NMs~~

~~**L2573(T)/17 ENGLAND — South Coast — River Tamar — Wreck.**~~
Source: ~~Queen's Harbour Master, Plymouth~~



~~1. A wreck exists in position 50° 24' ·613N. , 4° 12' ·367W. (ETRS89 DATUM)~~



Charts affected — SC5602

L2735/17 ENGLAND — South West Coast — Seven Stones NE — Submarine power cables.

Source: Global Marine Systems

Chart: SC5602·1 ETRS89 DATUM

Insert submarine power cable,  \searrow , joining: 50° 04' ·6N. , 5° 53' ·1W.
W Border
50° 05' ·1N. , 5° 51' ·7W.
(a) 50° 05' ·3N. , 5° 50' ·8W.
(existing cable)

Delete former submarine power cable,  \searrow , joining: (a) above

L3065/17 ENGLAND — South Coast — Approaches to Falmouth — Buoy.

Source: Falmouth Harbour Commissioners Notice 8/17

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Insert  *Fl(5)Y.20s* 50° 06' ·45N. , 4° 59' ·65W.

L3498/17 ENGLAND — South Coast — Falmouth Inner Harbour — Light. Buoy.

Source: A&P Port Notices 12-13/17

Chart: SC5602·5 (Panel A, Falmouth Harbour) ETRS89 DATUM

Replace  *Fl.R.2s2m*, with  *Fl.R.2s* 50° 09' ·335N. , 5° 03' ·565W.

L4034/17 ENGLAND — South Coast — Approaches to Plymouth — Hand Deeps — Foul.

Source: MCA

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Insert *# PA* 50° 13' ·23N. , 4° 20' ·00W.

**Notices to Mariners - Weekly Edition 36/2017 International Chart Series,
England - South Coast, Falmouth to Truro.
— Chart 32 — New Edition Announcement.**

Charts SC5602·3, SC5602·5 and SC5602·20 WGS84 DATUM

The following changes were published in the new edition of chart 32, which is the source chart for the above folio sheets:

Includes changes to depths from the latest port authority surveys. Mariners should therefore navigate with caution on sheets SC5602·3, SC5602·5 and SC5602·20 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L4761/17 ENGLAND — South Coast — Dartmouth Harbour — Light. Legend.
Source: Dart Harbour and Navigation Authority.

Chart: SC5602·9 (Panel A, Dartmouth) ETRS89 DATUM

| | | |
|--------|--|--------------------------------|
| Insert | ★ 2F.R(ver) | 50° 21' ·120N. , 3° 34' ·580W. |
| Amend | legend to, <i>DC Pontoon</i> , centred on: | 50° 21' ·122N. , 3° 34' ·552W. |

Temporary/Preliminary NMs

L5162(T)/17 ENGLAND — South Coast — Rame Head SE — Wreck. Restricted area.

Source: Queen's Harbour Master, Plymouth


4. A wreck, least depth 6·9m, is located in position 50° 18' ·408N. , 4° 12' ·396W.
5. An anchoring, fishing and diving prohibited area has been established, radius 500m (0·27M), centred on the wreck.
6. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Charts affected – SC5602

L5366/17 ENGLAND — South Coast — River Fal — Buoyage. Lights.

Source: Port of Truro Notice 3/17

Chart: SC5602·3 (Panel A, River Fal Saint Just Pool to Truro River) ETRS89 DATUM

| | | |
|--------|---|------------------------------------|
| Insert |  <i>Fl.Y.5s</i> | (a) 50° 12' ·673N. , 5° 01' ·599W. |
| |  <i>Fl(4)Y.12s</i> | (b) 50° 12' ·914N. , 5° 01' ·621W. |

| | | |
|--------|--|--------------------------------|
| Delete |  , close NW of: | (a) above |
| |  | 50° 12' ·799N. , 5° 01' ·628W. |
| |  , close W of: | (b) above |

L5766/17 ENGLAND — South Coast — Whitsand Bay SE — Obstructions.
Source: UKHO

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM





| | | |
|--------|--|------------------------------|
| Insert |  <i>Obstn</i> | 50° 17' ·60N. , 4° 15' ·39W. |
| |  <i>Obstn</i> | 50° 17' ·90N. , 4° 15' ·10W. |
| |  <i>Obstn</i> | 50° 17' ·30N. , 4° 15' ·98W. |

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

| | | |
|--------|--|------------------------------|
| Insert |  <i>Obstn</i> | 50° 17' ·60N. , 4° 15' ·39W. |
| |  <i>Obstn</i> | 50° 17' ·90N. , 4° 15' ·10W. |
| |  <i>Obstn</i> | 50° 17' ·30N. , 4° 15' ·98W. |

L6008/17 ENGLAND — South Coast — Carlyon Bay — Building. Legend.
Source: UKHO

Chart: SC5602·2 (Panel A, Helford River to Fowey) ETRS89 DATUM

Delete symbol, building, and associated legend, BLDG, centred on: 50° 20' ·26N. , 4° 43' ·94W.

L49/18 ENGLAND — South Coast — Rame Head SW — Obstructions.
Source: UKHO

Note: This update is included in New Edition 1267, published 18 January 2018.

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

| | | |
|---------|--|------------------------------|
| Replace |  <i>Obstn</i> with  <i>Obstn</i> | 50° 17' ·90N. , 4° 15' ·10W. |
| |  <i>Obstn</i> with  <i>Obstn</i> | 50° 17' ·30N. , 4° 15' ·98W. |
| Delete |  <i>Obstn</i> | 50° 17' ·60N. , 4° 15' ·40W. |

**L186/18 ENGLAND — South Coast — Plymouth Sound — Light-beacon.
Beacon. Signal station.**

Source: Queen's Harbour Master, Plymouth

Chart: SC5602·13 ETRS89 DATUM

Replace  2FG(vert)3M, with  50° 20' ·25N. , 4° 07' ·72W.

Chart: SC5602·14 ETRS89 DATUM

Replace  2FG(vert)17m3M SS(Diving), with  SS(Diving) 50° 20' ·245N. , 4° 07' ·722W.

**Notices to Mariners - Weekly Edition 03/2018 England - South Coast, Falmouth
to Plymouth.
— Chart 1267 — New Edition Announcement.**

Charts SC5602·2 and SC5602·4 WGS84 DATUM

The following changes were published in the new edition of chart 1267, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5602·2 and SC5602·4 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5602.

L1228/18 ENGLAND — South Coast — Plymouth — Baltic Wharf — Light.

Source: Cattewater Harbour Commissioners

**Chart: SC5602·15 (Panel A, Plymouth Sound Northeastern Part) ETRS89
DATUM**

Delete  F.I.R.2s 50° 21' ·829N. , 4° 08' ·019W.

L1232/18 ENGLAND — South Coast — Whitsand Bay S — Obstruction.

Source: UKHO

Chart: SC5602·4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Delete  Obstrn 50° 17' ·90N. , 4° 15' ·10W.

Chart: SC5602·6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

Delete  Obstrn 50° 17' ·90N. , 4° 15' ·10W.

L1683/18 ENGLAND — South Coast — Rame Head SW — Obstruction.

Source: UKHO

Chart: SC5602-4 (Panel A, Fowey to Plymouth) ETRS89 DATUM

Delete  *Obstn* 50° 17' .30N. , 4° 15' .98W.

Chart: SC5602-6 (Panel A, Plymouth to Salcombe) ETRS89 DATUM

Delete  *Obstn* 50° 17' .30N. , 4° 15' .98W.
