Admiralty Leisure Folio

SC5613 Irish Sea - Eastern Part

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5613 (3rd Edition) published on 21st May 2015.

L3797/15 WALES — West Coast — Caernarfon Bay — Depths.

Source: mv Seabeam

Chart: SC5613·23 WGS84 DATUM

Insert depth, 144, and extend 20m contour to NW to enclose 53° 10' ·2N., 4° 35' ·2W.

L3881/15 ENGLAND — West Coast — Walney Wind Farm — Buoyage.

Source: Trinity House

Chart: SC5613·14 ETRS89 DATUM

Delete 54° 06' ·23N. , 3° 39' ·73W.

54° 04' ·92N. , 3° 32' ·15W.

54° 03' ·68N. , 3° 39' ·68W.

54° 02' ·23N. , 3° 34' ·12W.

Temporary/Preliminary NMs

L3895(P)/15 ENGLAND — West Coast — West of Duddon Sands Wind Farm — Works. Submarine power cables. Buoyage. Wind turbines. Lights.

Source: Trinity House and Tom Watson

- 1. The construction of the West of Duddon Sands Wind Farm has been completed. There are submarine power cables connecting each turbine to the next and then to the shore near Heysham.
- 2. The turbines display permanent aids to navigation as follows:

Designation	<i>Characteristic</i>	Fog Signal	Position
A03	Fl.Y.2-5s2M		53° 59' · 36N. , 3° 32' · 44W.
A06	Fl.Y.5s5M		53° 58' -51N. , 3° 31' -40W.
A09	Fl.Y.2-5s2M		53° 57' -65N. , 3° 30' -36W.
A12	Fl.Y.5s5M	Horn 30s	53° 56' · 77N. , 3° 29' · 28W.
E14	Fl.Y.5s5M		53° 56' · 71N. , 3° 25' · 82W.
F14	F1.Y.5s5M		53° 56' -85N., 3° 25' -19W.
H13	Fl.Y.2-5s2M		53° 57' ·45N. , 3° 24' ·28W.
J12	Fl.Y.5s5M	Horn-30s	53° 58' ·05N. , 3° 23' ·37W.
K02	Fl.Y.5s5M		54° 01' · 15N. , 3° 26' · 07W.
K06	F1.Y.5s5M		53° 59' -99N. , 3° 24' -76W.

(b) 54° 01' ·82N., 2° 55' ·93W.

K10 F1.Y.5s5M

3. The following light-buoys around the wind farm have been removed:

Designation	Characteristic	Position
Duddon Sands NW	Q(9)15s	54° 00' -70N., 3° 31' -47W.
Duddon Sands W	VQ(9)10s	54° 00' ·15N., 3° 33' ·98W.
Duddon Sands WSW	Q(9)15s	53° 58' · 31N. , 3° 31' · 70W.
Duddon Sands SE	VQ(6)+LFl.10s	53° 57' -59N. , 3° 22' -82W.

^{4.} These changes will be included in New Editions of Charts 1320, 1826 and 2010 to be published in late 2015.(ETRS89 Datum)

Charts affected - SC5613

L4069/15 ENGLAND — West Coast — River Lune — Buoy.

Source: Lancaster Port Commission Notice 8/15

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Move 53° 58' ·63N. , 2° 54' ·68W.

to: 53° 58' ·67N. , 2° 54' ·25W.

L4070/15 ENGLAND — West Coast — Heysham Harbour and Approaches — Depths.

Source: Heysham Port Ltd

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Insert depth, 2_5 , and extend 5m contour W to enclose (a) 54° 02' ·04N., 2° 55' ·65W.

drying height, O_{S_1} enclosed by 0m low water line (c) 54° 01' ·73N., 2° 55' ·99W.

Delete depth, 14, close NW of: (a) above

drying height, Os, enclosed by 0m low water line

L4207/15 ENGLAND — West Coast — River Ribble — Light.

Source: Preston City Council

Chart: SC5613·7 ETRS89 DATUM

Replace symbol, distance mark (11 miles), with ★ Fl.G.5s (11 miles) 53° 43' ·38N. , 3° 00' ·68W.

★ Fl.G.5s (10 miles), with symbol, distance mark (10 miles) 53° 43' ·60N., 2° 59' ·30W.

Chart: SC5613·8 (panel A, River Ribble) ETRS89 DATUM

Replace symbol, distance mark (11 miles), with ★ Fl.G.5s (11 miles) 53° 43' ·38N. , 3° 00' ·68W.

★ Fl.G.5s (10 miles), with symbol, distance mark (10 miles) 53° 43' ·60N., 2° 59' ·30W.

Chart: SC5613·9 ETRS89 DATUM

Replace symbol, distance mark (11 miles), with ★ Fl.G.5s (11 miles) 53° 43' ·38N. , 3° 00' ·68W.

★ Fl.G.5s (10 miles), with symbol, distance mark (10 miles) 53° 43' ·60N., 2° 59' ·30W.

L4247/15 ENGLAND — West Coast — River Lune — Buoyage. Beacon.

Source: Lancaster Port Commission Notice 9/15

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Insert 53° 59' · 01N. , 2° 52' · 43W.

♣ Fl.G.4s No 7 53° 59' ·54N., 2° 52' ·34W.

Delete FI.G.5s No 7 53° 59' ·47N., 2° 52' ·36W.

L4567/15 ENGLAND — West Coast — River Lune — Buoy.

Source: Lancaster Port Commission Notice 10/15

Chart: SC5613·11 (panel A, Approaches to Fleetwood) ETRS89 DATUM

Move *FI(3)G.10s No 3*, from: 53° 58' ·35N. , 2° 57' ·90W.

to: 53° 58' ·65N., 2° 57' ·79W.

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Move *FI(3)G.10s No 3*, from: 53° 58' ·35N. , 2° 57' ·90W.

to: 53° 58' ·65N. , 2° 57' ·79W.

L4946/15 WALES — North Coast — River Dee — Depths.

Source: Port of Mostyn Harbour Master

Chart: SC5613·3 ETRS89 DATUM

Insert drying height, 1s, and extend 0m low water line SW to enclose 53° 21' ·63N., 3° 17' ·19W.

(a) 53° 20' ·77N., 3° 12' ·92W.

54° 46' ·00N., 3° 30' ·76W.

Delete depth, O3, close SE of:

(a) above

Notices to Mariners - Weekly Edition 43/2015 International Chart Series, England - West Coast, Port of Liverpool. — Chart 3490 — New Edition Announcement.

Charts SC5613·5 and SC5613·6 WGS84 DATUM

The following changes were published in the new edition of chart 3490, which is the source chart for the above folio sheets:

Includes significant safety-related information as follows: changes to depths around Pluckington Bank from the latest Mersey Docks and Harbour Company survey. Mariners should therefore navigate with caution on sheets SC5613·5 and SC5613·6 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L5702/15 ENGLAND — West Coast — Approaches to Silloth — Radio reporting points.

Source: ABP Silloth Notice 4/15

Chart: SC5613·2 ETRS89 DATUM

Insert , direction of vessel movement 023° 54° 42' ·20N. , 3° 34' ·00W.

Chart: SC5613·15 ETRS89 DATUM

(see Note)

Insert , direction of vessel movement 023° (a) 54° 42' ·20N., 3° 34' ·00W.

legend, (see Note), close W of: (a) above

Delete , direction of vessel movement 360°, and associated legend,

Chart: SC5613·17 ETRS89 DATUM

Insert O, direction of vessel movement 023° (a) 54° 42' · 20N., 3° 34' · 00W.

legend, (see Note), close W of: (a) above

Notices to Mariners - Weekly Edition 49/2015 Irish Sea, Fleetwood to Douglas. — Chart 1320 — New Edition Announcement.

Chart SC5613·14 and SC5613·21 WGS84 DATUM

The following changes were published in the new edition of chart 1320, which is the source chart for the above folio sheet:

Includes the completed 'West of Duddon Sands' Wind Farm and changes to depths and buoyage. Mariners should therefore navigate with caution on sheets SC5613·14 and SC5613·21 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 49/2015 International Chart Series, England - West Coast, Morecambe Bay and Approaches.

— Chart 2010 — New Edition Announcement.

Chart SC5613·10 WGS84 DATUM

The following changes were published in the new edition of chart 2010, which is the source chart for the above folio sheet:

Includes the completed 'West of Duddon Sands' Wind Farm. Mariners should therefore navigate with caution on sheet SC5613·10 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 50/2015 International Chart Series, British Isles, Irish Sea, Eastern Part.

— Chart 1826 — New Edition Announcement.

Chart SC5613·1 and SC5613·2 WGS84 DATUM

The following changes were published in the new edition of chart 1826, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: Completed 'West of Duddon Sand' and 'Gwynt-y-Mor' Wind Farms and changes to depths and buoyage. Mariners should therefore navigate with caution on sheets SC5613·1 and SC5613·2 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L6335/15 ENGLAND — West Coast — River Mersey — Eastham Channel — Buoy. Lights. Pontoon.

Source: Peel Ports

Chart: SC5613·6 ETRS89 DATUM

Insert $\stackrel{\swarrow}{\sim}$ FI(2)Y.5s

53° 20' ·680N., 2° 57' ·850W.

Delete ★ F.G

(a) 53° 20' ·710N., 2° 57' ·859W.

(b) 53° 20' ·680N., 2° 57' ·841W.

pontoon, single firm line, joining:

(a) above

(b) above

L6339/15 ENGLAND — West Coast — Fleetwood — Depths.

Source: Associated British Ports

Chart: SC5613·11 (panel A, Approaches to Fleetwood) ETRS89 DATUM

Insert depth, O_6 , enclosed by 2m contour

53° 57' ·52N., 3° 01' ·68W.

drying height, O_2 , enclosed by 0m low water line

(a) 53° 57' ·43N., 3° 01' ·66W.

drying height, O_3 , enclosed by 0m low water line

(b) 53° 56' ·72N., 3° 01' ·35W.

Delete depth, 24, close N of:

(a) above

depth, 19, close S of:

(b) above

Notices to Mariners - Weekly Edition 51/2015 England and Wales, Great Ormes Head to Liverpool.

— Chart 1978 — New Edition Announcement.

Chart SC5613·3 WGS84 DATUM

The following changes were published in the new edition of chart 1978, which is the source chart for the above folio sheet:

Includes the completed 'Gwynt-y-Môr' Wind Farm and general updating throughout. Mariners should therefore navigate with caution on sheet SC5613·3 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L6622/15 ENGLAND — West Coast — Liverpool Bay — Light.

Source: RWE NPOWER PLC

Note: This update is included in New Edition 1978, published 17th December 2015 and New Edition

1826, published 10th December 2015.

Chart: SC5613·23 WGS84 DATUM

Amend light to, Fl.Y.5s18m5M Mast(82) 53° 28' ·7N., 3° 30' ·5W.

L319/16 IRELAND — East Coast — Lambay Deep E — Data collection buoy.

Source: Marine Institute

Chart: SC5613·23 WGS84 DATUM

Amend designation of buoy to, *ODAS M2* 53° 28' ·7N., 5° 25' ·4W.

L394/16 ISLE OF MAN — Ballacash Bank — Buoy.

Source: Northern Lighthouse Board Notice 22/15

Chart: SC5613·2 ETRS89 DATUM

Insert 54° 26' ·50N. , 4° 16' ·70W.

Chart: SC5613-21 (panel A, Isle of Man East Coast) ETRS89 DATUM

Insert 54° 26' ·50N. , 4° 16' ·70W.

Chart: SC5613·23 WGS84 DATUM

Insert 54° 26' ·5N. , 4° 16' ·6W.

L1199/16 ENGLAND — North West Coast — Robin Rigg Wind Farm — Obstruction. Wind turbines. Light. Buoy.

Source: Robin Rigg Offshore Windfarm

Chart: SC5613·15 ETRS89 DATUM

Insert symbol, wind turbine, AeroF.R Fl.Y.5s5M 54° 46' ·20N., 3° 41' ·60W.

Replace symbol, wind turbine, AeroF.R Fl.Y.5s5M, with Obstn 54° 46' ·29N. , 3° 42' ·03W.

Chart: SC5613·17 ETRS89 DATUM

Insert symbol, wind turbine, AeroF.R Fl.Y.5s5M 54° 46' ·20N., 3° 41' ·60W.

Replace symbol, wind turbine, AeroF.R Fl.Y.5s5M, with Obstn 54° 46' ·29N. , 3° 42' ·03W.

Notices to Mariners - Weekly Edition 12/2016 International Chart Series, British Isles, Irish Sea, Western Part.

— Chart 1411 — New Edition Announcement.

Chart SC5613:2 WGS84 DATUM

The following changes were published in the new edition of chart 1411, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British and Irish Government surveys. Mariners should therefore navigate with caution on sheet SC5613·2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 12/2016 International Chart Series, England - West Coast, Ports in Morecambe Bay.

— Chart 1552 — New Edition Announcement.

Charts SC5613·11 and SC5613·12 WGS84 DATUM

The following changes were published in the new edition of chart 1552, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Associated British Ports, Peel Ports and Commercial surveys. Mariners should therefore navigate with caution on sheets SC5613·11 and SC5613·12 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L1621/16 SCOTLAND — South West Coast — Luce Bay — Wrecks.

Source: UKHO

Chart: SC5613·2 ETRS89 DATUM

Insert 54° 45' 91N., 4° 48' 89W.

Chart: SC5613·19 (panel A, Wigtown Bay to Luce Bay) ETRS89 DATUM

Insert 54° 45' 91N. . 4° 48' 89W.

Chart: SC5613·23 WGS84 DATUM

Insert 73: Wk (a) 54° 45' ·9N. , 4° 48' ·9W.

Temporary/Preliminary NMs

L2072(P)/16 ENGLAND West Coast Liverpool Bay Great Burbo Flats
— Burbo Wind Farm W Works. Wind farm. Buoyage. Maritime limit.
Submarine power cable.

Source: Tom Watson

1. Work has now commenced on the extension to Burbo Wind Farm. The main wind farm array work will be marked by seven buoys as follows:

Buoy Type	Designation	Character	<u>Position</u>
North Cardinal	NM1	Q	53° 30' -32N. , 3° 22' -76W.
Special	NM2	Fl.Y.2-5s	53° 30' -36N. , 3° 18' -25W.
Special	NM3	<i>Fl.Y.5s</i>	53° 30' -38N. , 3° 14' -07W.
South Cardinal	NM4	Q(6)+LFl.15s	53° 27' -62N. , 3° 11' -59W.
Special	NM5	Fl.Y.2-5s	53° 27' -61N. , 3° 15' -15W.
South Cardinal	NM6	VQ(6)+LFl.10s	53° 27' -60N. , 3° 18' -77W.
Special	NM7	<i>Fl.Y.2-5s</i>	53° 28' · 97N. , 3° 21' · 00W.

- 2. All vessels should navigate with caution in the area. A safety zone of 50 metres becomes operational around each turbine as it is being installed, with a safety zone of 500 metres around the installation vessel. Cable laying to shore will also be conducted.
- 3. Two yellow spherical wave recorder light-buoys, *Fl*(5)*Y*.20s, have been deployed in the following positions:

- 4. Charts will be updated when full details are available.
- For latest information see Dong Energy Notice to Mariners.(ETRS89 Datum)

Charts affected - SC5613

L2701/16 ENGLAND — West Coast — Liverpool — New Brighton NE — Buoy. Source: National Oceanography Centre

Chart: SC5613·4 (panel B, Crosby Channel to River Mersey) ETRS89 DATUM

Delete \$\infty Fl(5)Y.20s\$ 53° 26' \cdot 55N., 3° 02' \cdot 11W.

Chart: SC5613·5 ETRS89 DATUM

Delete \$\infty FI(5)Y.20s\$ 53° 26' \cdot 554N., 3° 02' \cdot 111W.

L3189/16 ENGLAND — West Coast — Liverpool Bay — Depths.

Source: Lafarge Tarmac Marine Ltd.

Chart: SC5613·3 ETRS89 DATUM

Insert depth, 104 (a) 53° 26' ·82N., 3° 24' ·74W.

Delete depth, 123, close SE of: (a) above

L3550/16 ENGLAND — West Coast — Heysham — Depths. Drying height.

Source: Peel Ports Group Ltd.

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Insert depth, 4 (a) 54° 01' ·972N., 2° 55' ·666W.

depth, 2, enclosed by 2m contour 54° 01' ·931N. , 2° 55' ·853W.

drying height, \underline{O}_3 , enclosed by 0m low water line (b) 54° 01' ·883N., 2° 55' ·887W.

Delete depth, 4_7 , close NW of: (a) above

depth, O_6 , close S of: (b) above

Notices to Mariners - Weekly Edition 28/2016 International Chart Series, England - West Coast, Approaches to Liverpool.

— Chart 1951 — New Edition Announcement.

Chart SC5613·4 WGS84 DATUM

The following changes were published in the new edition of chart 1951, which is the source chart for the above folio sheet:

Includes the new Liverpool 2 development and depths from the latest Mersey Docks and Harbour Company Surveys. Mariners should therefore navigate with caution on sheet SC5613·4 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 28/2016 England and Wales, Great Ormes Head to Liverpool.

— Chart 1978 — New Edition Announcement.

Chart SC5613·3 WGS84 DATUM

The following changes were published in the new edition of chart 1978, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: Burbo Bank Wind Farm extension, associated buoyage and submarine power cables. Mariners should therefore navigate with caution on sheet SC5613·3 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 28/2016 International Chart Series, England - West Coast, Port of Liverpool.

— Chart 3490 — New Edition Announcement.

Charts SC5613·5 and SC5613·6 WGS84 DATUM

The following changes were published in the new edition of chart 3490, which is the source chart for the above folio sheets:

Includes the new Liverpool 2 development and depths from the latest Mersey Docks and Harbour Company Surveys. Mariners should therefore navigate with caution on sheets SC5613·5 and SC5613·6 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L3755/16 ENGLAND — West Coast — Liverpool Bay — Rhyl NE — Burbo Wind Farm W — Submarine power cable. Legends. Buoyage. Wind farm. Note.

Source: UKHO

Chart: SC5613·1 ETRS89 DATUM

Insert limit of wind farm, pecked line, joining:

(a) 53° 28' ·45N., 3° 11' ·14W. (existing wind farm limit)

(b) 53° 27' ·62N., 3° 11' ·59W.

(c) 53° 27' ·60N., 3° 18' ·77W.

(d) 53° 30' ·32N., 3° 22' ·76W.

(e) 53° 30' ·38N. , 3° 14' ·07W.

(f) 53° 30' ·14N. , 3° 13' ·17W.

(existing wind farm limit)

legend, Burbo Bank Wind Farm Extension Under Construction (2016-2017), within:

(a)-(f) above

submarine power cable, , joining:

(g) 53° 27' ·78N., 3° 19' ·06W.

(wind farm limit)

(h) 53° 21' ·98N., 3° 28' ·52W.

(i) 53° 21' ·11N., 3° 28' ·95W.

(j) 53° 19' ·98N., 3° 26' ·95W.

(shore)

legend, Planned, along:

(g)-(j) above

L4072/16 WALES — North Coast — Liverpool Bay — Buoy.

Source: Trinity House

Chart: SC5613·1 ETRS89 DATUM

Delete

VQ North Constable

53° 23' ·72N., 3° 41' ·41W.

L4102/16 WALES — North Coast — Rhyl Flats Wind Farm — Buoyage.

Source: Trinity House

Chart: SC5613·3 ETRS89 DATUM

Delete

Å Q RFWF1

53° 23' ·10N., 3° 36' ·25W.

₱ FI.G.2·5s RFWF2

53° 23' ·76N., 3° 39' ·10W.

L4261/16 ENGLAND — West Coast — Approaches to Barrow Harbour — Lightning Knoll E — Buoy.

Source: ABP Barrow Notice 37/16

Chart: SC5613·10 ETRS89 DATUM

Amend SEA 3 light-buoy to, Fl.G.2·5s 54° 00' ·56N., 3° 12' ·91W.

L4832/16 ENGLAND — West Coast — Eastham Sands — Obstructions. Dolphins.

Source: Peel Ports

Chart: SC5613·6 ETRS89 DATUM

Insert *Obstn*, drying height *5*₇ 53° 19' ·402N. , 2° 56' ·949W.

Replace \Box , with \bigcirc *Obstn*, drying height $\underline{3}$ 53° 19' ·582N., 2° 57' ·000W.

 \square , with \bigcirc *Obstn*, drying height 4_7 53° 19' ·546N., 2° 56' ·972W.

L4897/16 ENGLAND — West Coast — Glasson — Buoy.

Source: Lancaster Port Commission Notice 26/16

Chart: SC5613·12 (panel A, Approaches to Glasson and Heysham) ETRS89

DATUM

Move $\underset{R}{\triangleright}$ Fl.R.5s No 18, from:

54° 00' ·17N., 2° 51' ·15W.

to:

54° 00' ·14N., 2° 51' ·13W.

L4982/16 WALES — North Coast — Inner Passage — Buoyage.

Source: Port of Mostyn Notice 26/16

Chart: SC5613·3 ETRS89 DATUM

Replace

Q.G Prestatyn, with

Q Prestatyn


53° 21' ·37N., 3° 29' ·00W.

L5023/16 ENGLAND — West Coast — Eastham Locks — NM Block. Light.

Source: Peel Ports Notice 30/16

Chart: SC5613·6 ETRS89 DATUM

Insert the accompanying block, centred on: 53° 19' ·696N., 2° 57' ·162W.



L5389/16 ENGLAND — West Coast — River Mersey — Liverpool Landing Stage — Lights. Fog signal.

Source: Peel Ports Notice 31/16

Chart: SC5613·5 ETRS89 DATUM

Insert ★ 3F.R (a) 53° 24' ·314N. , 2° 59' ·923W.

fog signal, Horn(3+3)15s, at light (a) above

Delete symbol, fog signal, Horn(3+3)15s, close SW of: (a) above

L5456/16 ENGLAND — West Coast — River Mersey — Light.

Source: Peel Ports Notice 27/16

Chart: SC5613·5 ETRS89 DATUM

Amend light to, 2F.G & F.Y Bell(4)15s 53° 23' ·762N., 3° 00' ·488W.

L5764/16 ENGLAND — West Coast — River Mersey - Belfast Ferry Terminal, Cammell Laid and Eastern Channel N — Lights. Buoyage.

Source: Peel Ports Notice 36/16

Chart: SC5613·5 ETRS89 DATUM

Delete ★ F.RW.5m and associated sectors 53° 24' ·098N. , 3° 00' ·774W.

★ FI(2)G.6s 53° 22' ·975N. , 3° 00' ·308W.

Chart: SC5613·6 ETRS89 DATUM

Move 53° 21' · 337N. , 2° 57' · 930W.

to: 53° 21' ·36N. , 2° 57' ·84W.

Fl.R.3s E4, from: 53° 20' ·847N. , 2° 57' ·738W.

to: 53° 20' ·86N. , 2° 57' ·64W.

Delete 53° 22' ·975N. , 3° 00' ·308W.

★ FI(2)G.6s

L5966/16 ENGLAND — West Coast — Liverpool Bay, Irish Sea E and Approaches to Belfast Lough — Submarine power cable.

Source: AWJ Marine

Note: Charts 1320, 1753, 1826 and 1981 are to be deleted from the list of charts affected by Notice 2080(P)/14.

Chart: SC5613·1 ETRS89 DATUM

Insert submarine power cable, , joining: 53° 31' ·59N. , 3° 33' ·61W.

(existing cable)

53° 31' ·50N., 3° 35' ·30W.

53° 35' ·70N., 3° 39' ·71W.

53° 36' ·70N., 3° 43' ·67W.

53° 40' ·91N., 3° 48' ·43W.

 53° 46' $\cdot 53N.$, 3° 48' $\cdot 91W.$

53° 49' ·21N., 3° 56' ·58W.

53° 50' ·30N., 4° 04' ·42W.

(W border)

Chart: SC5613·7 ETRS89 DATUM

submarine power cable, , joining:

53° 31' ·02N., 3° 24' ·13W

(S border)

 53° 31' ·29N. , 3° 24' ·30W.

53° 32' ·15N., 3° 29' ·64W.

53° 31' ·79N. , 3° 33' ·01W. 53° 31' ·43N. , 3° 34' ·20W. 53° 31' ·53N. , 3° 35' ·36W. 53° 32' ·32N. , 3° 36' ·18W.

(W border)

 ${\bf L6088/16\ \ IRELAND--East\ Coast--Portavogie--Automatic\ Identification}$

System.

Source: UKHO

Chart: SC5613·23 WGS84 DATUM

Delete symbol, Automatic Identification System, AIS 54° 27' · 3N., 5° 26' · 4W.

L6637/16 ENGLAND — West Coast — River Mersey — Liverpool Landing

Stage — Fog signal.

Source: Peel Ports Notice 46/16

Chart: SC5613·5 ETRS89 DATUM

Insert fog signal, Horn(1)10s, at light 53° 24' ·280N., 2° 59' ·910W.

L253/17 WALES — North Coast — Liverpool Bay — Obstruction.

Source: CEMEX UK Marine Ltd.

Chart: SC5613·1 ETRS89 DATUM

Insert 152: Obstn 53° 26' · 94N. , 3° 24' · 69W.

Chart: SC5613·3 ETRS89 DATUM

Insert :152: Obstn 53° 26' ·94N. , 3° 24' ·69W.

L277/17 ENGLAND — West Coast — River Mersey — Light. Buoy.

Source: Peel Ports Notice 48/16

Chart: SC5613·4 (Panel B, Crosby Channel to River Mersey) ETRS89 DATUM

Insert ★ 2F.R (vert) 53° 27' · 31N. , 3° 01' · 68W.

53° 27' ·00N., 3° 01' ·13W.

Move 53° 27' ·58N., 3° 02' ·34W.

Chart: SC5613·5 ETRS89 DATUM

Insert ★ 2F.R(vert) 53° 27' ·31N. , 3° 01' ·68W.

53° 27' ·002N., 3° 01' ·135W.

Temporary/Preliminary NMs

L495(P)/17 ENGLAND — West Coast — Approaches to Morecambe Bay Walney Offshore Wind Farm Extension — Works. Wind farm. Submarine cables.

Source: Dong Energy

1. Work has commenced on the construction of Walney Offshore Wind Farm extension. The main wind farm work area is to be marked by the following light buoys:

Buoy Type	Character	Position
North Cardinal	VQ	54° 09' · 719N. , 3° 49' · 576W.
Special Mark	<i>Fl.Y.5s</i>	54° 08' -800N. , 3° 45' -371W.
North Cardinal	Q	54° 07' · 880N. , 3° 41' · 169W.
South Cardinal	VQ(6)+LFl.10s	54° 00' · 205N. , 3° 34' · 661W.
Special Mark	<i>Fl.Y.5s</i>	54° 01' · 812N. , 3° 39' · 824W.
South Cardinal	Q(6)+ $LFl.15s$	54° 03' -419N. , 3° 44' -990W.
Special Mark	<i>Fl.Y.5s</i>	54° 05' · 026N. , 3° 50' · 160W.
West Cardinal	Q(9)15s	54° 06' · 632N. , 3° 55' · 335W.
West Cardinal	VQ(9)IOs	54° 08' · 292N. , 3° 55' · 365W.
Special Mark	<i>Fl.Y.5s</i>	54° 09' -006N. , 3° 52' -472W.

- 2. All vessels should navigate with caution in the area. A safety zone of 500 metres becomes operational around the turbines under construction. Cable laying to shore will also be concluded.
- 3. These changes will be included in New Editions of Charts 1320 and 1826 to be published mid
- 4. For the latest information see Dong Energy Notice to Mariners.(ETRS89 DATUM)

Charts affected - SC5613

Notices to Mariners - Weekly Edition 06/2017 International Chart Series, British Isles, Irish Sea with Saint George's Channel and North Channel.

— Chart 1121 — New Edition Announcement.

Chart SC5613-23 WGS84 DATUM

The following changes were published in the new edition of chart 1121, which is the source chart for the above folio sheet:

Includes general updates throughout. Mariners should therefore navigate with caution on sheet SC5613·23 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L759/17 ENGLAND — West Coast — Liverpool Bay — Queens Channel W — Buoyage.

Source: CEFAS

Chart: SC5613·3 ETRS89 DATUM

Amend light-buoy to, *Fl(5)Y.20s (2 buoys) PA* 53° 31' ·98N. , 3° 21' ·79W.

Delete grey spherical buoy, *Fl(5)Y.20s* 53° 32' ·00N. , 3° 21' ·19W.

Chart: SC5613·7 ETRS89 DATUM

Amend light-buoy to, *Fl(5)Y.20s (2 buoys) PA* 53° 31' ·98N. , 3° 21' ·79W.

Delete grey spherical buoy, *Fl(5)Y.20s* 53° 32' ·00N. , 3° 21' ·19W.

L959/17 ENGLAND — West Coast — Rhyl Gas Field NW — Buoyage.

Source: DONG Energy

Chart: SC5613·1 ETRS89 DATUM

54° 05' ·60N. , 3° 44' ·40W.

L1004/17 ENGLAND — West Coast — River Mersey — Buoy.

Source: UKHO

Note: Certain Copies Only

Chart: SC5613·4 (Panel B, Crosby Channel to River Mersey) ETRS89 DATUM

Delete 53° 26' ·97N. , 3° 01' ·31W.

Chart: SC5613·5 ETRS89 DATUM

Delete 53° 26' ·971N. , 3° 01' ·310W.

Temporary/Preliminary NMs

L1007(T)/17 ISLE OF MAN — Maughold Head — Light.

Source: Northern Lighthouse Board Notice 11/16

1. The range of the light at Maughold Head, in position 54° 17′.73N., 4° 18′.57W, has been temporarily reduced to 12 miles.(ETRS89 DATUM)

Charts affected - SC5613

Temporary/Preliminary NMs

L1012(T)/17 ISLE OF MAN — Douglas Head — Light.

Source: Northern Lighthouse Board Notice 4/17

1. The range of the light at Douglas Head, in position 54° 08' · 599N. , 4° 27' · 947W. has been temporarily reduced to 12 miles.(ETRS89 DATUM)

Charts affected – SC5609, SC5613 and SC5621

L1557/17 ENGLAND — West Coast — Approaches to Heysham — Buoyage.

Source: DONG Energy

Note: This update is included in New Editions 1320 and 1826, published 13 April 2017.

Chart: SC5613·9 ETRS89 DATUM

Insert \$\int FI(5)Y.20s\$ 53° 54' \cdot 24N., 3° 19' \cdot 00W.

Chart: SC5613·10 ETRS89 DATUM

Insert \$\int FI(5)Y.20s\$ 53° 54' \cdot 24N., 3° 19' \cdot 00W.

53° 59' ·20N., 3° 01' ·37W.

Chart: SC5613·11 (Panel A, Approaches to Fleetwood) ETRS89 DATUM

Insert \$\int FI(5) Y.20s\$ 53° 59' \cdot 20N., 3° 01' \cdot 37W.

Chart: SC5613·12 (Panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Insert \$\inp FI(5)Y.20s\$ 53° 59' \cdot 20N., 3° 01' \cdot 37W.

Notices to Mariners - Weekly Edition 15/2017 Irish Sea, Fleetwood to Douglas. — Chart 1320 — New Edition Announcement.

Charts SC5613·14 and SC5613·21 WGS84 DATUM

The following changes were published in the new edition of chart 1320, which is the source chart for the

above folio sheets:

Includes significant safety-related information as follows: changes to depths, submarine cables

and Walney Wind Farm Extension. Mariners should therefore navigate with caution on sheets

SC5613·14 and SC5613·21 and be aware that any subsequent Notices to Mariners applied to

these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 15/2017 International Chart Series, British

Isles, Irish Sea, Eastern Part.

— Chart 1826 — New Edition Announcement.

Charts SC5613·1 and SC5613·2 WGS84 DATUM

The following changes were published in the new edition of chart 1826, which is the source chart for the

above folio sheets:

Includes significant safety-related information as follows: Burbo Bank Wind Farm completion,

Walney Wind Farm Extension and associated cables. Mariners should therefore navigate with

caution on sheets SC5613·1 and SC5613·2 and be aware that any subsequent Notices to

Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

Temporary/Preliminary NMs

L2092(T)/17 ISLE OF MAN — Approaches to Port Erin — Bay Fine — Buoy.

Source: Isle of Man Government Notice 7/17

1. A scientific monitoring light buoy, *Iso.Y.2s*, has been established until October 2017, in

position 54° 04' · 78N., 4° 47' · 44W.

2. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Charts affected – SC5613

L2215/17 ENGLAND — West Coast — Liverpool Bay — Burbo Wind Farm

Extension — Buoy.

Source: Tom Watson

Chart: SC5613·3 ETRS89 DATUM

Page 20 of 61

Delete

♀ FI(5)Y.20s

53° 29' ·10N., 3° 15' ·53W.

L2337/17 ENGLAND — West Coast — Fleetwood — Buoy.

Source: Trinity House

Chart: SC5613·10 ETRS89 DATUM

Move

FI(2)G.5s King Scar, from:

53° 56' ·97N., 3° 04' ·40W.

to:

53° 57' ·05N., 3° 04' ·74W.

L3078/17 ISLE OF MAN — Douglas — Light.

Source: Isle of Man Government

Chart: SC5613·22 (Panel A, Isle Of Man Douglas) ETRS89 DATUM

Delete sector at light as follows:

54° 08' ·845N., 4° 28' ·076W.

G 225°-327° (102°)

Notices to Mariners - Weekly Edition 27/2017 Irish Sea, Kirkcudbright to Mull of Galloway and Isle of Man.

— Chart 2094 — New Edition Announcement.

Charts SC5613·17, SC5613·19, SC5613·20 and SC5613·21 WGS84 DATUM

The following changes were published in the new edition of chart 2094, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5613·17, SC5613·19, SC5613·20 and SC5613·21 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

Temporary/Preliminary NMs

L2080(P)/14 IRISH SEA — England — Scotland — Liverpool Bay to Ardnell Bay — Submarine power cable.

Source: AWJ Marine

1. Work has begun laying the Western HVDC Link power cable from Liverpool Bay (England) to Ardneil Bay (Scotland), joining the following approximate positions (WGS84 Datum):

```
53° 24' ·84N., 3° 07' ·79W. (shore)
53° 26' · 28N., 3° 08' · 28W.
53° 27' · 35N., 3° 10' · 40W.
53° 27' ·25N., 3° 18' ·60W.
53° 30' · 00N., 3° 23' · 46W.
53° 31' · 28N., 3° 24' · 22W.
53° 32' ·16N., 3° 30' ·02W.
53° 31' · 55N., 3° 34' · 91W.
53° 35' ·63N., 3° 39' ·74W.
53° 36′ ·80N., 3° 44′ ·04W.
53° 41' ·13N., 3° 48' ·62W.
53° 46' ·45N., 3° 49' ·09W.
53° 49' ·02N., 3° 55' ·36W.
53° 53' ·71N., 4° 28' ·51W.
53° 54' ·97N., 5° 03' ·52W.
54° 02' ·49N., 5° 08' ·24W.
54° 11' ·89N., 5° 07' ·05W.
54° 21' · 55N., 5° 14' · 31W.
54° 25' ·69N., 5° 14' ·62W.
54° 27' ·66N., 5° 12' ·13W.
54° 29' ·92N., 5° 12' ·19W.
54° 37' · 14N., 5° 15' · 36W.
54° 44' · 76N., 5° 21' · 73W.
54° 49' ·43N., 5° 29' ·72W.
54° 57' ·84N., 5° 33' ·04W.
55° 08' ·31N., 5° 24' ·84W.
55° 18' · 28N., 5° 08' · 39W.
55° 24' · 36N., 4° 54' · 96W.
55° 27' ·59N., 4° 52' ·31W.
55° 30' ·41N., 4° 54' ·93W.
55° 34' · 26N., 4° 55' · 35W.
55° 37' ·86N., 4° 54' ·80W.
55° 41' · 72N., 4° 53' · 24W. (shore)
```

- 2. Vessels are requested not to anchor or trawl in the vicinity of the cable route.
- 3. Charts will be updated when the works are complete.

Charts affected – SC5609, SC5610, SC5611, SC5612, SC5613 and SC5621

Notices to Mariners - Weekly Edition 39/2017 International Chart Series, England - West Coast, Approaches to Liverpool.

— Chart 1951 — New Edition Announcement.

Chart SC5613-4 WGS84 DATUM

The following changes were published in the new edition of chart 1951, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: changes to wind turbines, submarine cables and navigational aids within Burbo Bank Wind Farm Extension and changes to depths from the latest Mersey Docks and Harbour Company surveys. Mariners should therefore navigate with caution on sheet SC5613·4 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 39/2017 England and Wales, Great Ormes Head to Liverpool.

— Chart 1978 — New Edition Announcement.

Chart SC5613·3 WGS84 DATUM

The following changes were published in the new edition of chart 1978, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: changes to buoyage, wind turbines and aids to navigation within Burbo Bank Wind Farm. Mariners should therefore navigate with caution on sheet SC5613·3 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 39/2017 International Chart Series, England - West Coast, Port of Liverpool.

— Chart 3490 — New Edition Announcement.

Charts SC5613·5 and SC5613·6 WGS84 DATUM

The following changes were published in the new edition of chart 3490, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Mersey Docks and Harbour Company surveys. Mariners should therefore navigate with caution on sheets SC5613·5 and SC5613·6 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L5004/17 ENGLAND — West Coast — Fleetwood — River Wyre — Fog signal.

Source: Associated British Ports and Trinity House

Chart: SC5613·10 ETRS89 DATUM

Delete fog signal, Horn(1)15s, at light-beacon 53° 56' · 24N., 3° 01' · 06W.

Chart: SC5613·11 (Panel A, Approaches to Fleetwood) ETRS89 DATUM

Delete fog signal, Horn(1)15s, at light-beacon 53° 56' · 24N., 3° 01' · 06W.

L5175/17 ISLE OF MAN — Peel N — Depths.

Source: Isle of Man Government

Chart: SC5613·20 (Panel A, Isle Of Man West Coast) ETRS89 DATUM

Insert depth, 3_9 , and extend 5m contour N to enclose (a) 54° 13' ·688N., 4° 41' ·805W. depth, 4_4 , and extend 5m contour NE to enclose 54° 13' ·639N., 4° 41' ·775W. Delete depth, 4_2 , close SW of: (a) above

Chart: SC5613-22 (Panel E, Isle Of Man Peel) ETRS89 DATUM

Insert depth, 3_9 , and extend 5m contour N to enclose (a) 54° 13' ·688N. , 4° 41' ·805W. depth, 4_4 , and extend 5m contour NE to enclose 54° 13' ·639N. , 4° 41' ·775W. Delete depth, 4_2 , close SW of: (a) above

Temporary/Preliminary NMs

L5159(P)/17 SCOTLAND — South West Coast — Approaches to Kirkcudbright — Drying heights.

Source: Dumfries & Galloway Council

1. Surveys have shown that depths and drying heights less than charted exist in the approaches to Kirkcudbright, the most significant are as follows:

Drying height	Position
1.0m	54° 47' ·846N., 4° 03' ·721W.
0.6m	54° 47' ·961N. , 4° 03' ·832W.
1·1m	54° 48' · 142N. , 4° 04' · 120W.
0.6m	54° 48' · 341N., 4° 04' · 376W.
0·7m	54° 48' ·659N. , 4° 04' ·560W.
0.9m	54° 48' ·711N. , 4° 04' ·651W.
0.9m	54° 48' ·940N. , 4° 04' ·657W.
0·5m	54° 49' · 152N. , 4° 04' · 760W.
0.0m	54° 49' · 277N. , 4° 04' · 681W.
0·7m	54° 49' · 384N. , 4° 04' · 429W.
1.0m	54° 49' ·457N. , 4° 04' ·297W.

0.7m	54° 49' · 739N. , 4° 04' · 080W.
0·3m	54° 50' ·059N., 4° 03' ·995W.
0·1m	54° 50' · 372N., 4° 03' · 637W.
0·7m	54° 50' · 279N. , 4° 03' · 239W.

- 2. Mariners are advised to navigate with caution in the area.
- 3. These changes will be included in the next New Edition of Chart 1344.(ETRS89 DATUM)

Chart affected - SC5613

Notices to Mariners - Weekly Edition 46/2017 International Chart Series, British Isles, Irish Sea with Saint George's Channel and North Channel.

— Chart 1121 — New Edition Announcement.

Chart SC5613-23 WGS84 DATUM

The following changes were published in the new edition of chart 1121, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: new submarine cable and territorial sea limits. Mariners should therefore navigate with caution on sheet SC5613·23 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 46/2017 International Chart Series, British Isles, Irish Sea, Western Part.

— Chart 1411 — New Edition Announcement.

Chart SC5613·2 WGS84 DATUM

The following changes were published in the new edition of chart 1411, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: new submarine cable and territorial sea limits. Mariners should therefore navigate with caution on sheet SC5613·2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L205/18 ENGLAND — West Coast — Liverpool Landing Stage — Fog signal.

Source: Peel Ports

Chart: SC5613·5 ETRS89 DATUM

Delete fog signal, Horn(3+3)15s, at light 53° 24' ·314N. , 2° 59' ·923W.

Temporary/Preliminary NMs

L222(T)/18 WALES — North Coast — West Hoyle Spit — Buoyage.

Source: Port of Mostyn Notice 28/17

1. Yellow special purpose light-buoys, *Fl.Y.4s*, marking a section of exposed gas pipeline, have been temporarily established in the following positions:

2. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Charts affected – SC5613

L295/18 ENGLAND — West Coast — Jordans Spit S and NE, and Blackpool W — Buoyage.

Source: Fugro

Chart: SC5613·1 ETRS89 DATUM

Chart: SC5613·3 ETRS89 DATUM

Insert \$\int FI(5)Y.20s\$ 53° 32' ·31N. , 3° 13' ·71W.

Chart: SC5613·7 ETRS89 DATUM

Insert *FI(5)Y.20s*53° 32' ⋅31N. , 3° 13' ⋅71W.

Delete *FI(5)Y.20s*53° 34' ⋅62N. , 3° 12' ⋅39W.

Chart: SC5613·8 (Panel A, River Ribble) ETRS89 DATUM

Chart: SC5613·9 ETRS89 DATUM

Insert \$\int Fl(5)Y.20s\$ 53° 47' \cdot 69N., 3° 08' \cdot 27W.

Delete \$\int Fl(5)Y.20s \quad 53\circ 49'\cdot 00N., 3\circ 07'\cdot 58W.

L366/18 ENGLAND — West Coast — Lightning Knoll SW — Buoy.

Source: ABP Barrow Notice 40/17

Chart: SC5613·10 ETRS89 DATUM

Amend SEA 1 light-buoy to, Q.G 53° 59' ·75N., 3° 14' ·09W.

L386/18 ENGLAND — West Coast — Far Sand Bank — Drying height. Depth.

Source: ABP Silloth

Chart: SC5613·8 (Panel C, Approaches to Silloth) ETRS89 DATUM

Insert drying height, \underline{O}_3 , enclosed by 0m low water line (a) 54° 48' ·59N., 3° 30' ·46W.

Delete depth, 3₂, close NW of: (a) above

L851/18 ENGLAND — North West Coast — Fleetwood — Drying heights.

Source: Environment Agency

Note: stranded wreck drying height remains unchanged.

Chart: SC5613·9 ETRS89 DATUM

Replace drying height, 0_9 , with drying height, 2_3 53° 52' ·09N., 3° 03' ·57W.

Chart: SC5613·10 ETRS89 DATUM

Insert drying height, 10_8 (a) $53^{\circ} 56' \cdot 77N.$, $3^{\circ} 02' \cdot 98W.$

drying height, $\underline{\textit{6}}_{\textit{g}}$ 53° 56' ·46N. , 3° 02' ·60W.

drying height, 6_5 53° 56' \cdot 05N. , 3° 02' \cdot 33W.

Delete drying height, $\underline{6}_1$, close SW of: (a) above

Chart: SC5613·11 (Panel A, Approaches to Fleetwood) ETRS89 DATUM

Insert drying height, 6_5 53° 56' \cdot 05N., 3° 02' \cdot 33W.

drying height, G_B 53° 55' ·14N. , 3° 00' ·53W.

Replace drying height, $\underline{6}_6$, with drying height, $\underline{7}_4$ 53° 55' \cdot 90N. , 3° 00' \cdot 01W.

drying height, 7_4 , with drying height, 8_6 53° 54' \cdot 99N., 3° 00' \cdot 30W.

Chart: SC5613·11 (Panel B, River Wyre Fleetwood to Skippool) ETRS89

DATUM

Insert drying height, $\underline{6}_5$ 53° 56' \cdot 05N. , 3° 02' \cdot 33W.

drying height, θ_{θ} 53° 55' ·14N., 3° 00' ·53W.

Replace drying height, θ_6 , with drying height, 7_4 53° 55' \cdot 90N., 3° 00' \cdot 01W.

drying height, 7_4 , with drying height, 8_8 53° 54' \cdot 99N., 3° 00' \cdot 30W.

drying height, O_3 , with drying height, 2_1 , and extend 2m drying contour

W to enclose 53° 54' ·56N., 3° 00' ·25W.

Chart: SC5613·11 (Panel C, Fleetwood) ETRS89 DATUM

Insert drying height, $\theta_{\mathcal{S}}$ 53° 55' ·14N. , 3° 00' ·53W.

Replace drying height, $\underline{6}_6$, with drying height, $\underline{7}_4$ 53° 55' \cdot 90N., 3° 00' \cdot 01W.

drying height, 7_4 , with drying height, 8_8 53° 54' \cdot 99N., 3° 00' \cdot 30W.

L1269/18 WALES — West Coast — Caernarfon Bay — Buoy.

Source: Bangor University

Chart: SC5613·23 ETRS89 DATUM

L1324/18 IRISH SEA — Calder Gas Field SW — Buoy.

Source: UKHO

Chart: SC5613·1 ETRS89 DATUM

L1684/18 IRELAND — East Coast — Copeland Island NE — Light.

Source: Commissioners of Irish Lights

Chart: SC5613-23 ETRS89 DATUM

Amend light to, FFI(4)30s18M 54° 41' ·9N., 5° 30' ·6W.

L1750/18 WALES — North Coast — Constable Bank — Buoy.

Source: Bangor University

Chart: SC5613·1 ETRS89 DATUM

Insert \$\int FI(5)Y.20s\$ 53° 22' \cdot 51N., 3° 43' \cdot 56W.

Temporary/Preliminary NMs

L2133(T)/18 SCOTLAND — West Coast — Mull of Galloway SW — Buoy.

Source: Seajacks Scylla

1. A special light-buoy, Fl(2+1)Y.10s, has been reported adrift in approximate position 54° 36' \cdot 70N., 4° 58' \cdot 00W. (WGS84 DATUM)

Charts affected – SC5610, SC5612 and SC5613

L2204/18 ENGLAND — West Coast — Shell Flat — Lights.

Source: Ørsted

Chart: SC5613·1 ETRS89 DATUM

Delete ★ Fl.Y.2·5s11m &2F.R(vert) Mast(81) 53° 52' ·38N. , 3° 12' ·17W.

★ FI.Y.2·5s11m &2F.R(vert) Mast(51) 53° 51' ·61N., 3° 17' ·75W.

Chart: SC5613·9 ETRS89 DATUM

Delete ★ Fl.Y.2·5s11m&2F.R(vert) Mast(81) 53° 52' ·42N. , 3° 12' ·13W.

★ FI.Y.2·5s11m&2F.R(vert) Mast(51) 53° 51' ⋅60N., 3° 17' ⋅68W.

Chart: SC5613·23 ETRS89 DATUM

Delete ★ FI.Y.&2F.R(vert) Mast(81) 53° 52' ·3N. , 3° 12' ·2W.

★ FI.Y.&2F.R(vert) Mast(51) 53° 51' ⋅6N. , 3° 17' ⋅5W.

Temporary/Preliminary NMs

L2449(T)/18 ENGLAND West Coast Blackpool NW Works. Outfall.

Source: J. Murphy & Sons Ltd

1. Pipeline installation works are taking place until September 2018, within an area bounded by the following positions:

53° 52' · 37N. , 3° 02' · 89W. (shore) 53° 52' · 37N. , 3° 03' · 80W.

53° 52' · 13N. . 3° 03' · 87W.

53° 51' · 71N. , 3° 06' · 30W.

53° 51' ·60N. , 3° 06' ·25W.

53° 52' -18N., 3° 02' -91W. (shore)

2. Mariners are advised to navigate with caution within the vicinity.(ETRS89 DATUM)

Charts affected - SC5609 and SC5613

L2908/18 WALES — West Coast — Holyhead Deep — Buoy. Legend.

Source: Minesto UK Ltd

Chart: SC5613·23 ETRS89 DATUM

Insert

ĢF

53° 17' ·8N., 4° 47' ·8W.

Notices to Mariners - Weekly Edition 27/2018 Scotland - South Coast, Kirkcudbright Bay.

— Chart 1344 — New Edition Announcement.

Chart SC5613·18 WGS84 DATUM

The following changes were published in the new edition of chart 1344, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Dumfries and Galloway Council Surveys. Mariners should therefore navigate with caution on sheet SC5613·18 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L3274/18 ENGLAND — West Coast — — Buoyage.

Source: Lancaster Port Commission

Chart: SC5613·12 (Panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Move	FI(3)G.10s No 3, from:	53° 58' ·65N. , 2° 57' ·79W.
	to:	53° 58' ·75N. , 2° 57' ·76W.
	<i>♣ Fl.G.5s No 5</i> , from:	53° 58' ·31N. , 2° 54' ·87W.

to: 53° 58' ·73N., 2° 54' ·35W.

L3485/18 ENGLAND — West Coast — — Buoy.

Source: Ørsted

Chart: SC5613·1 ETRS89 DATUM

Chart: SC5613·9 ETRS89 DATUM

Delete \$\infty F(\(5\)\chi.20s 53° 54' \cdot 24\N., 3° 19' \cdot 00\W.

Chart: SC5613·10 ETRS89 DATUM

Delete \$\infty Fl(5)Y.20s\$ 53° 54' \cdot 24N., 3° 19' \cdot 00W.

L3540/18 WALES — North Coast — — Buoy.

Source: Rhyl Harbour Notice 3/18

Chart: SC5613·3 ETRS89 DATUM

Delete \$\int_{\text{gW}}^{\infty} Mo(A) 10s\$ 53° 19' \cdot \

L3543/18 ISLE OF MAN — Light.

Source: Northern Lighthouse Board Notice 18/17

Note: Former Notice L1007(T)/17 is cancelled.

Chart: SC5613·2 ETRS89 DATUM

Amend range of light to, 15M 54° 17' · 73N., 4° 18' · 57W.

Chart: SC5613·21 (Panel A, Isle of Man East Coast) ETRS89 DATUM

Amend range of light to, 15M 54° 17' ·73N., 4° 18' ·57W.

Chart: SC5613·23 ETRS89 DATUM

Amend range of light to, 15M 54° 17' \cdot 8N. , 4° 18' \cdot 5W.

L3591/18 SCOTLAND — South West Coast — — Light.

Source: Dumfries and Galloway Council Harbours Notice 9/18

Chart: SC5613-17 ETRS89 DATUM

Amend range of light to, 3M 54° 41' ·88N. , 4° 21' ·84W.

Chart: SC5613·19 (Panel A, Wigtown Bay to Luce Bay) ETRS89 DATUM

Amend range of light to, 3M 54° 41' ·88N. , 4° 21' ·84W.

Temporary/Preliminary NMs

L3600(P)/18 ENGLAND — West Coast — — Depth.

Source: Peel Ports

1. Depths and drying heights less than charted exist in the approaches to Liverpool. The most significant are as follows:

Depth Position

1.7m 53° 21' .547N., 2° 57' .990W.

- 2. Mariners are advised to navigate with caution in the area.
- 3. These changes will be included in the next New Edition of Charts 3490 and 1951, to be published late 2018.(ETRS89 DATUM)

Charts affected – SC5613

L3686/18 ISLE OF MAN — Light.

Source: Northern Lighthouse Board Notice 19/17

Note: Former Notice L1012(T)/17 is cancelled.

Chart: SC5613·20 (Panel A, Isle of Man, West Coast) ETRS89 DATUM

Amend range of light to, 15M 54° 08' ·60N., 4° 27' ·95W.

Chart: SC5613·21 (Panel A, Isle of Man, East Coast) ETRS89 DATUM

Amend range of light to, 15M 54° 08' ·60N., 4° 27' ·95W.

Chart: SC5613·22 (Panel A, Isle of Man, Douglas) ETRS89 DATUM

Amend range of light to, 15M 54° 08' ·599N., 4° 27' ·947W.

Chart: SC5613·23 ETRS89 DATUM

Amend range of light to, 15M 54° 08' ·6N., 4° 27' ·9W.

Temporary/Preliminary NMs

L3670(P)/18 ENGLAND — West Coast — — Depths.

Source: Peel Ports

1. Numerous depths and drying heights less than charted exist in the approaches to Liverpool. The most significant are as follows:

Depth Position

* 4·6m 53° 31' ·67N., 3° 08' ·84W.

* 0·4m	
* 1·8m	
* 1·2m	
* 2m	
* 1·1m	
* 3.9m	
* 1.9m	
* 3.5m	
1.7m	
* 0m	
* 1.5m	
* 0.9m	
D 1 1 1 1 .	
Drying height	
* 0.7	

53° 27' · 204N. , 3° 02' · 890W. 53° 23' · 176N. , 2° 59' · 506W. 53° 22' · 888N. , 2° 59' · 276W. 53° 22' · 666N. , 2° 59' · 096W. 53° 22' · 450N. , 2° 58' · 534W. 53° 21' · 641N. , 2° 58' · 203W. 53° 21' · 620N. , 2° 58' · 237W. 53° 21' · 603N. , 2° 58' · 063W. 53° 21' · 547N. , 2° 57' · 990W. 53° 21' · 547N. , 2° 57' · 990W. 53° 21' · 505N. , 2° 57' · 916W. 53° 21' · 452N. , 2° 57' · 793W.

* 0.7m	
* 1m	
* 0·2m	
* 0·4m	
* 0.7m	
* 0.6m	
* 0·4m	
* 2·1m	
* 0.3m	
* 0.3m	
* 0.3m	
* 0.7m	
* 1·5m	

Position

- 2. Mariners are advised to navigate with caution in the area.
- 3. These changes will be included in the next New Edition of Charts 1951 and 3490, to be published late 2018.
- 4. Former Notice 3600(P)/18 is cancelled.*Indicates new or revised entry. (ETRS89 DATUM)

Charts affected – SC5613

L4063/18 ENGLAND — West Coast — — Submarine power cables. Legends.

Source: Ørsted

Note: Former Notice L495(P)/17 is cancelled

Chart: SC5613·1 ETRS89 DATUM

Delete legend, *Planned*, centred on: 54° 02' ·71N. , 3° 44' ·12W.

53° 55' ·29N., 3° 20' ·85W.

Chart: SC5613·2 ETRS89 DATUM

Delete legend, *Planned*, centred on: 54° 02' ·71N. , 3° 44' ·12W.

53° 55' ·29N., 3° 20' ·85W.

Chart: SC5613·9 ETRS89 DATUM

Insert	submarine power cable,	~~~ ∫ ~~~, j	oining:	53° 55' ·80N. , 3° 27' ·00W.	
				53° 55' ·21N. , 3° 21' ·98W.	
				53° 54' ·40N. , 3° 13' ·74W.	
				53° 54' ·19N. , 3° 13' ·05W.	
				53° 54' ·25N. , 3° 12' ·60W.	
				53° 55' ·80N. , 3° 09' ·02W.	
				and	
				53° 55' ·80N. , 3° 29' ·41W.	
				53° 55' ·05N. , 3° 22' ·00W.	
				53° 54' ·34N. , 3° 13' ·74W.	
				53° 54' ·13N. , 3° 13' ·06W.	
				53° 54' ·15N. , 3° 12' ·67W.	
				53° 55' ·80N. , 3° 08' ·81W.	

Chart: SC5613·14 ETRS89 DATUM

Delete legend, *Planned*, centred on: 53° 56' ·04N. , 3° 08' ·21W.

Temporary/Preliminary NMs

L4123(P)/18 ENGLAND — West Coast — — Submarine power cables.

Source: Ørsted

1. Submarine power cables have been laid, joining the following positions:

```
53° 56' ·74N., 3° 31' ·58W.
53° 56' ·09N., 3° 30' ·00W.
53° 54' ·39N., 3° 13' ·71W.
53° 54' ·20N., 3° 12' ·95W.
53° 54' ·43N., 3° 12' ·22W.
53° 56' ·32N., 3° 08' ·03W.
53° 56' ·75N., 3° 06' ·03W.
53° 56' ·88N., 3° 04' ·70W.
53° 57' ·13N., 3° 03' ·90W.
53° 57' ·47N., 3° 03' ·34W.
53° 59' ·01N., 2° 59' ·74W.
53° 59' ·38N., 2° 59' ·48W.
53° 59' ·69N., 2° 58' ·66W.
54° 00' ·02N., 2° 58' ·27W.
54° 00' ·13N., 2° 57' ·86W.
```

```
54° 00' ·33N., 2° 56' ·50W.
54° 00' ·40N., 2° 53' ·89W.
and
53° 56' · 51N., 3° 31' · 58W.
53° 55' ·94N., 3° 30' ·29W.
53° 54' ·82N., 3° 19' ·49W.
53° 54' · 34N., 3° 13' · 76W.
53° 54' · 13N., 3° 13' · 10W.
53° 54' · 14N., 3° 12' · 68W.
53° 56' ·15N., 3° 08' ·14W.
53° 56' ·67N., 3° 05' ·77W.
53° 56' ·77N., 3° 04' ·80W.
53° 57' ·18N., 3° 03' ·55W.
53° 57' ·44N., 3° 03' ·20W.
53° 59' ·10N., 2° 59' ·36W.
53° 59' ·46N., 2° 59' ·12W.
53° 59' ·65N., 2° 58' ·64W.
53° 59' ·98N., 2° 58' ·16W.
54° 00' ·19N., 2° 57' ·25W.
54° 00' ·38N., 2° 53' ·88W.
```

- 2. Mariners are advised to navigate with caution in the area.
- 3. These changes will be included in New Editions of Charts 1552 and 2010 to be published 4 October 2018.
- 4. Former Notice L495(P)/17 is cancelled.(ETRS89 DATUM)

Charts affected – SC5613

L4164/18 ENGLAND — West Coast — — Wreck.

Source: HM Coastguard

Chart: SC5613·14 ETRS89 DATUM

Insert 53° 56' · 00N. , 3° 27' · 60W.

L4269/18 ENGLAND — West Coast — — Buov.

Source: United Utilities Water PLC

Chart: SC5613·8 (Panel C, Approaches to Silloth) ETRS89 DATUM

Insert \$\frac{1}{6} \ Fl.G.5s\$ 54° 52' \cdot 39N. , 3° 23' \cdot 69W.

L4286/18 ISLE OF MAN — Legend.

Source: Isle of Man Harbours Notice 14/18

Chart: SC5613·20 (Panel A, Isle of Man West Coast) ETRS89 DATUM

54° 04' ·97N., 4° 48' ·29W.

L4289/18 WALES — West Coast — — Automatic Identification System.

Source: Trinity House

Chart: SC5613·23 ETRS89 DATUM

Delete legend, Buoyed, centred on:

Insert Automatic Identification System, A/S, at light-buoy 53° 17' ·8N., 4° 47' ·8W.

Temporary/Preliminary NMs

L4324(T)/18 ENGLAND North West Coast Buoy.

Source: Ørsted

1. A light buoy, Fl(5)Y.20s has been established in position 54° 00' ·11N., 3° 33' ·72W. (ETRS89 DATUM)

Chart affected - SC5613

Temporary/Preliminary NMs

L4499(T)/18 ENGLAND — West Coast — Light-float. Buoy.

Source: Peel Ports Notice 45/18

1. The light float, Fl.5s11m12M Bar Racon(T), in position 53° 32' ·02N., 3° 20' ·98W. has been replaced by a high focal plane red pillar buoy, Fl.5s Bar Racon(T). (ETRS89 DATUM)

Charts affected – SC5609 and SC5613

Notices to Mariners - Weekly Edition 40/2018 International Chart Series, England - West Coast, Ports in Morecambe Bay.

— Chart 1552 — New Edition Announcement.

Charts SC5613·11 and SC5613·12 WGS84 DATUM

The following changes were published in the new edition of chart 1552, which is the source chart for the above folio sheets:

Includes significant safety-related information as follows: new submarine cables. Mariners should therefore navigate with caution on sheets SC5613·11 and SC5613·12 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

Notices to Mariners - Weekly Edition 40/2018 International Chart Series, England - West Coast, Morecambe Bay and Approaches. — Chart 2010 — New Edition Announcement.

Chart SC5613·10 WGS84 DATUM

The following changes were published in the new edition of chart 2010, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: new submarine cables. Mariners should therefore navigate with caution on sheet SC5613·10 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L5557/18 WALES — North Coast — — Depth. Obstruction.

Source: Raymond Cramer

Chart: SC5613·1 ETRS89 DATUM

Insert 275: Obstn 53° 34' ·63N. , 3° 35' ·89W.

Chart: SC5613·7 ETRS89 DATUM

Replace depth, 27₅, with, 27₅ Obstn 53° 34' ·63N. , 3° 35' ·89W.

Chart: SC5613·23 ETRS89 DATUM

Insert 275: Obstn 53° 34' ·6N. , 3° 35' ·9W.

Temporary/Preliminary NMs

L5626(P)/18 ENGLAND — West Coast — Light.

Source: Peel Ports

- 1. Light, F.Y, in position 53° 24' $\cdot 611N.$, 3° 00' $\cdot 907W.$ has been discontinued.
- 2. This change will be included in a New Edition of Chart 3490 to be published 6 December 2018.(ETRS89 DATUM)

Chart affected – SC5613

L5738/18 ENGLAND — West Coast — — Obstruction.

Source: Spirit Energy

Chart: SC5613·9 ETRS89 DATUM

Insert

Unexploded Ordnance Rep (2018) (buried)

53° 50' ·24N., 3° 34' ·42W.

Notices to Mariners - Weekly Edition 49/2018 International Chart Series, **England - West Coast, Approaches to Liverpool.**

— Chart 1951 — New Edition Announcement.

Chart SC5613·4 WGS84 DATUM

The following changes were published in the new edition of chart 1951, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Mersey Docks and Harbour Company surveys. Mariners should therefore navigate with caution on sheet SC5613.4 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 49/2018 International Chart Series, **England - West Coast, Port of Liverpool.**

— Chart 3490 — New Edition Announcement.

Charts SC5613·5 and SC5613·6 WGS84 DATUM

The following changes were published in the new edition of chart 3490, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Mersey Docks and Harbour Company Surveys. Mariners should therefore navigate with caution on sheets SC5613·5 and SC5613·6 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L5893/18 ENGLAND — West Coast — — Obstruction. Buoy. Outfall.

Source: J. Murphy & Sons Ltd

Note: Former Notice L2449(T)/18 is cancelled.

Chart: SC5613·1 ETRS89 DATUM

Insert :3. Obstn

FI.Y, close SW of:

outfall, , joining:

(a) 53° 51' ·67N., 3° 06' ·20W.

(a) above

53° 52' ·25N., 3° 02' ·91W.

(a) above

Chart: SC5613·9 ETRS89 DATUM

Insert 38 Obstn

FI. Y, close SW of:

outfall, , joining:

(a) 53° 51' ·67N., 3° 06' ·20W.

(a) above

53° 52' ·25N., 3° 02' ·91W.

(a) above

L6160/18 ENGLAND — West Coast — — Depths.

Source: British Government Survey

Chart: SC5613·10 ETRS89 DATUM

Insert depth, 7, (a) 54° 03' ·90N., 3° 19' ·36W.

Delete depth, ∂_{δ} , close NW of: (a) above

Insert depth, δ_7 , and extend 10m contour W to

enclose (b) 54° 03' ·87N., 3° 18' ·83W.

Delete depth, 11₅, close SW of: (b) above

Insert depth, G_{B} (c) 54° 03' \cdot 78N., 3° 18' \cdot 38W.

Delete depth, 7₅, close NE of: (c) above

Insert depth, 74, and extend 10m contour N to enclose (d) 54° 03' ·21N., 3° 18' ·96W.

Delete depth, 10₈, close N of: (d) above

Insert depth, 7₆ (e) 54° 02' ·73N., 3° 18' ·42W.

Delete depth, 87, close NW of: (e) above

Chart: SC5613·14 ETRS89 DATUM

Insert depth, 79, and extend 10m contour W to

enclose 54° 04' ·83N. , 3° 19' ·16W.

depth, 9_3 , enclosed by 10m contour 54° 04' \cdot 29N. , 3° 19' \cdot 42W.

depth, 7₇ (a) 54° 03' ·90N., 3° 19' ·36W.

Delete depth, \mathcal{S}_{δ} , close NW of: (a) above

Insert depth, θ_{7} , and extend 10m contour W to

enclose $54^{\circ} \ 03' \cdot 87N. \ , \ 3^{\circ} \ 18' \cdot 83W.$ depth, 6_{8} $54^{\circ} \ 03' \cdot 78N. \ , \ 3^{\circ} \ 18' \cdot 38W.$

depth, 158

L443/19 ISLE OF MAN — Lights.

Source: Marine Operations Centre, Isle of Man

Chart: SC5613·20 (Panel A, Isle of Man, West Coast) ETRS89 DATUM

Amend light to, Fl.R.5s4m5M (sync) 54° 13' ·563N., 4° 41' ·667W.

light to, Fl.R.5s10m5M (sync) 54° 13' ·452N., 4° 41' ·767W.

Chart: SC5613·22 (Panel E, Peel) ETRS89 DATUM

Amend light to, Fl.R.5s4m5M (sync) 54° 13' ·563N., 4° 41' ·667W.

light to, FI.R.5s10m5M (sync) 54° 13' ·452N., 4° 41' ·767W.

L701/19 ENGLAND — West Coast — — Depths.

Source: British Government Survey

Chart: SC5613·10 ETRS89 DATUM

Insert depth, 4₃, enclosed by 5m contour (a) 54° 02' ·09N., 3° 15' ·87W.

Delete depth, 5, and associated 5m contour close SE of: (a) above

Chart: SC5613·14 ETRS89 DATUM

Insert depth, 4₃, enclosed by 5m contour (a) 54° 02' ·09N., 3° 15' ·87W.

Delete depth, 5, and associated 5m contour close S of: (a) above

L1410/19 WALES — North Coast — — Obstructions. Depths.

Source: m/s Northern Wind

Chart: SC5613·3 ETRS89 DATUM

Insert :7.7: Obstn 53° 23' · 37N. , 3° 30' · 76W.

47: Obstn 53° 23' ·76N. , 3° 26' ·61W.

L1693/19 ENGLAND - West Coast - Buoy.

Source: Peel Ports

Chart SC5613·4 (Panel A, Approach to Liverpool) ETRS89 DATUM

Move

VQ.R Q2 from:

53° 31' ·40N., 3° 14' ·57W.

to:

53° 31' ·48N., 3° 14' ·95W.

L2092/19 ENGLAND — West Coast — — Depths.

Source: British Government Survey

Chart: SC5613·10 ETRS89 DATUM

depth, 11, enclosed by 2m contour

53° 57' ·63N., 3° 01' ·72W.

Chart: SC5613·11 (Panel A, Approaches to Fleetwood) ETRS89 DATUM

Insert depth, 11, and extend 2m contour W to enclose (a) 53° 57' ·63N., 3° 01' ·72W.

Delete depth, 26, close W of: (a) above

Insert depth, O, enclosed by 0m low water line (b) 53° 57' ·56N., 3° 01' ·63W.

Delete depth, 25, close SE of: (b) above

Replace depth, 1_5 , with depth, 0_4

53° 57' ·63N., 3° 01' ·59W.

L2379/19 WALES — North Coast — — Wreck.

Source: ms Northern Wind

Chart: SC5613·3 ETRS89 DATUM

Insert

58 WK

53° 19' ·59N., 3° 39' ·90W.

L2474/19 WALES — North Coast — — Wrecks.

Source: ms Northern Wind

Chart: SC5613·3 ETRS89 DATUM

Insert



53° 24' ·89N., 3° 24' ·77W.

L2525/19 WALES — North Coast — — Wrecks. Depths.

Source: ms Northern Wind

Chart: SC5613·3 ETRS89 DATUM

Replace

depth, 9_6 , with



53° 25' ·70N., 3° 23' ·07W.

L3317/19 ENGLAND — West Coast — — Depths. Drying heights.

Source: ABP Barrow

Chart: SC5613·13 (Panel B, Barrow Harbour, Long Rein Point to Barrow-in-Furness) ETRS89 DATUM

Insert depth, 1_9 , enclosed by 2m contour (a) 54° 05' \cdot 662N., 3° 13' \cdot 645W.

Insert drying height, O_4 (b) $54^{\circ} 05' \cdot 926N.$, $3^{\circ} 14' \cdot 046W.$

Insert drying height, O_3 54° 05' \cdot 984N., 3° 14' \cdot 132W.

drying height, O₉, and extend 0m low water line NE to

enclose 54° 06' ·076N. , 3° 14' ·285W.

drying height, 1, (c) 54° 06' ·091N., 3° 14' ·269W.

Insert 0m low water line, joining: (d) 54° 06' ·074N., 3° 14' ·305W.

(e) 54° 06' ·092N., 3° 14' ·287W.

and

(f) 54° 06' ·067N., 3° 14' ·265W.

(g) 54° 06' ·064N., 3° 14' ·285W.

Delete former 0m low water line, joining: (d) above

(g) above

and

(e) above

(f) above

L3334/19 ENGLAND — West Coast — — Fog signals. Lights.

Source: Ørsted

Chart: SC5613·3 ETRS89 DATUM

Amend fog signal to, Horn(1)30s, at wind turbine 53° 30' ·12N., 3° 12' ·18W.

53° 28' ·92N., 3° 09' ·00W.

Delete light, Fl.Y.5s5M, and associated fog signal,

Horn(1)10s, at wind turbine 53° 30' ·12N., 3° 13' ·13W.

53° 29' ·70N., 3° 13' ·33W.

53° 28' ·48N., 3° 11' ·10W.

light, Fl.Y.2·5s2M, at wind turbine 53° 29' ·08N., 3° 12' ·22W.

light, Fl.Y.5s5M, at wind turbine 53° 28' ·70N., 3° 09' ·58W.

53° 28' ·90N., 3° 09' ·95W.

fog signal, Horn(1)10s, at wind turbine 53° 29' ·12N., 3° 09' ·37W.

Chart: SC5613·4 (Panel A, Approach to Liverpool) ETRS89 DATUM

Amend fog signal to, Horn(1)30s, at wind turbine 53° 30' ·12N., 3° 12' ·18W.

Delete

light, FI.Y.5s13m5M, and associated fog signal,

Horn(1)10s, at wind turbine

53° 30' ·12N., 3° 13' ·13W.

L3469/19 ENGLAND — West Coast — — Obstruction.

Source: ms Lode

Chart: SC5613·14 ETRS89 DATUM

Insert

158: Obstn

54° 00' ·56N., 3° 25' ·23W.

L3474/19 ENGLAND — West Coast — — Obstruction.

Source: Peel Ports Notice 29/19

Chart: SC5613·6 ETRS89 DATUM

Insert Obstn, drying height 04

53° 22' ·478N., 2° 59' ·664W.

L3654/19 ENGLAND — West Coast — — Buoyage.

Source: Peel Ports Notice 33/19

Chart: SC5613·6 ETRS89 DATUM

Replace

• FI(3)G.9s RF with

Q(3)10s RF

53° 22' ·498N., 2° 59' ·658W.

L3714/19 WALES — North Coast — — Depths.

Source: Tarmac Marine

Chart: SC5613·1 ETRS89 DATUM

Insert depth 9s, enclosed by 10m contour 53° 26' ·78N., 3° 24' ·69W.

Insert depth, 157 53° 27' · 19N. , 3° 24' · 20W.

Chart: SC5613·3 ETRS89 DATUM

Insert depth, 15,7 53° 27' · 19N., 3° 24' · 20W.

depth \mathcal{G}_{9} , enclosed by 10m contour 53° 26' · 78N. , 3° 24' · 69W.

Notices to Mariners - Weekly Edition 31/2019 Irish Sea, Plans in the Isle of Man. — Chart 2696— New Edition Announcement.

Charts SC5613·20, SC5613·21 and SC5613·22 WGS84 DATUM

The following changes were published in the new edition of chart 2696, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Isle of Man Government surveys. Mariners should therefore navigate with caution on sheets SC5613·20, SC5613·21 and SC5613·22 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

Temporary/Preliminary NMs

L4096(P)/19 IRISH SEA — Works. Submarine cable.

Source: Irish Maritime Administration Notice 20/19 and McMahon Design and Management Ltd

1. Work has begun laying the Rockabill Subsea Cable from Portraine, North of Dublin in Ireland and Cleveleys on the West Coast of England, joining the following approximate positions:

```
53° 29' · 64N., 6° 06' · 36W.
53° 29' -85N., 6° 03' -98W.
53° 31' -43N., 6° 02' -18W.
53° 32' -82N., 5° 46' -84W.
53° 34' -87N., 5° 46' -31W.
53° 37' -23N., 5° 22' -48W.
53° 43' · 90N., 5° 17' · 70W.
53° 53' -88N., 4° 51' -93W.
53° 56' · 39N., 4° 49' · 68W.
53° 56' -33N., 4° 33' -71W.
53° 52' -59N., 4° 00' -69W.
53° 54' - 21N., 3° 57' - 82W.
53° 52' - 58N., 3° 44' - 14W.
53° 55' -50N., 3° 33' -28W.
53° 53' -90N., 3° 24' -38W.
53° 53' · 03N. , 3° 06' · 35W.
53° 53' -09N., 3° 02' -85W.
```

- 2. Mariners are advised to navigate with caution in the area.
- 3. Charts will be updated when works are complete. (WGS84 DATUM)

Charts affected — SC5609, SC5612, SC5613 and SC5621

L4292/19 ENGLAND — West Coast — — Depths. Drying heights. Drying contour.

Source: Trinity House

Chart: SC5613·3 ETRS89 DATUM

Insert drying height, 41 (a) 53° 24' ·53N., 3° 13' ·03W.

Delete drying height, 3_5 , close E of: (a) above

Insert drying height, $\underline{1}_9$ (b) 53° 24' ·02N., 3° 13' ·19W.

Delete drying height, \underline{O}_{g} , close NW of: (b) above

Replace depth, ∂_7 , with depth, ∂_7 , and extend 2m contour N to

enclose 53° 25' ·13N. , 3° 14' ·31W.

L4299/19 ENGLAND — West Coast — — Spoil ground. Legend.

Source: ABP Silloth

Chart: SC5613·8 (Panel C, Approaches to Silloth) ETRS89 DATUM

Insert semi-circular limit of spoil ground,

radius 315m, pecked line, centred on

54°51′-900N, 3°25′-602W, joining: 54° 52' -024N., 3° 25' -804W.

54° 51' ·776N., 3° 25' ·804W.

Insert circular limit of spoil ground, radius

0·17M, pecked line, centred on: 54° 51' ·90N., 3° 25' ·60W.

legend, Spoil Ground, centred on: above

Chart: SC5613·15 ETRS89 DATUM

Insert circular limit of spoil ground, radius 0·17M, pecked line,

centred on: 54° 51' ·90N. , 3° 25' ·60W. legend, *Spoil Ground*, centred on: 54° 52' ·03N. , 3° 26' ·21W.

L4344/19 WALES — North Coast — — Depths. Drying height. Wreck.

Source: British Government Survey

Chart: SC5613·1 ETRS89 DATUM

Insert depth, 3₇ (a) 53° 22' ·01N., 3° 40' ·19W.

Delete depth, 44, close W of: (a) above

Chart: SC5613·3 ETRS89 DATUM

Insert depth, 0₃ (a) 53° 20' ·43N., 3° 29' ·28W.

Delete depth, 1₅, close SE of: (a) above

Insert depth, O_t (b) 53° 20' ·40N., 3° 28' ·48W.

Delete depth, O_7 , close W of: (b) above

Insert depth, 15, enclosed by 2m contour 53° 22' ·26N., 3° 29' ·32W. 53° 22' ·78N., 3° 24' ·78W. depth, O_7 , and extend 2m contour N to enclose depth, O6, and extend 2m contour N to enclose (c) 53° 22' ·67N., 3° 23' ·86W. Delete depth, 36, close NE of: (c) above Insert drying height, 24, and extend 2m low water line SE to (d) 53° 22' ·13N., 3° 18' ·71W. enclose depth, O₉, close W of: Delete (d) above 58: *Wk* with 37: *Wk* Replace 53° 19' ·59N., 3° 39' ·90W. depth, 29, with depth, O4, and extend 2m contour E to enclose 53° 20' ·48N., 3° 29' ·68W.


L4373/19 ENGLAND — West Coast — — NM Blocks.

Source: Trinity House

Chart: SC5613·3 ETRS89 DATUM

Insert the accompanying block, centred on:

53° 22' ·5N., 3° 21' ·6W.



L4376/19 ENGLAND — West Coast — — Buoy.

Source: United Utilities

Chart: SC5613·8 (Panel A, River Ribble) ETRS89 DATUM

Insert 53° 47' ·04N. , 3° 04' ·57W.

Chart: SC5613·9 ETRS89 DATUM

Insert 53° 47' ·04N. , 3° 04' ·57W.

Temporary/Preliminary NMs

L4339(P)/19 IRISH SEA — Works. Submarine cable.

Source: Irish Maritime Administration

1. Work has begun laying the Rockabill Subsea Cable between Portraine, North of Dublin in Ireland and Southport on the West Coast of England, joining the following approximate positions:

```
53° 29' ·63N., 6° 06' ·39W.
53° 29' -86N., 6° 04' -35W.
53° 30' -07N., 6° 03' -68W.
53° 30' -25N., 6° 03' -34W.
53° 31' · 15N., 6° 02' · 67W.
53° 31' -55N., 6° 01' -49W.
53° 32' -71N., 5° 47' -18W.
53° 32' -99N., 5° 46' -48W.
53° 34' -84N., 5° 46' -63W.
53° 36' -97N., 5° 28' -10W.
53° 37' -10N., 5° 26' -10W.
53° 36' -83N., 5° 23' -24W.
53° 37' -54N., 5° 22' -29W.
53° 40' -22N., 5° 20' -13W.
53° 41' - 24N., 5° 15' - 86W.
53° 44' · 20N., 5° 09' · 90W.
53° 49' -08N., 4° 56' -56W.
53° 46' -96N., 4° 29' -54W.
53° 46' · 40N., 4° 26' · 16W.
53° 45' ·84N., 4° 12' ·83W.
53° 44' -03N., 3° 56' -32W.
53° 43' -89N., 3° 42' -87W.
53° 44' · 11N., 3° 31' · 16W.
53° 43' -25N., 3° 30' -13W.
53° 40' -80N., 3° 08' -60W.
53° 39' -12N., 3° 06' -13W.
53° 39' -09N., 3° 03' -03W.
53° 38' · 78N., 3° 01' · 43W.
```

- 3. Mariners are advised to navigate with caution in the area.
- 4. Charts will be updated when full details are available.
- 5. Former Notice L4096(P)/19 is cancelled.(WGS84 DATUM)

Charts affected – SC5609, SC5612, SC5613 and SC5621

L4485/19 ENGLAND — West Coast — — Depths. Drying heights.

Source: British Government Survey

Chart: SC5613·10 ETRS89 DATUM

(a) 54° 03' ·78N., 3° 18' ·25W. Insert depth, 58 Delete depth, 68, close W of: (a) above Insert drying height, O_{7} , and extend 0m low water line NE to enclose (b) 54° 02' ·18N., 3° 12' ·95W. Delete drying height, O_1 , close SW of: (b) above (c) 54° 01' ·56N., 3° 10' ·34W. Insert drying height, O_2 , enclosed by 0m low water line Delete depth, 12, close N of: (c) above 54° 01' ·75N., 3° 10' ·18W. Insert drying height, O_1 , enclosed by 0m low water line drying height, O4, and extend 0m low water line NW to enclose 54° 02' ·35N., 3° 10' ·02W.

Chart: SC5613·13 (Panel A, Barrow Harbour South East Point to Long Rein Point) ETRS89 DATUM

Insert depth, \mathcal{Z}_3 (a) 54° 02' ·501N. , 3° 10' ·397W. Delete depth, \mathcal{Z}_3 , close SE of: (a) above

Temporary/Preliminary NMs

L4447(P)/19 IRISH SEA — NORTH SEA — Works. Submarine cables.

Source: Alcatel Submarine Networks Marine

- 1. Work has begun laying the Havhingsten Subsea Cable in the Irish Sea and the North Sea.
- 2. Cable laying works are taking place between Rush, north of Dublin in Ireland, Port Erin and Port Grenaugh on the Isle of Man, and Blackpool on the west coast of England, joining the following approximate positions:

53° 32' ·63N., 6° 04' ·72W. 53° 33' · 79N., 5° 56' · 68W. 53° 44' ·66N., 5° 20' ·24W. 53° 44' · 57N., 5° 18' · 48W. 53° 50' ·98N., 4° 59' ·38W. 53° 50' · 56N., 4° 34' · 84W. 53° 50' ·02N., 4° 15' ·05W. 53° 46' · 21N., 3° 51' · 54W. 53° 45' ·71N., 3° 44' ·65W. 53° 45' ·09N., 3° 37' ·89W. 53° 44' ·45N., 3° 35' ·51W. 53° 44' ·86N., 3° 24' ·61W. 53° 45' · 27N., 3° 23' · 64W. 53° 45' ·62N., 3° 06' ·93W. 53° 46' · 56N., 3° 03' · 46W. and 53° 50' ·98N., 4° 59' ·38W.

```
53° 51' · 19N., 4° 58' · 87W.
53° 52' ·74N., 4° 58' ·75W.
53° 55' ·44N., 4° 58' ·26W.
53° 57' ·68N., 4° 57' ·58W.
54° 01' ·00N., 4° 55' ·14W.
54° 01' · 78N., 4° 54' · 83W.
54° 04' · 28N., 4° 53' · 13W.
54° 05' ·04N., 4° 51' ·14W.
54° 05' ·41N., 4° 47' ·58W.
54° 05' · 37N., 4° 46' · 69W.
54° 05' ·17N., 4° 45' ·79W.
54° 05' ·12N., 4° 45' ·62W.
and
53° 50' · 56N., 4° 34' · 84W.
53° 50' ·85N., 4° 34' ·06W.
53° 56' ⋅56N., 4° 34' ⋅05W.
54° 00' ·04N., 4° 32' ·42W.
54° 02' ·02N., 4° 32' ·32W.
54° 04' ·03N., 4° 32' ·80W.
54° 05' · 31N., 4° 33' · 98W.
54° 06' ·15N., 4° 34' ·62W.
```

4. Cable laying works are taking place between Seaton Sluice, north of Newcastle Upon Tyne on the east coast of England and Nymindegab in Jutland, on the west coast of Denmark, joining the following approximate positions:

```
55° 05' ·25N., 1° 28' ·79W.
55° 05' · 78N., 1° 26' · 60W.
55° 05' · 70N., 1° 23' · 88W.
55° 11' · 17N., 1° 00' · 00W.
55° 16' · 10N., 0° 29' · 06W.
55^{\circ}\ 15' \cdot 72N., 0^{\circ}\ 17' \cdot 74W.
55° 19' ·68N., 0° 14' ·84E.
55° 18' ·73N., 0° 17' ·05E.
55° 35' ·40N., 2° 06' ·86E.
55° 58' · 24N., 3° 22' · 20E.
55° 57' ⋅01N., 3° 35' ⋅06E.
55° 56' ·69N., 3° 51' ·94E.
55° 59' ·22N., 3° 59' ·87E.
55° 56' · 76N., 4° 18' · 33E.
55° 59' ·89N., 4° 37' ·61E.
55° 53' ·45N., 5° 40' ·65E.
55° 52' · 33N., 6° 22' · 65E.
55° 54' ·83N., 6° 25' ·63E.
55° 50' ·61N., 7° 14' ·92E.
55° 49' ⋅21N., 7° 57' ⋅63E.
55° 46' ·03N., 8° 10' ·92E.
```

- 5. Mariners are advised to navigate with caution in these areas.
- 6. Charts will be updated when full details are available.(WGS84 DATUM)

Charts affected – SC5609, SC5612, SC5613, SC5614, SC5615 and SC5621

L4588/19 ENGLAND — West Coast — — Buoy.

Source: Ørsted

Note: Former Notice L4324(T)/18 is cancelled.

Chart: SC5613·14 ETRS89 DATUM

Delete

♣ FI(5)Y.20s

54° 00' ·17N., 3° 33' ·61W.

L4597/19 WALES — North Coast — — Depths. Rock.

Source: Clinton Marine Survey

Chart: SC5613·23 ETRS89 DATUM

Replace depth, G, with depth, A_8 , and extend 5m contour E to

enclose 53° 22' ·7N. , 4° 14' ·7W.

L5199/19 ENGLAND — West Coast — — Depths.

Source: Mersey Docks and Harbour Company

Chart: SC5613·4 (Panel A, Approach to Liverpool) ETRS89 DATUM

Insert depth, 49, and extend 5m contour N to enclose (a) 53° 31' ·31N., 3° 11' ·64W.

Delete depth, 5_8 , close SW of: (b) above

Insert depth, 4₉, and extend 5m contour NE to enclose (b) 53° 31' ·38N., 3° 07' ·71W.

Delete depth, 7, close NW of: (c) above

Chart: SC5613·5 ETRS89 DATUM

Insert depth, 4₉, and extend 5m contour W to enclose (a) 53° 23' ·919N. , 2° 59' ·882W.

Delete depth, 6_2 , close S of: (a) above

Insert depth, 7₃, and extend 10m contour SW to enclose (b) 53° 23' ·093N., 2° 59' ·758W.

Delete depth, 10_7 , close N of: (b) above

Chart: SC5613·6 ETRS89 DATUM

Insert depth, 7₃, and extend 10m contour SW to enclose (a) 53° 23' ·093N., 2° 59' ·758W.

Delete depth, 107, close N of: (b) above

Insert depth, 9_2 , and extend 10m contour W to enclose

Delete depth, 115, close S of:

(b) 53° 22' ·918N., 2° 59' ·635W.

(c) above

L5422/19 ENGLAND — West Coast — — Light.

Source: Peel Ports

Chart: SC5613·12 (Panel A, Approaches to Glasson and Heysham) ETRS89 DATUM

Delete

★ Q(9)15s7m

54° 02' ·061N., 2° 54' ·951W.

Temporary/Preliminary NMs

L5600(T)/19 ISLE OF MAN — Beacon.

Source: Isle of Man Government Notice 13/19

- 1. The unlit beacon in position 54° 18′ ·84N., 4° 21′ ·43W. has been destroyed.
- 2. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Charts affected – SC5613

L5804/19 ENGLAND — West Coast — — Restricted areas. Buoy.

Source: Peel Ports Notice 49/19

Chart: SC5613·3 ETRS89 DATUM

Insert limit of restricted area, TITT, joining:

- (a) 53° 31' ·01N., 3° 16' ·62W.
- (b) 53° 31' ·48N., 3° 14' ·95W.
- (c) 53° 32' ·38N., 3°20' ·00W.

Move $\searrow VQ.RQ2$, from:

(d) 53° 31' ·40N., 3° 14' ·57W.

to:

(b) above

Delete former limit of restricted area, TTTT Limit joining:

(a) above

(d) above

(c) above

Chart: SC5613·4 (Panel A, Approach to Liverpool) ETRS89 DATUM

Insert limit of restricted area, TITT & TITT, joining:

(a) 53° 31' ·01N., 3° 15' ·00W.

53° 31' ·48N., 3° 14' ·95W.

(b) 53° 31' ·49N., 3° 15' ·00W.

Delete former limit of restricted area, TTTT Joining: (a) above

53° 31' ·40N., 3° 14' ·57W.

(b) above

L5902/19 IRISH SEA — — Submarine cable.

Source: Seagard

Note: These changes will be included in New Editions of Charts 1411 and 1121 to be published early

2020

Chart: SC5613·1 ETRS89 DATUM

Insert submarine cable, , joining: 53° 38' ·80N. , 3° 01' ·50W.

53° 39' ·04N. , 3° 02' ·55W.

53° 39' ·09N., 3° 06' ·15W.

53° 40' ·65N., 3° 08' ·30W.

53° 40' ·99N., 3° 09' ·73W.

53° 43' ·19N., 3° 30' ·02W.

53° 44' ·12N., 3° 30' ·83W.

53° 43' ·75N., 3° 55' ·10W.

53° 45' ·94N., 4° 04' ·42W.

Chart: SC5613·7 ETRS89 DATUM

Insert submarine cable, , joining: 53° 38' ·79N. , 3° 01' ·49W.

53° 39' ·04N., 3° 02' ·55W.

53° 39' ·09N., 3° 06' ·15W.

53° 40' ·65N., 3° 08' ·31W.

 53° 40' $\cdot 99N.$, 3° 09' $\cdot 74W.$

53° 43' ·19N. , 3° 30' ·02W.

53° 44' ·12N., 3° 30' ·83W.

53° 43' ·85N., 3° 36' ·18W.

Chart: SC5613·8 (Panel A, River Ribble) ETRS89 DATUM

Insert submarine cable, , joining: 53° 38' · 79N. , 3° 01' · 49W.

53° 39' ·04N., 3° 02' ·55W.

 53° 39^{\prime} $\cdot 09N.$, 3° 06^{\prime} $\cdot 15W.$

53° 40' ·65N., 3° 08' ·31W.

53° 40' ·99N., 3° 09' ·20W.

Chart: SC5613·9 ETRS89 DATUM

```
53° 40' ·86N., 3° 36' ·36W.

53° 40' ·99N., 3° 09' ·74W.

53° 43' ·19N., 3° 30' ·02W.

53° 44' ·12N., 3° 30' ·83W.
```

53° 55' ·80N., 2° 58' ·00W.

Insert submarine cable, , joining:

Temporary/Preliminary NMs

L5901(P)/19 IRISH SEA — Works. Submarine cables.

Source: Seagard

1. *The Rockabill Subsea Cable between Portraine, North of Dublin in Ireland and Southport on the West Coast of England has been completed, joining the following approximate positions:

```
53° 29' ·63N., 6° 06' ·39W.
53° 29' ·86N., 6° 04' ·35W.
53° 30′ ·07N., 6° 03′ ·68W.
53° 30' · 25N., 6° 03' · 34W.
53° 31' ·15N., 6° 02' ·67W.
53° 31' · 55N., 6° 01' · 49W.
53° 32' ·71N., 5° 47' ·18W.
53° 32' ·99N., 5° 46' ·48W.
53° 34′ ·84N., 5° 46′ ·63W.
53° 36' · 97N., 5° 28' · 10W.
53° 37' · 10N., 5° 26' · 10W.
53° 36' ·83N., 5° 23' ·24W.
53° 37' · 54N., 5° 22' · 29W.
53° 40' · 22N., 5° 20' · 13W.
53° 41' · 24N., 5° 15' · 86W.
53° 44' · 20N., 5° 09' · 90W.
53° 49' ·08N., 4° 56' ·56W.
53° 46' ·96N., 4° 29' ·54W.
53° 46' ·40N., 4° 26' ·16W.
53° 45' ·84N., 4° 12' ·83W.
53° 44′ ·03N., 3° 56′ ·32W.
53° 43' ·89N., 3° 42' ·87W.
53° 44′ ·11N., 3° 31′ ·16W.
53° 43' ·25N., 3° 30' ·13W.
53° 40' ·80N., 3° 08' ·60W.
53° 39' ·12N., 3° 06' ·13W.
53° 39' ·09N., 3° 03' ·03W.
53° 38' · 78N., 3° 01' · 43W.
```

- 3. Mariners are advised to navigate with caution in the area.
- *These changes will be included in New Editions of Charts 1411 & 1121 to be published early 2020.

5. Former Notice L4339(P)/19 is cancelled.*Indicates new or revised entry.(ETRS89 DATUM)

Charts affected – SC5609, SC5612, SC5613 and SC5621

Temporary/Preliminary NMs

L5979(T)/19 WALES — West Coast — — Buov.

Source: Cyngor Gwynedd Council Notice 23/19

- 1. The Fairway light-buoy, *LFl.10s*, in position 52° 52' ·97N., 4° 11' ·20W. is reported off station
- 2. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Charts affected – SC5609, SC5613 and SC5621

L6184/19 ENGLAND — West Coast — — Wrecks.

Source: ABP Barrow

Chart: SC5613·10 ETRS89 DATUM

Replace 53° 59' 93N., 3° 14' 23W.

Chart: SC5613·14 ETRS89 DATUM

Replace 53° 59' 93N., 3° 14' 23W.

Notices to Mariners - Weekly Edition 52/2019 International Chart Series, England -West Coast, Approaches to Liverpool.

— Chart 1951— New Edition Announcement.

Chart SC5613-4 WGS84 DATUM

The following changes were published in the new edition of chart 1951, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Mersey Docks and Harbour Company surveys. Mariners should therefore navigate with caution on sheets SC5613·4 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 52/2019 International Chart Series, England - West Coast, Port of Liverpool.

— Chart 3490— New Edition Announcement.

Charts SC5613·5 and SC5613·6 WGS84 DATUM

The following changes were published in the new edition of chart 3490, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Mersey Docks and Harbour Company surveys. Mariners should therefore navigate with caution on sheets SC5613·5 and SC5613·6 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5613.

L122/20 ISLE OF MAN — Legend.

Source: Northern Lighthouse Board

Chart: SC5613·21 (Panel A, Isle of Man East Coast) ETRS89 DATUM

Amend legend to, Point of Ayre LtHo open W of 225°, clears all dangers, centred on:

54° 29' ·30N., 4° 15' ·00W.

Temporary/Preliminary NMs

L92(P)/20 ISLE OF MAN — Wreck.

Source: Isle of Man Harbours Notice 16/19

- 1. A wreck, depth 27m, exists in position 54° 07' \cdot 26N., 4° 51' \cdot 61W.
- 2. Mariners are advised to navigate with caution in the area.
- 3. This change will be included in New Editions of Charts 1411 and 1121, to be published early 2020.
- 4. Charts 2093, 2094 and 1826 will be updated by Notice to Mariners.

(ETRS89 DATUM)

Charts affected – SC5609, SC5612, SC5613 and SC5621

Temporary/Preliminary NMs

L115(T)/20 ENGLAND — West Coast — — Buoy.

Source: Ørsted

1. The following light-buoy has been reported unlit:

Characteristic Buoy Type Position

Fl(5)Y.20s Wave buoy 53° 30' · 11N., 3° 21' · 69W.

2. (ETRS89 DATUM)

Charts affected – SC5613

Temporary/Preliminary NMs

L118(T)/20 ENGLAND — West Coast — Buoyage.

Source: Ørsted

1. The following light buoys have been reported unlit:

Characteristic Buoy Type Position

 V.Q
 North Cardinal
 54° 09' ·72N. , 3° 49' ·58W.

 Q(9)15s
 West Cardinal
 54° 06' ·63N. , 3° 55' ·34W.

(ETRS89 DATUM)

Charts affected -SC5613

Notices to Mariners - Weekly Edition 01/2020 International Chart Series, British Isles, Irish Sea with Saint George's Channel and North Channel.

— Chart 1121— New Edition Announcement.

Chart SC5613-23 WGS84 DATUM

The following changes were published in the new edition of chart 1121, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: new submarine cable, Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheet SC5613·23 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 01/2020 International Chart Series, British Isles, Irish Sea, Western Part.

— Chart 1411— New Edition Announcement.

Chart SC5613·2 WGS84 DATUM

The following changes were published in the new edition of chart 1411, which is the source chart for the above folio sheet:

Includes significant safety-related information as follows: new submarine cable, and Omission of Detail areas. Mariners should therefore navigate with caution on sheet SC5613·2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

L136/20 ISLE OF MAN — Wreck.

Source: Isle of Man Harbours Notice 16/19

Chart: SC5613·20 (Panel A, Isle of Man West Coast) ETRS89 DATUM

Insert 27: Wk 54° 07' ·26N. , 4° 51' ·61W.

L147/20 ENGLAND — West Coast — — Wind turbines. Lights.

Source: RWE Renewables

Chart: SC5613·15 ETRS89 DATUM

Insert symbol, wind turbine, AeroF.R (a) 54° 45' ·76N., 3° 44' ·21W.

Delete symbol, wind turbine, AeroF.R, close NE of: (a) above

Insert symbol, wind turbine, AeroF.R 54° 46' ·04N. , 3° 43' ·13W.

Chart: SC5613-17 ETRS89 DATUM

Insert symbol, wind turbine, AeroF.R (a) 54° 45' ·76N., 3° 44' ·21W.

Delete symbol, wind turbine, AeroF.R, close NE of: (a) above

Insert symbol, wind turbine, AeroF.R 54° 46' ·04N., 3° 43' ·13W.

L727/20 ENGLAND — West Coast — — Light.

Source: Peel Ports, Liverpool

Chart: SC5613·12 (Panel A, Approaches to Glasson and Heysham) ETRS89

DATUM

Amend range of light to, 3M 54° 01' ·912N., 2° 55' ·721W.

L833/20 SCOTLAND — South West Coast — — Light.

Source: UKHO

Chart: SC5613·2 ETRS89 DATUM

Amend range of light to, 18M 54° 38' ·10N., 4° 51' ·43W.

Chart: SC5613·19 (Panel A, Wigtown Bay to Luce Bay) ETRS89 DATUM

Amend range of light to, 18M 54° 38' ·10N., 4° 51' ·43W.

Chart: SC5613·23 ETRS89 DATUM

Amend range of light to, 18M 54° 38' ·4N., 4° 51' ·4W.

L930/20 WALES — North Coast — — Wreck.

Source: m.v. Northern Wind

Chart: SC5613·1 ETRS89 DATUM

Insert 23: Wk 53° 29' · 39N. , 3° 39' · 54W.

Chart: SC5613·3 ETRS89 DATUM

Insert :235: Wk 53° 29' ·39N. , 3° 39' ·54W.

Temporary/Preliminary NMs

L1116(T)/20 ENGLAND — West Coast — Buoyage.

Source: Ørsted

1. The following light-buoys have been reported unlit:

Characteristic	Buoy Type	Position
V.Q	North Cardinal	54° 09' · 72N. , 3° 49' · 58W.
Q(9)15s	West Cardinal	54° 06' -63N. , 3° 55' -34W.
* VO(6)+LFl.10s	South Cardinal	54° 00' -21N 3° 34' -66W.

3. Former Notice L118(T)/20 is cancelled.

*Indicates new or revised entry

(ETRS89 DATUM)

Charts affected - SC5613

Notices to Mariners - Weekly Edition 12/2020 International Chart Series, England - West Coast, Morecambe Bay and Approaches.

— Chart 2010— New Edition Announcement.

Chart SC5613·10 WGS84 DATUM

The following changes were published in the new edition of chart 2010, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government and Port Authority Surveys. Mariners should therefore navigate with caution on sheet SC5613·10 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Notices to Mariners - Weekly Edition 12/2020 England -West Coast, Barrow Harbour and Approaches.

— Chart 3164— New Edition Announcement.

Chart SC5613·13 WGS84 DATUM

The following changes were published in the new edition of chart 3164, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government and Port Authority Surveys. Mariners should therefore navigate with caution on sheet SC5613·13 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5613.

Temporary/Preliminary NMs

L1672(P)/20 ENGLAND — West Coast — Buoy.

Source: ABP Barrow Notice 9/20

1. A special light buoy, Fl(5)Y.15s, has been deployed, in position 53° 59' .952N., 3° 14' -400W. (ETRS89 DATUM)

Charts affected - SC5613

L1831/20 ENGLAND — West Coast — — Buoy.

Source: ABP Barrow Notice 9/20

Chart: SC5613·10 ETRS89 DATUM

Insert

Ģ Fl(5)Y.15s

53° 59' ·95N., 3° 14' ·40W.

L2480/20 ENGLAND — West Coast — — Buoy.

Source: ABP Humber Notice 15/20 *Note:* Former Notice L1672(P)/20 is cancelled.

Chart: SC5613·10 ETRS89 DATUM

Delete

♀ FI(5)Y.15s

53° 59' ·95N., 3° 14' ·40W.

Temporary/Preliminary NMs

L2834(T)/20 WALES — West Coast — — Buoy. Automatic Identification System. Restricted area.

Source: Minesto

- 1. The special purpose light-buoy, Fl(4)Y.15s, and associated Automatic Identification System, AIS, in position 53° 17' \cdot 80N., 4° 47' \cdot 76W. has been temporarily removed off station.
- 2. The restricted area, radius 500m, centred on the above position, has been relaxed.
- 3. Mariners are advised to navigate with caution as ground tackle may still be present in the area.

(ETRS89 DATUM)

Charts affected – SC5609, SC5612, SC5613 and SC5621

Temporary/Preliminary NMs

L3173(T)/20 ENGLAND — West Coast — — Buoyage.

Source: Ørsted

1. The following light-buoys have been reported unlit:

Characteristic	Buoy Type	Position
* Q(6)+LFl.15s	South Cardinal	54° 03' ·42N. , 3° 44' ·99W.
Q(9)15s	West Cardinal	54° 06' ·63N., 3° 55' ·34W.
<i>VQ</i> (6)+ <i>LFl.10s</i>	South Cardinal	54° 00' ·21N., 3° 34' ·66W.

3. Former Notice L1116(T)/20 is cancelled. *Indicates new or revised entry (ETRS89 DATUM)

Charts affected – SC5613

L3462/20 ENGLAND — West Coast — — Wreck.

Source: UKHO

Chart: SC5613·9 ETRS89 DATUM

Insert 53° 55' ·78N. , 3° 05' ·27W.

Chart: SC5613·10 ETRS89 DATUM

Insert 53° 55' ·78N. , 3° 05' ·27W.

L3536/20 ENGLAND — West Coast — — Harbour limit. Legends.

Source: Port of Workington Harbour Master

Chart: SC5613·16 (Panel D, Workington Harbour) ETRS89 DATUM

Insert harbour limit, pecked line, joining: (a) 54° 38' ·788N., 3° 35' ·320W.

(b) 54° 38' ·706N., 3° 35' ·213W.

and

54° 39' ·543N., 3° 34' ·237W.

54° 39' ·335N., 3° 33' ·830W.

legend, Harbour Limit, along NE side of: (a)-(b) above

L4451/20 ENGLAND — West Coast — — Harbour limit. Legends.

Source: ABP Silloth

Chart: SC5613·15 ETRS89 DATUM

Insert harbour limit, pecked line, joining: 54° 43' ·63N. , 3° 29' ·54W.

(a) 54° 43' ·62N., 3° 35' ·63W.

(b) 54° 48' ·77N., 3° 35' ·66W.

legend, Port Limit of Silloth, along E side of: (a)-(b) above

Chart: SC5613·17 ETRS89 DATUM

Insert harbour limit, pecked line, joining: 54° 43' ·63N., 3° 33' ·09W.

(a) 54° 43' ·62N., 3° 35' ·63W.

(b) 54° 48' ·77N., 3° 35' ·66W.

legend, Port Limit of Silloth, along E side of: (a)-(b) above