

Admiralty Leisure Folio
SC5620 South West Wales

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5620 (3rd Edition) published on 18th July 2013.

L3072/13 WALES — South Coast — Milford Haven — Valero Terminal Northwards — Anchorage area.

Source: Milford Haven Port Authority Notice 54/13

Chart: SC5620-12 ETRS89 DATUM

Insert  *Cruise Ship* 51° 42' .060N. , 5° 02' .000W.

L3203/13 IRELAND — East Coast — Rosslare Europort East-north-eastwards — Lucifer Bank Southwards — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5620-1 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at light-buoy 52° 17' .3N. , 6° 12' .6W.

Chart: SC5620-2 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at Lucifer light-buoy 52° 17' .03N. , 6° 12' .65W.

L3459/13 WALES — South Coast — Caldey I Southwards — Wreck.

Source: Fugro EMU Limited

Chart: SC5620-10 ETRS89 DATUM

Move  *Wk*, from: 51° 33' .66N. , 4° 42' .54W.
to: 51° 33' .51N. , 4° 42' .74W.

Chart: SC5620-16 ETRS89 DATUM

Move  *Wk*, from: 51° 33' .66N. , 4° 42' .54W.
to: 51° 33' .51N. , 4° 42' .74W.

L3554/13 IRELAND — East Coast — Greenore Point North-eastwards to Lambay Island Eastwards — Depths.

Source: Irish Government Surveys

Chart: SC5620-2 ETRS89 DATUM

Insert depth 10₄ (a) 52° 19' ·25N. , 6° 19' ·01W.
Delete depth 12, adjacent to: (a) above

**L4469/13 WALES — South Coast — Carmarthen Bay — Burry Inlet
Westwards — Wreck.**

Source: Fugro EMU Limited

Chart: SC5620-16 ETRS89 DATUM

Insert  51° 37' ·61N. , 4° 28' ·42W.

**L4584/13 WALES — South Coast — Camarthen Bay — Burry Inlet — West
Hooper Westwards — Wreck.**

Source: Fugro EMU Limited

Chart: SC5620-16 ETRS89 DATUM

Insert  51° 39' ·06N. , 4° 23' ·18W.

**L4785/13 WALES — South Coast — Carmarthen Bay — Burry Inlet to
Carmarthen Bar South-westwards — Depths. Wreck.**

Source: Fugro EMU Ltd

Chart: SC5620-16 ETRS89 DATUM


Insert depth 0₇ and extend 2m contour NE to enclose 51° 37' ·28N. , 4° 19' ·28W.
depth 1₅ and extend 2m contour N to enclose (a) 51° 37' ·70N. , 4° 20' ·22W.
depth 0₇ enclosed by 2m contour (b) 51° 41' ·99N. , 4° 28' ·55W.
 (c) 51° 41' ·23N. , 4° 33' ·54W.
Delete depth 2₂, adjacent to: (a) above
depth 4₂, adjacent to: (b) above
depth 7, close NE of: (c) above

Chart: SC5620-17 ETRS89 DATUM

Insert depth 0₇ and extend 2m contour NW to enclose (a) 51° 37' ·28N. , 4° 19' ·28W.
depth 1₅ enclosed by 2m contour (b) 51° 37' ·70N. , 4° 20' ·22W.
Delete depth 2, close SE of: (a) above
depth 2₂, close E of: (b) above

L5152/13 WALES — West Coast — Saint Bride's Bay — Foul.

Source: HM Coastguard Milford Haven

Chart: SC5620·9 ETRS89 DATUM

Insert # 51° 47' ·80N. , 5° 14' ·60W.

L5227/13 WALES — South Coast — Carmarthen Bay — Trawlers Dread — Depth.

Source: Fugro EMU Ltd

Chart: SC5620·16 ETRS89 DATUM

Insert depth 17, and extend 20m contour S to enclose 51° 36' ·92N. , 4° 33' ·78W.

L66/14 WALES — South Coast — Milford Haven — Murco Marine Terminal — Valero Terminal — Pembroke Dock Ferry Terminal — Dredged depths.

Source: Milford Haven Port Authority Notice 102/13

Chart: SC5620·12 ETRS89 DATUM

Amend legend to, *Dredged to 7·2m (2013)*, centred on: 51° 42' ·120N. , 5° 03' ·290W.
legend to, *Dredged to 18·5m (2013)*, centred on: 51° 41' ·895N. , 5° 02' ·440W.
dredged depth to, *6·1m (2013)*, centred on: 51° 41' ·820N. , 5° 01' ·400W.

Chart: SC5620·13 ETRS89 DATUM

Amend dredged depth to, *6·1m (2013)*, centred on: 51° 41' ·820N. , 5° 01' ·400W.
dredged depth to, *6·2m (2013)*, centred on: 51° 41' ·895N. , 4° 57' ·110W.

L67/14 WALES — South Coast — Approaches to Milford Haven — Saint Ann's Head — Light. Legend.

Source: Trinity House

Chart: SC5620·9 ETRS89 DATUM

Amend legend to, R, centred on: 51° 39' ·8N. , 5° 06' ·1W.

Chart: SC5620·10 ETRS89 DATUM

Amend legend to, R, centred on: 51° 39' ·44N. , 5° 06' ·50W.

Chart: SC5620·11 ETRS89 DATUM

Amend legend to, Fl.R, centred on: 51° 39' ·97N. , 5° 07' ·88W.

Temporary/Preliminary NMs

~~L284(T)/14 CELTIC SEA — UK Sector — Nymphe Bank SE and Cockburn Bank SE — Scientific instruments. Buoyage.~~

Source: Cefas

- ~~1. Until 31 March 2015, scientific instruments, marked by special light-buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions (WGS84 Datum):~~

~~49° 24' 00N., 8° 36' 00W.~~

~~50° 34' 15N., 7° 01' 34W.~~

~~51° 02' 60N., 6° 36' 00W.~~

~~51° 07' 55N., 6° 10' 62W.~~

- ~~2. Mariners are advised to keep at least 4 cables clear of the buoyage.~~

~~Charts affected — SC5620, SC5622 and SC5623~~

L815/14 WALES — West Coast — The Smalls — Automatic Identification System.

Source: Trinity House

Chart: SC5620·1 ETRS89 DATUM

Insert legend, **AIS**, at light 51° 43' ·20N. , 5° 40' ·10W.

Chart: SC5620·2 ETRS89 DATUM

Insert legend, **AIS**, at light 51° 43' ·28N. , 5° 40' ·20W.

Chart: SC5620·3 ETRS89 DATUM

Insert legend, **AIS**, at light 51° 43' ·28N. , 5° 40' ·20W.

Chart: SC5620·9 ETRS89 DATUM

Insert legend, **AIS**, at light 51° 43' ·28N. , 5° 40' ·19W.

L1743/14 ENGLAND — Bristol Channel — Culver Sand NW — Automatic Identification System.

Source: Trinity House Notice 11/14

Chart: SC5620·1 ETRS89 DATUM

Insert Automatic Identification System, **AIS**, at *Breaksea* light-buoy 51° 19' ·9N. , 3° 18' ·9W.

L1890/14 WALES — South Coast — Carmarthen Bay — Saint Govan's Head to Worms Head — Rock. Depths.

Source: Fugro EMU Ltd

Chart: SC5620-1 WGS84 DATUM

Replace	depth, δ_5 , with depth, \mathcal{Z}_4	51° 35' ·3N. , 4° 53' ·7W.
	depth, ρ_1 , with depth, δ_3	51° 36' ·9N. , 4° 39' ·6W.

Chart: SC5620-3 ETRS89 DATUM

Insert	depth, \mathcal{Z}_5	(a) 51° 38' ·55N. , 4° 38' ·80W.
	depth, 11_6	51° 35' ·62N. , 4° 51' ·93W.
Replace	depth, δ_5 , with depth, \mathcal{Z}_4	51° 35' ·34N. , 4° 53' ·75W.
	depth, ρ_1 , with depth, δ_3	51° 36' ·92N. , 4° 39' ·60W.
Delete	depth, δ_4 , close SE of:	(a) above

Chart: SC5620-10 ETRS89 DATUM

Insert	depth, 11_6	(a) 51° 35' ·62N. , 4° 51' ·93W.
	depth, 12_2	51° 36' ·80N. , 4° 50' ·27W.
Replace	depth, δ_5 , with seabed type, R , with depth, \mathcal{Z}_4 , with seabed type, R	51° 35' ·34N. , 4° 53' ·75W.
Delete	depth, 14_9 , close E of:	(a) above

Chart: SC5620-15 ETRS89 DATUM


Insert		51° 39' ·04N. , 4° 43' ·22W.
	depth, \mathcal{Z}_5	(a) 51° 38' ·55N. , 4° 38' ·80W.
	depth, \mathcal{Z}_1	(b) 51° 37' ·68N. , 4° 40' ·29W.
	depth, 13_6	(c) 51° 37' ·62N. , 4° 39' ·47W.
Delete	depth, δ_8 , close SW of:	(a) above
	depth, δ_6 , close SE of:	(b) above
	depth, 14_8 , close SE of:	(c) above

Chart: SC5620-16 ETRS89 DATUM

Insert	depth, 20_9	(a) 51° 35' ·66N. , 4° 37' ·53W.
	depth, \mathcal{Z}_1	(b) 51° 37' ·68N. , 4° 40' ·29W.
	depth, \mathcal{Z}_5	(c) 51° 38' ·55N. , 4° 38' ·80W.
	depth, 0_1 , enclosed by 2m contour	51° 42' ·13N. , 4° 28' ·94W.
	depth, 1_8 , enclosed by 2m contour	(d) 51° 41' ·90N. , 4° 27' ·61W.
	depth, 0_7 , and extend 2m contour N to enclose	(e) 51° 37' ·81N. , 4° 20' ·25W.
	depth, ρ_1 , with depth, δ_3	51° 36' ·92N. , 4° 39' ·60W.

Delete depth, 29, close NE of: (a) above
depth, 8₆, close SE of: (b) above
depth, 8₄, close SE of: (c) above
depth, 4₂, close SE of: (d) above
depth, 1₅, close S of: (e) above

Chart: SC5620·17 ETRS89 DATUM

Insert depth, 0₇, enclosed by 2m contour 51° 37' ·81N. , 4° 20' ·25W.

L1934/14 WALES — South Coast — Saint Gowan Shoals SW — Automatic Identification System.

Source: Trinity House

Chart: SC5620·1 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light-buoy 51° 31' ·9N. , 4° 59' ·8W.

Chart: SC5620·3 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light-buoy 51° 31' ·92N. , 4° 59' ·78W.

Chart: SC5620·10 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light-buoy 51° 31' ·92N. , 4° 59' ·78W.

**Notices to Mariners - Weekly Edition 29/2014 Plans in South West Wales.
— Chart 1482 — New Edition Announcement.**

Chart SC5620·8 and SC5620·15 WGS84 DATUM

The following changes were published in the new edition of chart 1482, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620·8 and SC5620·15 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

Notices to Mariners - Weekly Edition 36/2014 WALES — South Coast, Bury Inlet — Chart 1167 — Independently withdrawn.

Charts SC5620·17 WGS84 DATUM

Chart 1167, which is the source chart for the above folio sheet, has been independently withdrawn from the Admiralty chart series. Mariners should therefore navigate with caution on sheet SC5620-17, no further Notices to Mariners will be issued for this sheet. Sheet SC5620-17 will be withdrawn from the folio in the next new edition.

L4316/14 ENGLAND — Bristol Channel — Lundy N — Buoyage.

Source: RWE Innogy UK Ltd

Chart: SC5620-1 ETRS89 DATUM




Delete  *Fl(5)Y.20s* 51° 20' ·3N. , 5° 07' ·2W.
51° 25' ·1N. , 4° 40' ·9W.
51° 22' ·7N. , 4° 40' ·8W.
51° 20' ·8N. , 4° 40' ·6W.
51° 22' ·0N. , 4° 25' ·6W.
51° 19' ·7N. , 4° 24' ·0W.
51° 17' ·7N. , 4° 25' ·3W.

Chart: SC5620-3 ETRS89 DATUM

Delete  *Fl(5)Y.20s Wave recorder* 51° 20' ·37N. , 5° 07' ·24W.
 *Fl(5)Y.20s* 51° 25' ·09N. , 4° 40' ·98W.
51° 22' ·78N. , 4° 40' ·80W.
51° 20' ·79N. , 4° 40' ·65W.


L4491/14 WALES — West Coast — The Smalls NW — Buoy.

Source: CEFAS

Chart: SC5620-1 ETRS89 DATUM

Insert  *Fl(5)Y.20s* 51° 50' ·3N. , 5° 50' ·4W.

Chart: SC5620-2 ETRS89 DATUM

Insert  *Fl(5)Y.20s* 51° 50' ·30N. , 5° 50' ·40W.

L4937/14 WALES — West Coast — Cardigan Bay — The Devil's Tail SE — Depths.

Source: mv Seabeam

Chart: SC5620-1 ETRS89 DATUM

Insert depth, 15, enclosed by 20m contour

52° 34' ·0N. , 4° 37' ·7W.

Notices to Mariners - Weekly Edition 46/2014 Wales - South Coast, Linney Head to Oxwich Point.

— Chart 1076 — New Edition Announcement.

Chart SC5620·10 and SC5620·16 WGS84 DATUM

The following changes were published in the new edition of chart 1076, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620·10 and SC5620·16 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

L5739/14 WALES — South Coast — Milford Haven — SemLogistics Terminal — Legend.

Source: Milford Haven Port Authority Notice 144/14

Chart: SC5620·13 ETRS89 DATUM

Amend legend to, *Dredged to 15·8m (2014)*, centred on: 51° 41' ·934N. , 4° 59' ·710W.

L488/15 WALES — South Coast — Burry Port S — Light.

Source: Carmarthenshire County Council

Chart: SC5620·1 ETRS89 DATUM

Amend range of light to, 6M 51° 40' ·7N. , 4° 15' ·1W.

Chart: SC5620·16 ETRS89 DATUM

Amend range of light to, 6M 51° 40' ·62N. , 4° 15' ·05W.

L1536/15 WALES — West Coast — Saint Gowan Shoals W — Foul.

Source: sti Benicia

Chart: SC5620·3 ETRS89 DATUM

Insert # 51° 31' ·62N. , 5° 17' ·80W.

**Notices to Mariners - Weekly Edition 14/2015 International Chart Series,
Wales - South Coast, Milford Haven, Milford Docks to Picton Point.
— Chart 3275 — New Edition Announcement.**

Chart SC5620·13 and SC5620·14 WGS84 DATUM

The following changes were published in the new edition of chart 3275, which is the source chart for the above folio sheets:

Includes significant safety-related information as follows: changes to leading lights approaching Pembroke Dock. Mariners should therefore navigate with caution on sheets SC5620·13 and SC5620·14 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

Temporary/Preliminary NMs

~~L2416(P)/15 ENGLAND — South West Coast — Bristol Channel — Submarine cable.~~

~~Source: TE SubCom~~

- ~~1. Works are in progress to install a submarine fibre optic cable joining the following approximate positions:~~

~~51° 17' 18N., 3° 00' 82W. (shore)~~

~~51° 17' 14N., 3° 01' 67W.~~

~~51° 15' 64N., 3° 16' 33W.~~

~~51° 15' 09N., 3° 20' 13W.~~

~~51° 15' 19N., 3° 26' 67W.~~

~~51° 15' 45N., 3° 30' 26W.~~

- ~~2. Vessels are requested not to anchor or trawl in the vicinity of the cable.~~

- ~~3. Charts will be updated when the works are complete.(WGS84 Datum)~~

~~Charts affected — SC5608 and SC5620~~

L2856/15 WALES — West Coast — Cardigan Bay — Depths.

Source: British Government Survey

Chart: SC5620·1 ETRS89 DATUM

Insert depth, 32 52° 33' ·3N. , 4° 47' ·6W.

Temporary/Preliminary NMs
~~L3328(T)/15 CELTIC SEA — UK Sector — Nymphe Bank SE and Cockburn
Bank SE — Scientific instruments. Buoyage.~~
Source: Cefas

1. ~~Until late 2015, scientific instruments, marked by special light buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions:~~

~~49° 24' 00N., 8° 36' 00W.
50° 34' 15N., 7° 01' 34W.
* 50° 35' 76N., 7° 01' 14W.
51° 02' 60N., 6° 36' 00W.
51° 07' 55N., 6° 10' 62W.~~

- ~~2. * Indicates new or revised entry.~~
- ~~3. Mariners are advised to keep at least 4 cables clear of the buoyage.~~
- ~~4. Former Notice 284(T)/14 is cancelled.(WGS84 Datum)~~

~~Charts affected — SC5620, SC5622 and SC5623~~

Temporary/Preliminary NMs
~~L3318(P)/15 ENGLAND — West Coast — Bristol Channel to Ireland S —
Submarine cables.~~

Source: TE SubCom

1. ~~Works are in progress to install submarine fibre optic cables, joining the following approximate positions:~~

~~51° 17' 18N., 3° 00' 82W. (shore)
51° 17' 14N., 3° 01' 67W.
51° 15' 64N., 3° 16' 33W.
51° 15' 09N., 3° 20' 13W.
51° 15' 19N., 3° 26' 67W.
*51° 17' 21N., 3° 48' 18W.
*51° 17' 80N., 5° 26' 85W.
*51° 15' 85N., 8° 14' 73W.
*51° 15' 08N., 8° 39' 29W.
*51° 12' 94N., 9° 30' 97W.
*51° 14' 77N., 9° 51' 75W.
*51° 29' 15N., 11° 14' 66W.~~

~~and~~

~~*51° 38' 69N., 8° 34' 99W. (shore)
*51° 15' 08N., 8° 39' 29W.~~

~~*Indicates new or revised entry~~

- ~~2. Vessels are requested not to anchor or trawl in the vicinity of the cables.~~

- 3. ~~Charts will be updated when the works are complete.~~
- 4. ~~Former Notice 2416(P)/15 is cancelled. (WGS84 Datum)~~

Charts affected — SC5608, SC5620, SC5622 and SC5623

L3624/15 WALES — West Coast — Saint Bride's Bay — Fouls.

Source: Milford Haven Port Authority

Chart: SC5620·9 ETRS89 DATUM

Insert # *PA* 51° 48' ·60N. , 5° 11' ·00W.
51° 45' ·35N. , 5° 15' ·95W.

Chart: SC5620·10 ETRS89 DATUM

Insert # *PA* 51° 45' ·35N. , 5° 15' ·95W.

Temporary/Preliminary NMs

L4591(T)/15 CELTIC SEA — UK Sector — Nymphe Bank SE and Cockburn Bank SE — Scientific instruments. Buoyage.

Source: Cefas

- 1. Until late 2015, scientific instruments, marked by special light-buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions:

49° 24' ·00N. , 8° 36' ·00W.
50° 34' ·15N. , 7° 01' ·34W.
50° 35' ·76N. , 7° 01' ·14W.
51° 02' ·60N. , 6° 36' ·00W.

- 2. Mariners are advised to keep at least 4 cables clear of the buoyage.
- 3. Former Notice 3328(T)/15 is cancelled.(WGS84 Datum)


Charts affected – SC5620, SC5622 and SC5623

L4857/15 ENGLAND — West Coast — Bristol Channel to Ireland S — Submarine cables.

Source: TE SubCom

Note: Former Notice L3318(P)/15 is cancelled.

Chart: SC5620·1 ETRS89 DATUM

Insert submarine cable, , joining: 51° 17' ·2N. , 3° 00' ·7W.

(shore)

51° 15' ·3N. , 3° 18' ·5W.

51° 15' ·2N. , 3° 26' ·1W.

51° 17' ·1N. , 3° 46' ·0W.

51° 17' ·7N. , 5° 27' ·6W.

51° 16' ·6N. , 7° 00' ·0W.

(W border)

Chart: SC5620·3 ETRS89 DATUM

Insert , joining:

51° 17' ·71N. , 4° 30' ·80W.

(E border)

51° 17' ·80N. , 5° 26' ·85W.

51° 17' ·25N. , 5° 29' ·81W.

51° 17' ·21N. , 5° 49' ·14W.


(W border)

L4876/15 CELTIC SEA — UK Sector — Celtic Deep SW — Buoyage.

Source: RRS Discovery and Trinity House

Chart: SC5620·1 ETRS89 DATUM

Delete

 *Fl(5)Y.20s*

51° 08' ·1N. , 6° 34' ·2W.

L5422/15 IRELAND — South Coast — Galley Head to Cahore Point — Depths.

Source: UKHO

Chart: SC5620·2 ETRS89 DATUM

Insert

depth, *58*

51° 55' ·31N. , 6° 58' ·25W.

Notices to Mariners - Weekly Edition 45/2015 Wales - West Coast, Cardigan Bay, Central Part.

— **Chart 1972 — New Edition Announcement.**

Chart SC5620·4 and SC5620·5 WGS84 DATUM

The following changes were published in the new edition of chart 1972, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British Government and Commercial surveys. Mariners should therefore navigate with caution on sheets SC5620·4 and SC5620·5 and be

aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

L5701/15 WALES — West Coast — Aberdovey — Pilot boarding place.

Source: Aberdyfi Harbour Master

Chart: SC5620·1 ETRS89 DATUM

Delete  52° 32' ·0N. , 4° 05' ·5W.

L6015/15 WALES — West Coast — Saint George's Channel — Depths.

Source: British Government Survey


Chart: SC5620·2 ETRS89 DATUM

Insert	depth, 88	52° 11' ·82N. , 5° 24' ·92W.
	depth, 90	52° 11' ·43N. , 5° 36' ·46W.
	depth, 75	(a) 52° 10' ·31N. , 5° 27' ·53W.
	depth, 84	(b) 52° 08' ·95N. , 5° 28' ·96W.
	depth, 82	52° 07' ·96N. , 5° 31' ·15W.
	depth, 83	52° 07' ·49N. , 5° 34' ·45W.
	depth, 79	52° 06' ·65N. , 5° 26' ·16W.
Delete	depth, 79, close SE of:	(a) above
	depth, 108, and associated 100m contour, close W of:	(b) above

L6060/15 IRELAND — East Coast — Wicklow Head — Buoy. Automatic Identification Systems.

Source: Commissioners of Irish Lights

Chart: SC5620·1 ETRS89 DATUM

Insert		(a) 52° 32' ·2N. , 6° 09' ·5W.
	Automatic Identification System, A/S, at light-buoy	(a) above

L6348/15 CELTIC SEA — UK Sector — Celtic Deep SE — Obstruction.

Source: Big Wave TV Ltd.

Chart: SC5620-3 ETRS89 DATUM

Insert  *Obstrn* 51° 05' ·70N. , 5° 47' ·00W.

L227/16 IRELAND — South Coast — Hook Head — Light.

Source: Commissioners of Irish Lights

Chart: SC5620-1 ETRS89 DATUM

Amend range of light to, 18M 52° 07' ·3N. , 6° 56' ·0W.

Chart: SC5620-2 ETRS89 DATUM

Amend range of light to, 18M 52° 07' ·38N. , 6° 55' ·88W.

L566/16 WALES — West Coast — Ramsey Sound — Obstruction. Submarine power cable.

Source: Tidal Energy Ltd

Chart: SC5620-7 (panel A, Newport Bay to Ramsey Sound) ETRS89 DATUM


Insert  *Turbine* (a) 51° 52' ·68N. , 5° 19' ·48W.
submarine power cable,   , joining: 51° 52' ·71N. , 5° 18' ·52W.
(shore)
51° 52' ·58N. , 5° 18' ·89W.
51° 52' ·71N. , 5° 19' ·30W.
(a) above

Chart: SC5620-8 (panel A, Ramsey Sound) ETRS89 DATUM





Insert  *Turbine* (a) 51° 52' ·68N. , 5° 19' ·48W.
submarine power cable,   , joining: 51° 52' ·71N. , 5° 18' ·55W.
(shore)
51° 52' ·64N. , 5° 18' ·64W.
51° 52' ·57N. , 5° 18' ·87W.
51° 52' ·72N. , 5° 19' ·33W.
51° 52' ·67N. , 5° 19' ·44W.
(a) above

Chart: SC5620-9 ETRS89 DATUM

Insert  *Turbine* (a) 51° 52' ·68N. , 5° 19' ·48W.

submarine power cable, , joining: 51° 52' ·72N. , 5° 18' ·54W.
(shore)
51° 52' ·57N. , 5° 18' ·87W.
51° 52' ·72N. , 5° 19' ·34W.
(a) above

L738/16 WALES — South Coast — Milford Haven — Pembroke Dock Ferry Terminal — Legend.

Source: Port of Milford Haven Notice 25/16

Chart: SC5620·13 ETRS89 DATUM

Amend legend to, *Dredged to 6·5m (2015)*, centred on: 51° 41' ·896N. , 4° 57' ·102W.

L1837/16 WALES — South Coast — Milford Haven — Newton Noyes SW — Fog signal.

Source: Milford Haven Port Authority Notice 33/16

Chart: SC5620·13 ETRS89 DATUM

Amend fog signal to, Horn Mo(U)30s, at light 51° 42' ·033N. , 5° 00' ·187W.

L1982/16 WALES — South Coast — Approaches to Milford Haven — Turbot Bank S — Buoy.

Source: Trinity House

Chart: SC5620·2 ETRS89 DATUM

Delete  *Fl(5)Y.20s ODAS* 51° 36' ·70N. , 5° 08' ·70W.

Chart: SC5620·3 ETRS89 DATUM

Delete  *Fl(5)Y.20s ODAS* 51° 36' ·70N. , 5° 08' ·70W.

Chart: SC5620·10 ETRS89 DATUM

Delete  *Fl(5)Y.20s ODAS Turbot Bank* 51° 36' ·70N. , 5° 08' ·70W.

Chart: SC5620·11 ETRS89 DATUM

Delete  *Fl(5)Y.20s ODAS Turbot Bank* 51° 36' ·70N. , 5° 08' ·70W.

L2676/16 WALES — West Coast — Cardigan Bay — Buoy.

Source: UK Meteorological Office

Chart: SC5620-1 ETRS89 DATUM

Delete  *F(5)Y.20s ODAS* 52° 22' ·3N. , 4° 41' ·7W.

L3551/16 WALES — West Coast — The Smalls W — Depths.

Source: MMT UK Office

Chart: SC5620-9 ETRS89 DATUM

Insert depth, *37*, and extend 50m contour N to enclose (a) 51° 43' ·34N. , 5° 40' ·96W.


Delete depth, *41*, close S of: (a) above

L5288/16 WALES — West Coast — The Smalls NW — Wrecks. Depth.

Source: British Government Survey

Chart: SC5620-2 ETRS89 DATUM

Insert depth, *97*, enclosed by 100m contour 51° 50' ·53N. , 5° 42' ·39W.

Replace  *WK*, with  *WK* 51° 51' ·64N. , 5° 55' ·51W.

 *WK*, with  *WK* 51° 51' ·59N. , 5° 57' ·70W.

Chart: SC5620-3 ETRS89 DATUM

Insert depth, *97*, enclosed by 100m contour 51° 50' ·53N. , 5° 42' ·39W.

L211/17 WALES — South Coast — Swansea Bay — Scarweather Sands N — Light.

Source: E.ON

Note: Former Notice 2385(T)/16 is cancelled.

Chart: SC5620-1 ETRS89 DATUM

Delete  Mo(U)15s10M Mast (75) (R Lt) 51° 28' ·5N. , 3° 50' ·9W.

Notices to Mariners - Weekly Edition 06/2017 British Isles, Western Approaches to Saint George's Channel and Bristol Channel. — Chart 1123 — New Edition Announcement.

Chart SC5620-1 WGS84 DATUM

The following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheet:

Includes general updates throughout. Mariners should therefore navigate with caution on sheet SC5620-1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5620.

**Notices to Mariners - Weekly Edition 12/2017 Wales - West Coast, Cardigan Bay, Southern Part.
— Chart 1973 — New Edition Announcement.**

Charts SC5620-5 and SC5620-7 WGS84 DATUM

The following changes were published in the new edition of chart 1973, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620-5 and SC5620-7 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

L1400/17 WALES — South Coast — Barnlake Point S — Buoy.
Source: Neyland Yacht Haven

Chart: SC5620-13 ETRS89 DATUM

Move  Q.G. from: 51° 42' ·425N. , 4° 56' ·531W.
to: 51° 42' ·400N. , 4° 56' ·470W.

L1538/17 IRELAND — East Coast — Rosslare Europort NE — Holdens Bed — Depths.

Source: Rosslare Europort Harbour Master

Chart: SC5620-1 ETRS89 DATUM

Insert depth, 2_s, and extend 5m contour S to enclose (a) 52° 16' ·3N. , 6° 18' ·4W.
Delete depth, 3_s, close N of: (a) above
depth, 5_s, close SE of: (a) above

Chart: SC5620-2 ETRS89 DATUM

Insert depth, 2_s, enclosed by 5m contour

52° 16' ·31N. , 6° 18' ·39W.

Notices to Mariners - Weekly Edition 14/2017 Wales - West Coast, Saint Govan's Head to Saint David's Head.

— Chart 1478 — New Edition Announcement.

Charts SC5620-9 and SC5620-10 WGS84 DATUM

The following changes were published in the new edition of chart 1478, which is the source chart for the above folio sheets:

Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620-9 and SC5620-10 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

Notices to Mariners - Weekly Edition 24/2017 International Chart Series, British Isles, Saint George's Channel.

— Chart 1410 — New Edition Announcement.

Chart SC5620-2 WGS84 DATUM

The following changes were published in the new edition of chart 1410, which is the source chart for the above folio sheet:

Includes changes to depths from the latest British and Irish Government surveys. Mariners should therefore navigate with caution on sheet SC5620-2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5620.

L3283/17 IRELAND — East Coast — Rosslare Europort SE — South Shear — Buoyage.

Source: Commissioners of Irish Lights 6/17

Note: AIS remains unchanged

Chart: SC5620-2 ETRS89 DATUM


Amend light-buoy to, *F.I.R.6s*

52° 14' ·36N. , 6° 16' ·78W.

L3304/17 WALES — South Coast — Pembroke Dock N — Buoy.

Source: Milford Haven Port Authority Notice 67/17

Chart: SC5620-13 ETRS89 DATUM

Move  *Q(6)+LFl.15s Traynor*, from 51° 41' .96N. , 4° 57' .08W.
to: 51° 42' .00N. , 4° 57' .09W.

L3764/17 WALES — West Coast — Ramsey Sound — Porthlysgi Bay — Marine farm. Note.

Source: Bill Preece

Chart: SC5620-8 (Panel A, Ramsey Sound) ETRS89 DATUM

Insert  51° 51' .73N. , 5° 18' .35W.

L4070/17 WALES — South Coast — Approaches to Milford Haven — Maritime limit. Legends.

Source: Milford Haven Port Authority

Chart: SC5620-11 ETRS89 DATUM

Delete legend, *Boat Passage*, centred on: 51° 41' .43N. , 5° 07' .06W.

Chart: SC5620-12 ETRS89 DATUM

Insert maritime limit, pecked line, joining:

(a) 51° 41' .538N. , 5° 06' .969W.
(drying rock)

(b) 51° 41' .535N. , 5° 06' .910W.

(c) 51° 41' .475N. , 5° 06' .978W.

(d) 51° 41' .484N. , 5° 07' .026W.
(drying rock)

legend, *Small Craft Moorings*, close S of: (a)-(d) above

Delete legend, *Boat Passage*, close E of: (a)-(d) above
