

Admiralty Leisure Folio
SC5620 South West Wales

The Notice to Mariners (NMs) listed below apply to the latest edition of SC5620 (4th Edition) published on 23th April 2020.

L2513/20 WALES — West Coast — — Rock. Depth.

Source: XOCEAN

Chart: SC5620·6 (Panel B, Fishguard Bay) ETRS89 DATUM

Insert depth, 1_z, enclosed by 2m contour, with seabed type, R 52° 00' ·184N. , 4° 57' ·924W.

L4218/20 WALES — West Coast — — Depths.

Source: m.s Northern Wind and mv Northern Wind

Chart: SC5620·2 ETRS89 DATUM

Insert depth, 25, and extend 30m contour SW to enclose (a) 51° 58' ·96N. , 5° 07' ·47W.

Delete depth, 27, close NE of: (a) above

Chart: SC5620·3 ETRS89 DATUM

Insert depth, 25, and extend 30m contour SW to enclose 51° 58' ·96N. , 5° 07' ·47W.

Chart: SC5620·7 (Panel A, Newport Bay to Ramsey Sound) ETRS89 DATUM

Insert depth, 25, and extend 30m contour SW to enclose (a) 51° 58' ·96N. , 5° 07' ·47W.

Delete depth, 27, close NE of: (a) above

Insert depth, 4_g, enclosed by 5 m contour 52° 00' ·59N. , 5° 05' ·42W.

Insert depth, 22, enclosed by a 30 m contour (b) 52° 01' ·11N. , 5° 05' ·41W.

Delete depth, 40, close W of: (b) above

Insert depth, 13_g, and extend 20m contour NW to enclose (c) 52° 01' ·71N. , 5° 04' ·90W.

Delete depth, 42, close W of: (c) above

L4375/20 WALES — West Coast — — Depths.

Source: ms Northern Wind

Chart: SC5620·2 ETRS89 DATUM

Insert depth, 6_s, enclosed by 10m contour (a) 51° 58' ·67N. , 5° 06' ·13W.

Delete depth, 13_z, close SE of: (a) above

Chart: SC5620·3 ETRS89 DATUM

Insert	depth, 6_5 , enclosed by 10m contour	(a) 51° 58' ·67N. , 5° 06' ·13W.
Delete	depth, 13_4 , close SE of:	(a) above

Chart: SC5620·7 (Panel A, Newport Bay to Ramsey Sound) ETRS89 DATUM

Insert	depth, 6_5 , enclosed by 10m contour	51° 58' ·67N. , 5° 06' ·13W.
	depth, 0_5 , enclosed by 2m contour	(a) 51° 58' ·78N. , 5° 05' ·36W.
Delete	depth, 9_8 , close SE of:	(a) above
Insert	depth, 3_5 , enclosed by 5m contour	51° 59' ·21N. , 5° 05' ·60W.
	depth, 8_4 , enclosed by 10 m contour	(b) 51° 59' ·89N. , 5° 05' ·65W.
Delete	depth, 13_4 , close SE of:	(b) above
Insert	depth, 3_9 , enclosed by 5m contour	51° 59' ·98N. , 5° 05' ·13W.
	depth, 3_9 , and extend 5 m contour N to enclose	(c) 52° 00' ·03N. , 5° 05' ·59W.
Delete	depth, 8_9 , close S of:	(c) above
Insert	depth, 2_5 , and extend 30 m contour NW to enclose	(d) 52° 00' ·10N. , 5° 05' ·82W.
Delete	depth, 3_6 , close NW of:	(d) above

The Notices to Mariners (NMs) listed below apply to the previous edition of SC5620 (3rd Edition) published on 18th July 2013.

The 3rd Edition of this product dated 18th July has been withdrawn and superseded by a New Edition of the same title. Navigational and Safety related changes have been incorporated in the New Edition. It must be fully understood that use of the information attached will enable the updating of the 4th edition to the point at which it was withdrawn [23rd April 2020]. It is strongly recommended that the latest available edition of the product should be used.

~~L3072/13 WALES — South Coast — Milford Haven — Valero Terminal Northwards — Anchorage area.~~

Source: Milford Haven Port Authority Notice 54/13

~~Chart: SC5620·12 ETRS89 DATUM~~

Insert	 Cruise Ship	51° 42' ·060N. , 5° 02' ·000W.
--------	---	--------------------------------

~~L3203/13 IRELAND — East Coast — Rosslare Europort East-north-eastwards — Lucifer Bank Southwards — Automatic Identification System.~~

Source: Commissioners of Irish Lights

~~Chart: SC5620·1 ETRS89 DATUM~~

Insert Automatic Identification System, *AIS*, at light buoy

52° 17' 3N. , 6° 12' 6W.

Chart: SC5620-2 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at Lucifer light buoy

52° 17' 03N. , 6° 12' 65W.

~~L3459/13 WALES — South Coast — Caldey I Southwards — Wreck.~~
Source: Fugro EMU Limited

Chart: SC5620-10 ETRS89 DATUM

Move  *18* ~~Wk~~, from: 51° 33' 66N. , 4° 42' 54W.
to: 51° 33' 51N. , 4° 42' 74W.

Chart: SC5620-16 ETRS89 DATUM

Move  *18* ~~Wk~~, from: 51° 33' 66N. , 4° 42' 54W.
to: 51° 33' 51N. , 4° 42' 74W.

~~L3554/13 IRELAND — East Coast — Greenore Point North-eastwards to
Lambay Island Eastwards — Depths.~~
Source: Irish Government Surveys

Chart: SC5620-2 ETRS89 DATUM

Insert depth *10*, (a) 52° 19' 25N. , 6° 19' 01W.
Delete depth *12*, adjacent to: (a) above

~~L4469/13 WALES — South Coast — Carmarthen Bay — Burry Inlet
Westwards — Wreck.~~
Source: Fugro EMU Limited

Chart: SC5620-16 ETRS89 DATUM

Insert  *16* ~~Wk~~ 51° 37' 61N. , 4° 28' 42W.

~~L4584/13 WALES — South Coast — Camarthen Bay — Burry Inlet — West
Hooper Westwards — Wreck.~~
Source: Fugro EMU Limited

Chart: SC5620-16 ETRS89 DATUM

Insert



51° 39' 06N., 4° 23' 18W.

L4785/13 WALES — South Coast — Carmarthen Bay — Burry Inlet to Carmarthen Bar South-westwards — Depths. Wreck.
 Source: Fugro EMU Ltd

Chart: SC5620-16 ETRS89 DATUM

Insert	depth 0 _r and extend 2m contour NE to enclose	51° 37' 28N., 4° 19' 28W.
	depth 1 _s and extend 2m contour N to enclose	(a) 51° 37' 70N., 4° 20' 22W.
	depth 0 _r enclosed by 2m contour	(b) 51° 41' 99N., 4° 28' 55W.
		(c) 51° 41' 23N., 4° 33' 54W.
Delete	depth 2 _s adjacent to:	(a) above
	depth 4 _s adjacent to:	(b) above
	depth 7, close NE of:	(c) above

Chart: SC5620-17 ETRS89 DATUM

Insert	depth 0 _r and extend 2m contour NW to enclose	(a) 51° 37' 28N., 4° 19' 28W.
	depth 1 _s enclosed by 2m contour	(b) 51° 37' 70N., 4° 20' 22W.
Delete	depth 2, close SE of:	(a) above
	depth 2 _s close E of:	(b) above

L5152/13 WALES — West Coast — Saint Bride's Bay — Foul.
 Source: HM Coastguard Milford Haven

Chart: SC5620-9 ETRS89 DATUM

Insert		51° 47' 80N., 5° 14' 60W.
--------	---	---------------------------

L5227/13 WALES — South Coast — Carmarthen Bay — Trawlers Dread — Depth.
 Source: Fugro EMU Ltd

Chart: SC5620-16 ETRS89 DATUM

Insert	depth 17 _r and extend 20m contour S to enclose	51° 36' 92N., 4° 33' 78W.
--------	---	---------------------------

L66/14 WALES — South Coast — Milford Haven — Murco Marine Terminal — Valero Terminal — Pembroke Dock Ferry Terminal — Dredged depths.

Source: Milford Haven Port Authority Notice 102/13

Chart: SC5620-12 ETRS89 DATUM

Amend legend to, *Dredged to 7.2m (2013)*, centred on: 51° 42' 120N. , 5° 03' 290W.
legend to, *Dredged to 18.5m (2013)*, centred on: 51° 41' 895N. , 5° 02' 440W.
dredged depth to, *6.1m (2013)*, centred on: 51° 41' 820N. , 5° 01' 400W.

Chart: SC5620-13 ETRS89 DATUM

Amend dredged depth to, *6.1m (2013)*, centred on: 51° 41' 820N. , 5° 01' 400W.
dredged depth to, *6.2m (2013)*, centred on: 51° 41' 895N. , 4° 57' 110W.

L67/14 WALES — South Coast — Approaches to Milford Haven — Saint Ann's Head — Light. Legend.

Source: Trinity House

Chart: SC5620-9 ETRS89 DATUM

Amend legend to, R, centred on: 51° 39' 8N. , 5° 06' 1W.

Chart: SC5620-10 ETRS89 DATUM

Amend legend to, R, centred on: 51° 39' 44N. , 5° 06' 50W.

Chart: SC5620-11 ETRS89 DATUM

Amend legend to, Fl.R, centred on: 51° 39' 07N. , 5° 07' 88W.

Temporary/Preliminary NMs

L284(T)/14 CELTIC SEA — UK Sector — Nymphé Bank SE and Cockburn Bank SE — Scientific instruments. Buoyage.

Source: Cefas

1. Until 31 March 2015, scientific instruments, marked by special light buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions (WGS84 Datum):

49° 24' 00N. , 8° 36' 00W.

50° 34' 15N. , 7° 01' 34W.

51° 02' 60N. , 6° 36' 00W.

51° 07' 55N. , 6° 10' 62W.

2. Mariners are advised to keep at least 4 cables clear of the buoyage.

Charts affected — SC5620, SC5622 and SC5623

L815/14 WALES — West Coast — The Smalls — Automatic Identification System.

Source: Trinity House

Chart: SC5620-1 ETRS89 DATUM

Insert legend, AIS, at light 51° 43' -20N. , 5° 40' -10W.

Chart: SC5620-2 ETRS89 DATUM

Insert legend, AIS, at light 51° 43' -28N. , 5° 40' -20W.

Chart: SC5620-3 ETRS89 DATUM

Insert legend, AIS, at light 51° 43' -28N. , 5° 40' -20W.

Chart: SC5620-9 ETRS89 DATUM

Insert legend, AIS, at light 51° 43' -28N. , 5° 40' -19W.

L1743/14 ENGLAND — Bristol Channel — Culver Sand NW — Automatic Identification System.

Source: Trinity House Notice 11/14

Chart: SC5620-1 ETRS89 DATUM

Insert Automatic Identification System, AIS, at *Breaksea* light buoy 51° 19' -9N. , 3° 18' -9W.

L1890/14 WALES — South Coast — Carmarthen Bay — Saint Govan's Head to Worms Head — Rock. Depths.

Source: Fugro EMU Ltd

Chart: SC5620-1 WGS84 DATUM

Replace depth, \mathcal{D}_5 , with depth, \bar{Z}_4 51° 35' -3N. , 4° 53' -7W.

depth, \mathcal{D}_7 , with depth, \mathcal{D}_3 51° 36' -9N. , 4° 39' -6W.

Chart: SC5620-3 ETRS89 DATUM

Insert depth, \bar{Z}_5 (a) 51° 38' -55N. , 4° 38' -80W.

depth, $\bar{11}_6$ 51° 35' -62N. , 4° 51' -93W.

Replace depth, \mathcal{D}_5 , with depth, \bar{Z}_4 51° 35' -34N. , 4° 53' -75W.

depth, \mathcal{D}_7 , with depth, \mathcal{D}_3 51° 36' -92N. , 4° 39' -60W.

Delete depth, \mathcal{D}_7 , close SE of: (a) above

Chart: SC5620-10 ETRS89 DATUM

Insert depth, $\bar{11}_6$ (a) 51° 35' -62N. , 4° 51' -93W.

depth, ~~12₂~~ 51° 36' 80N. , 4° 50' 27W.
 Replace depth, ~~8₅~~, with seabed type, ~~R~~, with depth, ~~7₄~~, with seabed type,
~~R~~ 51° 35' 34N. , 4° 53' 75W.
 Delete depth, ~~14₅~~, close E of: (a) above

Chart: SC5620-15 ETRS89 DATUM

Insert  51° 39' 04N. , 4° 43' 22W.
 depth, ~~7₅~~ (a) 51° 38' 55N. , 4° 38' 80W.
 depth, ~~7₄~~ (b) 51° 37' 68N. , 4° 40' 29W.
 depth, ~~13₅~~ (c) 51° 37' 62N. , 4° 39' 47W.
 Delete depth, ~~8₅~~, close SW of: (a) above
 depth, ~~8₅~~, close SE of: (b) above
 depth, ~~14₅~~, close SE of: (c) above

Chart: SC5620-16 ETRS89 DATUM

Insert depth, ~~20₉~~ (a) 51° 35' 66N. , 4° 37' 53W.
 depth, ~~7₄~~ (b) 51° 37' 68N. , 4° 40' 29W.
 depth, ~~7₅~~ (c) 51° 38' 55N. , 4° 38' 80W.
 depth, ~~0₇~~, enclosed by 2m contour 51° 42' 13N. , 4° 28' 94W.
 depth, ~~1₅~~, enclosed by 2m contour (d) 51° 41' 90N. , 4° 27' 61W.
 depth, ~~0₇~~, and extend 2m contour N to enclose (e) 51° 37' 81N. , 4° 20' 25W.
 depth, ~~0₇~~, with depth, ~~8₅~~ 51° 36' 92N. , 4° 39' 60W.
 Delete depth, ~~20₉~~, close NE of: (a) above
 depth, ~~8₅~~, close SE of: (b) above
 depth, ~~8₅~~, close SE of: (c) above
 depth, ~~4₂~~, close SE of: (d) above
 depth, ~~1₅~~, close S of: (e) above

Chart: SC5620-17 ETRS89 DATUM

Insert depth, ~~0₇~~, enclosed by 2m contour 51° 37' 81N. , 4° 20' 25W.

L1934/14 WALES — South Coast — Saint Gowan Shoals SW — Automatic Identification System.

Source: Trinity House

Chart: SC5620-1 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light buoy 51° 31' 9N. , 4° 59' 8W.

Chart: SC5620-3 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light buoy 51° 31' ·02N. , 4° 59' ·78W.

Chart: SC5620·10 ETRS89 DATUM

Insert Automatic Identification System, *AIS*, at *Saint Gowan* light buoy 51° 31' ·02N. , 4° 59' ·78W.

**~~Notices to Mariners – Weekly Edition 29/2014 – Plans in South West Wales.
— Chart 1482 — New Edition Announcement.~~**

Chart SC5620·8 and SC5620·15 WGS84 DATUM

The following changes were published in the new edition of chart 1482, which is the source chart for the above folio sheets:

~~———— Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620·8 and SC5620·15 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.~~

These changes will be included in the next new edition of SC5620.

~~Notices to Mariners – Weekly Edition 36/2014 – WALES — South Coast, Bury Inlet — Chart 1167 — Independently withdrawn.~~


Charts SC5620·17 WGS84 DATUM

Chart 1167, which is the source chart for the above folio sheet, has been independently withdrawn from the Admiralty chart series. Mariners should therefore navigate with caution on sheet SC5620·17, no further Notices to Mariners will be issued for this sheet. Sheet SC5620·17 will be withdrawn from the folio in the next new edition.

~~L4316/14 ENGLAND — Bristol Channel — Lundy N — Buoyage.~~


Source: RWE Innogy UK Ltd

Chart: SC5620·1 ETRS89 DATUM

Delete  *Fl(5)Y.20s*

51° 20' ·3N. , 5° 07' ·2W.
51° 25' ·1N. , 4° 40' ·9W.
51° 22' ·7N. , 4° 40' ·8W.
51° 20' ·8N. , 4° 40' ·6W.
51° 22' ·0N. , 4° 25' ·6W.
51° 19' ·7N. , 4° 24' ·0W.
51° 17' ·7N. , 4° 25' ·3W.

Chart: SC5620-3 ETRS89 DATUM

Delete  ~~FI(5)Y.20s Wave recorder~~ 51° 20' 37N., 5° 07' 24W.
 ~~FI(5)Y.20s~~ 51° 25' 09N., 4° 40' 98W.
51° 22' 78N., 4° 40' 80W.
51° 20' 79N., 4° 40' 65W.

L4491/14 WALES — West Coast — The Smalls NW — Buoy.

Source: CEFAS

Chart: SC5620-1 ETRS89 DATUM

Insert  ~~FI(5)Y.20s~~ 51° 50' 3N., 5° 50' 4W.

Chart: SC5620-2 ETRS89 DATUM

Insert  ~~FI(5)Y.20s~~ 51° 50' 30N., 5° 50' 40W.

L4937/14 WALES — West Coast — Cardigan Bay — The Devil's Tail SE — Depths.

Source: mv Seabeam

Chart: SC5620-1 ETRS89 DATUM

Insert depth, 15, enclosed by 20m contour 52° 34' 0N., 4° 37' 7W.

Notices to Mariners — Weekly Edition 46/2014 Wales — South Coast, Linney Head to Oxwich Point.

— Chart 1076 — New Edition Announcement.

Chart SC5620-10 and SC5620-16 WGS84 DATUM

The following changes were published in the new edition of chart 1076, which is the source chart for the above folio sheets:

— Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620-10 and SC5620-16 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

~~L5739/14 WALES — South Coast — Milford Haven — SemLogistics Terminal — Legend.~~

~~Source: Milford Haven Port Authority Notice 144/14~~

~~Chart: SC5620-13 ETRS89 DATUM~~

~~Amend legend to, *Dredged to 15.8m (2014)*, centred on: 51° 41' .934N., 4° 59' .710W.~~

~~L488/15 WALES — South Coast — Burry Port S — Light.~~

~~Source: Carmarthenshire County Council~~

~~Chart: SC5620-1 ETRS89 DATUM~~

~~Amend range of light to, 6M 51° 40' .7N., 4° 15' .1W.~~

~~Chart: SC5620-16 ETRS89 DATUM~~

~~Amend range of light to, 6M 51° 40' .62N., 4° 15' .05W.~~

~~L1536/15 WALES — West Coast — Saint Gowan Shoals W — Foul.~~

~~Source: sti Benicia~~

~~Chart: SC5620-3 ETRS89 DATUM~~

~~Insert —# 51° 31' .62N., 5° 17' .80W.~~

~~Notices to Mariners — Weekly Edition 14/2015 International Chart Series, Wales — South Coast, Milford Haven, Milford Docks to Pieton Point. — Chart 3275 — New Edition Announcement.~~

~~Chart SC5620-13 and SC5620-14 WGS84 DATUM~~

~~The following changes were published in the new edition of chart 3275, which is the source chart for the above folio sheets:~~

~~— *Includes significant safety-related information as follows: changes to leading lights approaching Pembroke Dock. Mariners should therefore navigate with caution on sheets SC5620-13 and SC5620-14 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.*~~

~~These changes will be included in the next new edition of SC5620.~~

Temporary/Preliminary NMs

~~L2416(P)/15 ENGLAND — South West Coast — Bristol Channel — Submarine cable.~~

Source: TE SubCom

1. ~~Works are in progress to install a submarine fibre optic cable joining the following approximate positions:~~

~~51° 17' 18N. , 3° 00' 82W. (shore)~~

~~51° 17' 14N. , 3° 01' 67W.~~

~~51° 15' 64N. , 3° 16' 33W.~~

~~51° 15' 09N. , 3° 20' 13W.~~

~~51° 15' 19N. , 3° 26' 67W.~~

~~51° 15' 45N. , 3° 30' 26W.~~

2. ~~Vessels are requested not to anchor or trawl in the vicinity of the cable.~~
3. ~~Charts will be updated when the works are complete.(WGS84 Datum)~~

Charts affected — SC5608 and SC5620

~~L2856/15 WALES — West Coast — Cardigan Bay — Depths.~~

Source: British Government Survey

Chart: SC5620-1 ETRS89 DATUM

Insert depth, 32 52° 33' 3N. , 4° 47' 6W.

Temporary/Preliminary NMs

~~L3328(T)/15 CELTIC SEA — UK Sector — Nymphé Bank SE and Cockburn Bank SE — Scientific instruments. Buoyage.~~

Source: Cefas

1. ~~Until late 2015, scientific instruments, marked by special light buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions:~~

~~49° 24' 00N. , 8° 36' 00W.~~

~~50° 34' 15N. , 7° 01' 34W.~~

~~* 50° 35' 76N. , 7° 01' 14W.~~

~~51° 02' 60N. , 6° 36' 00W.~~

~~51° 07' 55N. , 6° 10' 62W.~~

2. ~~* Indicates new or revised entry.~~
3. ~~Mariners are advised to keep at least 4 cables clear of the buoyage.~~
4. ~~Former Notice 284(T)/14 is cancelled.(WGS84 Datum)~~

Charts affected — SC5620, SC5622 and SC5623

Temporary/Preliminary NMs

~~L3318(P)/15 ENGLAND — West Coast — Bristol Channel to Ireland S —
Submarine cables.~~

Source: ~~TE SubCom~~

- ~~1. Works are in progress to install submarine fibre optic cables, joining the following approximate positions:~~

~~51° 17' 18N., 3° 00' 82W. (shore)~~

~~51° 17' 14N., 3° 01' 67W.~~

~~51° 15' 64N., 3° 16' 33W.~~

~~51° 15' 09N., 3° 20' 13W.~~

~~51° 15' 19N., 3° 26' 67W.~~

~~*51° 17' 21N., 3° 48' 18W.~~

~~*51° 17' 80N., 5° 26' 85W.~~

~~*51° 15' 85N., 8° 14' 73W.~~

~~*51° 15' 08N., 8° 39' 29W.~~

~~*51° 12' 94N., 9° 30' 97W.~~

~~*51° 14' 77N., 9° 51' 75W.~~

~~*51° 29' 15N., 11° 14' 66W.~~

~~and~~

~~*51° 38' 69N., 8° 34' 99W. (shore)~~

~~*51° 15' 08N., 8° 39' 29W.~~

~~*Indicates new or revised entry~~

- ~~2. Vessels are requested not to anchor or trawl in the vicinity of the cables.~~
- ~~3. Charts will be updated when the works are complete.~~
- ~~4. Former Notice 2416(P)/15 is cancelled. (WGS84 Datum)~~

~~Charts affected — SC5608, SC5620, SC5622 and SC5623~~

~~L3624/15 WALES — West Coast — Saint Bride's Bay — Fouls.~~

Source: ~~Milford Haven Port Authority~~

~~Chart: SC5620-9 ETRS89 DATUM~~

Insert ~~— # PA 51° 48' 60N., 5° 11' 00W.~~

~~51° 45' 35N., 5° 15' 95W.~~

~~Chart: SC5620-10 ETRS89 DATUM~~

Insert ~~— # PA 51° 45' 35N., 5° 15' 95W.~~

Temporary/Preliminary NMs

~~L4591(T)/15 CELTIC SEA — UK Sector — Nymph Bank SE and Cockburn Bank SE — Scientific instruments. Buoyage.~~

Source: Cefas

1. — Until late 2015, scientific instruments, marked by special light buoys, *Fl(5)Y.20s*, exist in the vicinity of the following positions:

49° 24' 00N. , 8° 36' 00W.

50° 34' 15N. , 7° 01' 34W.

50° 35' 76N. , 7° 01' 14W.

51° 02' 60N. , 6° 36' 00W.

2. — Mariners are advised to keep at least 4 cables clear of the buoyage.
3. — Former Notice 3328(T)/15 is cancelled.(WGS84 Datum)

~~Charts affected — SC5620, SC5622 and SC5623~~

~~L4857/15 ENGLAND — West Coast — Bristol Channel to Ireland S — Submarine cables.~~

Source: TE SubCom

Note: Former Notice L3318(P)/15 is cancelled.

~~Chart: SC5620-1 ETRS89 DATUM~~

Insert submarine cable, , joining:

51° 17' 2N. , 3° 00' 7W.

(shore)

51° 15' 3N. , 3° 18' 5W.

51° 15' 2N. , 3° 26' 1W.

51° 17' 1N. , 3° 46' 0W.

51° 17' 7N. , 5° 27' 6W.

51° 16' 6N. , 7° 00' 0W.

(W border)

~~Chart: SC5620-3 ETRS89 DATUM~~

Insert submarine cable, , joining:

51° 17' 71N. , 4° 30' 80W.

(E border)

51° 17' 80N. , 5° 26' 85W.

51° 17' 25N. , 5° 29' 81W.

51° 17' 21N. , 5° 49' 14W.

(W border)

~~L4876/15 CELTIC SEA — UK Sector — Celtic Deep SW — Buoyage.~~
Source: RRS Discovery and Trinity House

~~Chart: SC5620-1 ETRS89 DATUM~~

Delete ~~—  Fl(5)Y.20s~~ ~~51° 08' 1N. , 6° 34' 2W.~~

~~L5422/15 IRELAND — South Coast — Galley Head to Cahore Point — Depths.~~
Source: UKHO

~~Chart: SC5620-2 ETRS89 DATUM~~

Insert ~~depth, 58~~ ~~51° 55' 31N. , 6° 58' 25W.~~

~~Notices to Mariners — Weekly Edition 45/2015 Wales — West Coast, Cardigan Bay, Central Part.~~
~~— Chart 1972 — New Edition Announcement.~~

~~Chart SC5620-4 and SC5620-5 WGS84 DATUM~~

~~The following changes were published in the new edition of chart 1972, which is the source chart for the above folio sheet:~~

~~— *Includes changes to depths from the latest British Government and Commercial surveys. Mariners should therefore navigate with caution on sheets SC5620-4 and SC5620-5 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.*~~

~~These changes will be included in the next new edition of SC5620.~~

~~L5701/15 WALES — West Coast — Aberdovey — Pilot boarding place.~~
Source: Aberdyfi Harbour Master

~~Chart: SC5620-1 ETRS89 DATUM~~

Delete ~~— ~~ ~~52° 32' 0N. , 4° 05' 5W.~~

~~L6015/15 WALES — West Coast — Saint George's Channel — Depths.~~
Source: British Government Survey

~~Chart: SC5620-2 ETRS89 DATUM~~

Insert	depth, 88	52° 11' 82N. , 5° 24' 92W.
	depth, 90	52° 11' 43N. , 5° 36' 46W.
	depth, 75	(a) 52° 10' 31N. , 5° 27' 53W.
	depth, 84	(b) 52° 08' 95N. , 5° 28' 96W.
	depth, 82	52° 07' 96N. , 5° 31' 15W.
	depth, 83	52° 07' 49N. , 5° 34' 45W.
	depth, 79	52° 06' 65N. , 5° 26' 16W.
Delete	depth, 79 , close SE of:	(a) above
	depth, 108 , and associated 100m contour, close W of:	(b) above

~~L6060/15 IRELAND — East Coast — Wicklow Head — Buoy. Automatic Identification Systems.~~

Source: Commissioners of Irish Lights

~~Chart: SC5620-1 ETRS89 DATUM~~

Insert		(a) 52° 32' 2N. , 6° 09' 5W.
	Automatic Identification System, AIS, at light-buoy	(a) above

~~L6348/15 CELTIC SEA — UK Sector — Celtic Deep SE — Obstruction.~~

Source: Big Wave TV Ltd.

~~Chart: SC5620-3 ETRS89 DATUM~~

Insert	 Obstrn	51° 05' 70N. , 5° 47' 00W.
--------	--	----------------------------

~~L227/16 IRELAND — South Coast — Hook Head — Light.~~

Source: Commissioners of Irish Lights

~~Chart: SC5620-1 ETRS89 DATUM~~

Amend	range of light to, 18M	52° 07' 3N. , 6° 56' 0W.
-------	------------------------	--------------------------

~~Chart: SC5620-2 ETRS89 DATUM~~

Amend	range of light to, 18M	52° 07' 38N. , 6° 55' 88W.
-------	------------------------	----------------------------

~~L566/16 WALES — West Coast — Ramsey Sound — Obstruction. Submarine power cable.~~

Source: Tidal Energy Ltd

Chart: SC5620-7 (panel A, Newport Bay to Ramsey Sound) ETRS89 DATUM

Insert  Turbine (a) 51° 52' -68N. , 5° 19' -48W.
submarine power cable, , joining: 51° 52' -71N. , 5° 18' -52W.
(shore)
51° 52' -58N. , 5° 18' -89W.
51° 52' -71N. , 5° 19' -30W.
(a) above

Chart: SC5620-8 (panel A, Ramsey Sound) ETRS89 DATUM



Insert  Turbine (a) 51° 52' -68N. , 5° 19' -48W.
submarine power cable, , joining: 51° 52' -71N. , 5° 18' -55W.
(shore)
51° 52' -64N. , 5° 18' -64W.
51° 52' -57N. , 5° 18' -87W.
51° 52' -72N. , 5° 19' -33W.
51° 52' -67N. , 5° 19' -44W.
(a) above

Chart: SC5620-9 ETRS89 DATUM

Insert  Turbine (a) 51° 52' -68N. , 5° 19' -48W.
submarine power cable, , joining: 51° 52' -72N. , 5° 18' -54W.
(shore)
51° 52' -57N. , 5° 18' -87W.
51° 52' -72N. , 5° 19' -34W.
(a) above

L738/16 WALES — South Coast — Milford Haven — Pembroke Dock Ferry Terminal — Legend.

Source: Port of Milford Haven Notice 25/16

Chart: SC5620-13 ETRS89 DATUM

Amend legend to, *Dredged to 6-5m (2015)*, centred on: 51° 41' -896N. , 4° 57' -102W.

L1837/16 WALES — South Coast — Milford Haven — Newton Noyes SW — Fog signal.

Source: Milford Haven Port Authority Notice 33/16

Chart: SC5620-13 ETRS89 DATUM

Amend fog signal to, Horn Mo(U)30s, at light

51° 42' 033N. , 5° 00' 187W.

L1982/16 WALES — South Coast — Approaches to Milford Haven — Turbot Bank S — Buoy.

Source: Trinity House

Chart: SC5620-2 ETRS89 DATUM

Delete

 ~~Fl(5)Y.20s ODAS~~

~~51° 36' 70N. , 5° 08' 70W.~~

Chart: SC5620-3 ETRS89 DATUM

Delete

 ~~Fl(5)Y.20s ODAS~~

~~51° 36' 70N. , 5° 08' 70W.~~

Chart: SC5620-10 ETRS89 DATUM

Delete

 ~~Fl(5)Y.20s ODAS Turbot Bank~~

~~51° 36' 70N. , 5° 08' 70W.~~

Chart: SC5620-11 ETRS89 DATUM

Delete

 ~~Fl(5)Y.20s ODAS Turbot Bank~~

~~51° 36' 70N. , 5° 08' 70W.~~

L2676/16 WALES — West Coast — Cardigan Bay — Buoy.

Source: UK Meteorological Office

Chart: SC5620-1 ETRS89 DATUM

Delete

 ~~Fl(5)Y.20s ODAS~~

~~52° 22' 3N. , 4° 41' 7W.~~

L3551/16 WALES — West Coast — The Smalls W — Depths.

Source: MMT UK Office

Chart: SC5620-9 ETRS89 DATUM

Insert depth, 37, and extend 50m contour N to enclose

(a) 51° 43' 34N. , 5° 40' 96W.

Delete depth, 41, close S of:

(a) above

L5288/16 WALES — West Coast — The Smalls NW — Wrecks. Depth.

Source: British Government Survey

Chart: SC5620-2 ETRS89 DATUM

Insert depth, 97, enclosed by 100m contour 51° 50' 53N. , 5° 42' 39W.

Replace ~~104~~ Wk, with ~~89~~ Wk 51° 51' 64N. , 5° 55' 51W.

~~90~~ Wk, with ~~85~~ Wk 51° 51' 59N. , 5° 57' 70W.

Chart: SC5620-3 ETRS89 DATUM

Insert depth, 97, enclosed by 100m contour 51° 50' 53N. , 5° 42' 39W.

~~L211/17 WALES — South Coast — Swansea Bay — Scarweather Sands N — Light.~~

~~Source: E.ON~~

~~Note: Former Notice 2385(T)/16 is cancelled.~~

Chart: SC5620-1 ETRS89 DATUM

Delete ~~★~~ Mo(U)15s10M Mast (75) (R Lt) 51° 28' 5N. , 3° 50' 9W.

~~Notices to Mariners — Weekly Edition 06/2017 British Isles, Western Approaches to Saint George's Channel and Bristol Channel. — Chart 1123 — New Edition Announcement.~~

Chart SC5620-1 WGS84 DATUM

The following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheet:

~~———— Includes general updates throughout. Mariners should therefore navigate with caution on sheet SC5620-1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.~~

These changes will be included in the next new edition of SC5620.

~~Notices to Mariners — Weekly Edition 12/2017 Wales — West Coast, Cardigan Bay, Southern Part. — Chart 1973 — New Edition Announcement.~~

Charts SC5620-5 and SC5620-7 WGS84 DATUM

The following changes were published in the new edition of chart 1973, which is the source chart for the above folio sheets:

~~Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620-5 and SC5620-7 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.~~

~~These changes will be included in the next new edition of SC5620.~~

~~L1400/17 WALES — South Coast — Barnlake Point S — Buoy.~~

~~Source: Neyland Yacht Haven~~

~~Chart: SC5620-13 ETRS89 DATUM~~

Move  Q.C. from: 51° 42' 425N., 4° 56' 531W.
to: 51° 42' 400N., 4° 56' 470W.

~~L1538/17 IRELAND — East Coast — Rosslare Europort NE — Holdens Bed — Depths.~~

~~Source: Rosslare Europort Harbour Master~~

~~Chart: SC5620-1 ETRS89 DATUM~~

Insert depth, 2_s, and extend 5m contour S to enclose (a) 52° 16' 31N., 6° 18' 4W.
Delete depth, 3_s, close N of: (a) above
depth, 5_s, close SE of: (a) above

~~Chart: SC5620-2 ETRS89 DATUM~~

Insert depth, 2_s, enclosed by 5m contour 52° 16' 31N., 6° 18' 39W.

~~Notices to Mariners - Weekly Edition 14/2017 Wales - West Coast, Saint Govan's Head to Saint David's Head.~~

~~— Chart 1478 — New Edition Announcement.~~

~~Charts SC5620-9 and SC5620-10 WGS84 DATUM~~

~~The following changes were published in the new edition of chart 1478, which is the source chart for the above folio sheets:~~

~~Includes changes to depths from the latest British Government surveys. Mariners should therefore navigate with caution on sheets SC5620-9 and SC5620-10 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.~~

~~These changes will be included in the next new edition of SC5620.~~

Notices to Mariners – Weekly Edition 24/2017 International Chart Series, British Isles, Saint George's Channel.
— Chart 1410 — New Edition Announcement.

Chart SC5620-2 WGS84 DATUM

The following changes were published in the new edition of chart 1410, which is the source chart for the above folio sheet:

— Includes changes to depths from the latest British and Irish Government surveys. Mariners should therefore navigate with caution on sheet SC5620-2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5620.

L3283/17 IRELAND — East Coast — Rosslare Europort SE — South Shear — Buoyage.

Source: Commissioners of Irish Lights 6/17

Note: AIS remains unchanged

Chart: SC5620-2 ETRS89 DATUM

Amend light buoy to, *Fl.R.6s* 52° 14' .36N. , 6° 16' .78W.

L3304/17 WALES — South Coast — Pembroke Dock N — Buoy.

Source: Milford Haven Port Authority Notice 67/17

Chart: SC5620-13 ETRS89 DATUM

Move  *Q(6)+LFl. 15s Traynor*, from 51° 41' .96N. , 4° 57' .08W.
to: 51° 42' .00N. , 4° 57' .09W.

L3764/17 WALES — West Coast — Ramsey Sound — Porthlysgi Bay — Marine farm. Note.

Source: Bill Preece

Chart: SC5620-8 (Panel A, Ramsey Sound) ETRS89 DATUM

Insert  51° 51' .73N. , 5° 18' .35W.

L4070/17 WALES — South Coast — Approaches to Milford Haven — Maritime limit. Legends.

Source: Milford Haven Port Authority

Chart: SC5620-11 ETRS89 DATUM

Delete legend, *Boat Passage*, centred on: 51° 41' 43N. , 5° 07' 06W.

Chart: SC5620-12 ETRS89 DATUM

Insert maritime limit, pecked line, joining: (a) 51° 41' 538N. , 5° 06' 969W.
(drying rock)

(b) 51° 41' 535N. , 5° 06' 910W.

(c) 51° 41' 475N. , 5° 06' 978W.

(d) 51° 41' 484N. , 5° 07' 026W.

(drying rock)

legend, *Small Craft Moorings*, close S of: (a)-(d) above

Delete legend, *Boat Passage*, close E of: (a)-(d) above

L586/18 WALES — West Coast — Ramsey Sound — Marine farm.

Source: Bill Preece and UKHO

Chart: SC5620-8 (Panel A, Ramsey Sound) ETRS89 DATUM

Insert  51° 52' 04N. , 5° 18' 98W.

Temporary/Preliminary NMs

L609(P)/18 WALES — South Coast — Milford Haven and Approaches, and Pembroke Dock — Dredged depths. Depths. Wrecks.

Source: Milford Haven Port Authority

1. Numerous changes to dredged depths have taken place within the port of Milford Haven. The most significant are as follows:

<i>Location</i>	<i>Dredged depth</i>	<i>Position</i>
Mureo Marine Terminal Berth 1	18-1m	51° 41' 958N. , 5° 03' 613W.
Mureo Marine Terminal Berth 2	10-7m	51° 42' 012N. , 5° 03' 286W.
Valero Berth 8	15-4m	51° 41' 844N. , 5° 03' 152W.
Valero Berth 7	14-3m	51° 41' 864N. , 5° 02' 865W.
Valero Berth 6	19-7m	51° 41' 899N. , 5° 02' 444W.
Valero Berth 1	20-1m	51° 41' 915N. , 5° 02' 030W.
Approach to Valero Berths 4 and 5	6-2m	51° 41' 797N. , 5° 01' 366W.
Milford Shelf Swinging Area	9-3m	51° 42' 187N. , 5° 02' 180W.
SemLogistics Approach / Swinging Area	11-8m	51° 41' 849N. , 4° 59' 754W.

SemLogistics Berth 2	16.9m	51° 41' 935N. , 4° 59' 716W.
Pembroke Dock Ferry Terminal	7.6m	51° 41' 894N. , 4° 57' 115W.

2. Numerous changes to critical depths have taken place within the port of Milford Haven. The most significant are as follows:

<i>Location</i>	<i>Depth</i>	<i>Position</i>
West Channel	15.7m	51° 40' 600N. , 5° 09' 844W.
South Channel	10.2m	51° 41' 706N. , 5° 05' 103W.
Milford Docks Channel	4.8m	51° 42' 515N. , 5° 02' 220W.
Carr Jetty Long Arm	8.0m	51° 41' 930N. , 4° 57' 453W.
Carr Jetty Short Arm	4.9m	51° 41' 947N. , 4° 57' 504W.

3. A 4.5m wreck exists in position 51° 41' 633N. , 5° 05' 283W. The charted 5.6m wreck in this position no longer exists.

4. Mariners are advised to navigate with caution in the area.

5. These changes will be included in the next New Edition of Charts 3273, 3274, 3275, 2878 and 8206 to be published mid 2018. (ETRS89 DATUM)

Charts affected — SC5620

L1142/18 ENGLAND — Bristol Channel — Swansea Bay and Gower Peninsula S and W — Depths. Drying heights.

Source: British Government Survey

Chart: SC5620-1 ETRS89 DATUM

Insert depth, ~~19_s~~, enclosed by 20m contour 51° 28' 3N. , 4° 03' 1W.

Replace depth, ~~16_s~~, with depth, ~~15_s~~ 51° 30' 7N. , 4° 06' 3W.

Chart: SC5620-16 ETRS89 DATUM

Insert depth, ~~4_s~~, enclosed by 5m contour 51° 33' 24N. , 4° 18' 86W.

L1175/18 IRELAND — East Coast — Tuskar Rock S — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5620-1 ETRS89 DATUM


Delete Automatic Identification System, ~~A/S~~, at light-buoy 52° 10' 6N. , 6° 13' 3W.

Chart: SC5620-2 ETRS89 DATUM

Delete Automatic Identification System, ~~A/S~~, at light-buoy 52° 10' 81N. , 6° 12' 83W.

~~L1231/18 WALES — South Coast — Approaches to Milford Haven — Buoy.~~
Source: Milford Haven Port Authority Notice 32/18

~~Chart: SC5620-1 ETRS89 DATUM~~

Insert ~~ F(5)Y.20s~~ ~~51° 27' 5N., 5° 14' 0W.~~

~~Chart: SC5620-3 ETRS89 DATUM~~

Insert ~~ F(5)Y.20s~~ ~~51° 27' 5N., 5° 14' 0W.~~

~~L0001/18 WALES — South Coast — Aberporth — Cardigan — NM Blocks.~~
Source: UKHO

~~Chart: SC5620-5 (Panel C, Approaches to Cardigan) WGS84 DATUM~~

Insert ~~the accompanying block A, centred on:~~ ~~52° 06' 5N., 4° 42' 8W.~~





Chart: SC5620-5 (Panel B, Aberporth) WGS84 DATUM

Insert the accompanying block B, centred on:

52° 08' -7N. , 4° 32' -5W.



L1508/18 WALES — South Coast — Port-Eynon Point SE — Wrecks. Depth.
 Source: British Government Survey

Chart: SC5620-16 ETRS89 DATUM

Insert

(a) 51° 32' 00N., 4° 11' 09W.

Delete depth, 3, close SW of:

(a) above

 ~~Wk PA, close S of:~~

~~(a) above~~

L2124/18 IRELAND — East Coast — Carnsore Point S — Depths.

Source: rv Keary

Chart: SC5620-2 ETRS89 DATUM

Insert depth, ~~4_r~~, and extend 5m contour NE to enclose (a) 52° 09' 48N. , 6° 23' 50W.
depth, ~~4_r~~, enclosed by 5m contour (b) 52° 09' 32N. , 6° 22' 66W.
Delete depth, ~~5~~, close SW of: (a) above
depth, ~~14_e~~, close N of: (b) above

L2253/18 WALES — South Coast — Mumbles Head — Fog signal.

Source: Trinity House

Chart: SC5620-1 ETRS89 DATUM

Amend fog signal to, Horn(1)30s, at light: 51° 34' 0N. , 3° 58' 1W.

L2856/18 WALES — South Coast — Burry Port — Light. Fixed point.

Source: The Marine Group

Chart: SC5620-16 ETRS89 DATUM

Replace  with  Fl.R.5s3M 51° 40' 49N. , 4° 15' 01W.


L3068/18 WALES — West Coast — New Quay — Buoyage.

Source: Ceredigion County Council Notice 2/18

Chart: SC5620-4 (Panel A, Aberystwyth to New Quay) ETRS89 DATUM

Insert  (a) 52° 13' 188N. , 4° 20' 695W.
Delete , close NW of: (a) above

Chart: SC5620-4 (Panel C, New Quay) ETRS89 DATUM

Insert  (a) 52° 13' 188N. , 4° 20' 695W.
Delete , close NW of: (a) above

~~Chart: SC5620-5 (Panel A, Aberaeron to Newport) ETRS89 DATUM~~

Insert  (a) ~~52° 13' 188N. , 4° 20' 605W.~~

Delete , close NW of: (a) above

~~L4217/18 WALES — West Coast — Buoy.~~

Source: Met Office

~~Chart: SC5620-1 ETRS89 DATUM~~

Insert  ~~FI(5)Y.20s ODAS~~ 52° 26' 0N. , 4° 48' 0W.

~~Notices to Mariners — Weekly Edition 37/2018 Wales — South Coast, Approaches to Milford Haven.~~

~~— Chart 2878 — New Edition Announcement.~~

~~Chart SC5620-11 WGS84 DATUM~~

The following changes were published in the new edition of chart 2878, which is the source chart for the above folio sheet:

~~— Includes changes to depths from the latest British Government and Port Authority Surveys. Mariners should therefore navigate with caution on sheet SC5620-11 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.~~

These changes will be included in the next new edition of SC5620:

~~Notices to Mariners — Weekly Edition 37/2018 International Chart Series, Wales — South Coast, Milford Haven, Saint Ann's Head to Newton Noyes Pier.~~

~~— Chart 3274 — New Edition Announcement.~~

~~Chart SC5620-12 WGS84 DATUM~~

The following changes were published in the new edition of chart 3274, which is the source chart for the above folio sheet:

~~— Includes changes to depths from the latest British Government and Port Authority Surveys. Mariners should therefore navigate with caution on sheet SC5620-12 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.~~

These changes will be included in the next new edition of SC5620:

**Notices to Mariners—Weekly Edition 37/2018 International Chart Series, Wales—
South Coast, Milford Haven, Milford Docks to Pieton Point.
—Chart 3275—New Edition Announcement.**

Charts SC5620-13 and SC5620-14 WGS84 DATUM

The following changes were published in the new edition of chart 3275, which is the source chart for the above folio sheets:

————— *Includes changes to depths from the latest British Government and Port Authority Surveys. Panels A to D were not previously announced. Mariners should therefore navigate with caution on sheets SC5620-13 and SC5620-14 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.*

These changes will be included in the next new edition of SC5620.

L4560/18 WALES—West Coast—Depths.

Source: Stena Line Ports Ltd

Chart: SC5620-6 (Panel B, Fishguard Bay) ETRS89 DATUM

Insert	depth, 4_s , and extend 5m contour W to enclose	(a) 52° 00' 751N., 4° 59' 036W.
Delete	depth, 5_s , close N of:	(a) above
Insert	depth, 2	52° 00' 768N., 4° 58' 956W.
	depth, 6_s	(b) 52° 00' 650N., 4° 58' 883W.
Delete	depth, 6_s , close SE of:	(b) above

Chart: SC5620-7 (Panel A, Newport Bay to Ramsey Sound) ETRS89 DATUM

Insert	depth, 4_s , and extend 5m contour W to enclose	(a) 52° 00' 751N., 4° 59' 036W.
Delete	depth, 5_s , close N of:	(a) above
Insert	depth, 2	52° 00' 768N., 4° 58' 956W.
	depth, 6_s	(b) 52° 00' 650N., 4° 58' 883W.
Delete	depth, 6_s , close SE of:	(b) above

Temporary/Preliminary NMs

L4690(T)/18 WALES—South Coast—Buoyage.

Source: Milford Haven Port Authority

1. Two special light buoys, *Fl(5)Y.20s*, carrying scientific equipment and marking seabed mounted scientific equipment, have been established in the following positions:

51° 39' 703N., 5° 05' 125W.

~~51° 39' 638N., 5° 05' 045W.~~

~~2. Mariners are requested to maintain a distance of at least 200m from the buoys.(ETRS89 DATUM)~~

~~Charts affected — SC5620~~

~~L5056/18 WALES — South Coast — Buoyage.~~

~~Source: Port of Milford Haven~~

~~Chart: SC5620-13 ETRS89 DATUM~~

~~Move~~

 Q.C, from:	51° 41' 130N., 4° 58' 805W.
to:	51° 41' 111N., 4° 58' 764W.
 Q.R, from:	51° 41' 074N., 4° 58' 849W.
to:	51° 41' 064N., 4° 58' 791W.

~~Notices to Mariners — Weekly Edition 44/2018 Wales — South Coast, Linney Head to Oxwich Point.~~

~~— Chart 1076 — New Edition Announcement.~~

~~Charts SC5620-10 and SC5620-16 WGS84 DATUM~~

~~The following changes were published in the new edition of chart 1076, which is the source chart for the above folio sheets:~~

~~— Includes changes to depths from the latest British Government Surveys. Mariners should therefore navigate with caution on sheets SC5620-10 and SC5620-16 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.~~

~~These changes will be included in the next new edition of SC5620.~~

~~L5295/18 WALES — South Coast — Dredged depths. Legends.~~

~~Source: Milford Haven Port Authority Notice 92/18~~

~~Chart: SC5620-12 ETRS89 DATUM~~

Amend	legend to, <i>Dredged to 17.1m (2018)</i>, centred on:	51° 41' 955N., 5° 03' 632W.
	dredged depth to, <i>14.0m (2018)</i>, centred on:	51° 41' 862N., 5° 02' 865W.
	legend to, <i>Dredged to 19.8m (2018)</i>, centred on:	51° 41' 913N., 5° 02' 027W.
	dredged depth to, <i>5.7m (2018)</i>, centred on:	51° 41' 829N., 5° 01' 579W.

dredged depth to, ~~5-8m (2018)~~, centred on: 51° 41' 816N. , 5° 01' 442W.
 legend to, ~~Dredged to 5-7m (2018)~~, centred on: 51° 41' 792N. , 5° 01' 396W.

Chart: SC5620-13 ETRS89 DATUM

Amend dredged depth to, ~~5-7m (2018)~~, centred on: 51° 41' 814N. , 5° 01' 587W.
 dredged depth to, ~~5-8m (2018)~~, centred on: 51° 41' 816N. , 5° 01' 445W.
 legend to, ~~Dredged to 5-7m (2018)~~, centred on: 51° 41' 794N. , 5° 01' 400W.
 legend to, ~~Dredged to 15-2m (2018)~~, centred on: 51° 41' 936N. , 4° 59' 715W.
 dredged depth to, ~~10-1m (2018)~~, centred on: 51° 41' 923N. , 4° 59' 481W.


L5426/18 WALES — South Coast — Legend.
 Source: Milford Haven Port Authority Notice 93/18

Chart: SC5620-12 ETRS89 DATUM

Insert legend, ~~Scientific Instruments~~, centred on: 51° 41' 608N. , 5° 06' 413W.

L5786/18 IRELAND — South Coast — Wrecks.
 Source: rv Keary

Chart: SC5620-2 ETRS89 DATUM

Replace  with  51° 59' 49N. , 6° 10' 14W.
 Replace  with  52° 05' 36N. , 6° 42' 27W.

L791/19 WALES — South Coast — Dredged depths.
 Source: Milford Haven Port Authority Notice 3/19

Chart: SC5620-12 ETRS89 DATUM

Amend legend to, ~~Dredged to 19-3m (2019)~~, centred on: 51° 41' 897N. , 5° 02' 446W.
 legend to, ~~Dredged to 18-1m (2019)~~, centred on: 51° 41' 915N. , 5° 02' 025W.

Temporary/Preliminary NMs

L1445(T)/19 ENGLAND — South West Coast — Buoy.
 Source: AL Shamal

1. The special buoy, *Fl(5)Y.20s*, in position, 51° 27' 50N. , 5° 14' 00W. has been reported as off station.
2. Mariners are advised to navigate with caution in the vicinity. (ETRS89 DATUM)

Charts affected — SC5608 and SC5620

L1627/19 WALES — South Coast — Buoy.

Source: Milford Haven Port Authority Notice 17/19

Chart SC5620-11 ETRS89 DATUM

Insert  *F(5)Y.20s* 51° 39' 63N., 5° 05' 92W.

L2160/19 WALES — South Coast — Legends.

Source: Milford Haven Port Authority Notice 24/19

Chart: SC5620-13 ETRS89 DATUM

Amend legend to, *Dredged to 16.8m (2019)*, centred on: 51° 41' 935N., 4° 59' 728W.

legend to, *10.6m (2019)*, centred on: 51° 41' 917N., 4° 59' 432W.

L3285/19 WALES — South Coast — Buoyage.

Source: Port of Milford Haven

Chart: SC5620-13 ETRS89 DATUM

Replace  *Q.G* with  51° 41' 111N., 4° 58' 764W.

 *Q.R* with  51° 41' 064N., 4° 58' 791W.

 *F(2)R.5s* with  51° 41' 056N., 4° 58' 580W.

L3589/19 WALES — South Coast — Depths.

Source: Milford Haven Port Authority

Chart: SC5620-13 ETRS89 DATUM

Insert depth, *7₄* 51° 41' 804N., 4° 56' 949W.

Insert depth *4₉*, enclosed by 5m contour 51° 41' 822N., 4° 57' 008W.

depth, *3* 51° 41' 798N., 4° 56' 882W.

L4304/19 WALES — West Coast — Depths.

Source: fpv Morven

Chart: SC5620-7 (Panel A, Newport Bay to Ramesy Sound) ETRS89 DATUM

Insert depth, ~~5~~, enclosed by 5m contour (a) 51° 56' 10N. , 5° 15' 06W.
Delete depth, ~~16₂~~, close SE of: (a) above

Temporary/Preliminary NMs

L5426(T)/19 WALES — South Coast — Works. Buoy.

Source: Milford Haven Port Authority

1. ~~Dredging works are taking place in the vicinity of Neyland Yacht Haven.~~
2. ~~An unlit yellow buoy has been deployed, until further notice, in position 51° 42' 3N. , 4° 56' 3W. , to mark the outer end of the discharge pipe.~~
3. ~~Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)~~

Chart affected — SC5620

Notices to Mariners – Weekly Edition 43/2019 International Chart Series, British Isles, Approaches to the Bristol Channel. — Chart 1178 — New Edition Announcement.

Charts SC5620-2 and SC5620-3 WGS84 DATUM

The following changes were published in the new edition of chart 1178, which is the source chart for the above folio sheets:

— Includes changes to depths from the latest British Government, Irish Government and commercial surveys. Mariners should therefore navigate with caution on sheets SC5620-2 and SC5620-3 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5620.

L5954/19 WALES — West Coast — Buoyage.

Source: CEFAS

Chart: SC5620-1 ETRS89 DATUM

Delete  ~~F(5)Y.20s~~ 51° 50' 3N. , 5° 50' 4W.

Chart: SC5620-2 ETRS89 DATUM

Delete  ~~F(5)Y.20s~~ 51° 50' 68N. , 5° 50' 19W.

Delete  Fl(5)Y.20s (2 buoys)

51° 50' 46N. , 5° 50' 34W.

L5999/19 WALES — South Coast — Legend.

Source: Trinity House

Chart: SC5620-1 ETRS89 DATUM

Insert legend, 2 buoys, at light buoy

51° 27' 5N. , 5° 14' 0W.

Chart: SC5620-3 ETRS89 DATUM

Insert legend, 2 buoys, at light buoy

51° 27' 50N. , 5° 14' 00W.

L6006/19 WALES — West Coast — Drying heights.

Source: Atkins Ltd

Chart: SC5620-5 (Panel A, Aberaeron to Newport) ETRS89 DATUM

Insert drying height, 0, enclosed by 0m low water line

52° 14' 80N. , 4° 15' 99W.

drying height, 1, enclosed by 0m low water line

52° 14' 64N. , 4° 15' 96W.

Chart: SC5620-6 (Panel A, Aberaeron) ETRS89 DATUM

Insert drying height, 0, enclosed by 0m low water line

52° 14' 80N. , 4° 15' 99W.

drying height, 1, enclosed by 0m low water line

52° 14' 64N. , 4° 15' 96W.

L165/20 WALES — South Coast — Depths.

Source: ms Northern Wind

Chart: SC5620-1 ETRS89 DATUM

Replace depth 20, with depth, 17, enclosed by 20m contour

51° 24' 4N. , 3° 59' 9W.

Notices to Mariners — Weekly Edition 09/2020 British Isles, Western Approaches to Saint George's Channel and Bristol Channel. — Chart 1123 — New Edition Announcement.

Chart SC5620-1 WGS84 DATUM

The following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheet:

~~Includes Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheets SC5620-1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.~~

These changes will be included in the next new edition of SC5620.

L1179/20 WALES — South Coast — Dredged depths. Depths.

Source: Milford Haven Port Authority Notice 10/20

Chart: SC5620-12 ETRS89 DATUM

Amend dredged depth to, *14.2m (2020)*, centred on: 51° 41' 916N., 5° 01' 810W.

Chart: SC5620-13 ETRS89 DATUM

Amend legend to, *Dredged to 6.8m (2020)*, centred on: 51° 41' 895N., 4° 57' 102W.

Replace depth, *6₂*, with depth, *4₉*, enclosed by 5m contour 51° 41' 771N., 4° 57' 050W.

Amend dredged depth to, *14.2m (2020)*, centred on: 51° 41' 909N., 5° 01' 791W.

legend to, *Dredged to 15.9m (2020)*, centred on: 51° 41' 933N., 4° 59' 686W.

L1391/20 WALES — West Coast — Depth.

Source: Stena Line Ports Ltd

Chart: SC5620-6 (Panel B, Fishguard Bay) ETRS89 DATUM

Insert depth, *4₉*, and extend 5m contour SW to enclose 52° 00' 736N., 4° 58' 213W.

L1686/20 WALES — West Coast — Foul.

Source: UKHO

Chart: SC5620-9 ETRS89 DATUM

Insert ~~— #~~ ~~—————~~ 51° 45' 7N., 5° 15' 2W.